


UAB - Support bracket

3032428

<https://www.phoenixcontact.com/us/products/3032428>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Support bracket, number of positions: 1, color: blue

Commercial data

| | |
|--------------------------------------|---------------------|
| Item number | 3032428 |
| Packing unit | 1 pc |
| Minimum order quantity | 50 pc |
| Sales key | BE19 |
| Product key | BE1ZWX |
| Catalog page | Page 507 (C-1-2017) |
| GTIN | 4017918092252 |
| Weight per piece (including packing) | 3.729 g |
| Weight per piece (excluding packing) | 3.729 g |
| Customs tariff number | 39269097 |
| Country of origin | DE |

Technical data

Product properties

| | |
|---------------------|---------|
| Product type | Support |
| Number of positions | 1 |
| Pitch | 200 mm |

Dimensions

| | |
|--------------------|---------|
| Width | 2 mm |
| Height | 56 mm |
| Depth on NS 32 | 47 mm |
| Depth on NS 35/7,5 | 42 mm |
| Depth on NS 35/15 | 49.5 mm |
| Pitch | 200 mm |

Material specifications

| | |
|--|------|
| Color | blue |
| Flammability rating according to UL 94 | V2 |
| Insulating material | PA |

Environmental and real-life conditions

Ambient conditions

| | |
|--|---|
| Ambient temperature (storage/transport) | -25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C) |
| Ambient temperature (assembly) | -5 °C ... 70 °C |
| Ambient temperature (actuation) | -5 °C ... 70 °C |
| Permissible humidity (storage/transport) | 30 % ... 70 % |

UAB - Support bracket

3032428

<https://www.phoenixcontact.com/us/products/3032428>



Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-11.0 | 27400607 |
| ECLASS-12.0 | 27400607 |
| ECLASS-13.0 | 27400607 |

ETIM

| | |
|----------|----------|
| ETIM 8.0 | EC001166 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39121700 |
|-------------|----------|

UAB - Support bracket

3032428

<https://www.phoenixcontact.com/us/products/3032428>



Environmental product compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com