

# AI-TWIN SORTI BOX GY - Range box



3202999

<https://www.phoenixcontact.com/us/products/3202999>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



**Sorti-box**, equipped with TWIN ferrules in accordance with DIN 46228-4, CSA-certified, 20 pcs. of AI-TWIN 2x4-12 GY, 10 pcs. each of AI-TWIN 2x6-14 YE, AI-TWIN 2x10-14 RD

## Your advantages

- Color coding and the transparent cover facilitate fast access to the required ferrules
- The practical assortment boxes are designed to keep your workshop tidy
- Using the integrated euro-clip, they can be hung up on perforated board walls, for example, to save space

## Commercial data

Item number	3202999
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH34
Product key	BH3416
Catalog page	Page 489 (C-3-2019)
GTIN	4017918947125
Weight per piece (including packing)	100.42 g
Weight per piece (excluding packing)	100.42 g
Customs tariff number	85369010
Country of origin	DE

# AI-TWIN SORTI BOX GY - Range box



3202999

<https://www.phoenixcontact.com/us/products/3202999>

## Set consists of

AI-TWIN 2X 4 -12 GY - Ferrule

3201000

<https://www.phoenixcontact.com/us/products/3201000>



Ferrule, sleeve length: 12 mm, length: 23 mm, color: gray

---

AI-TWIN 2X 6 -14 YE - Ferrule

3201013

<https://www.phoenixcontact.com/us/products/3201013>



Ferrule, sleeve length: 14 mm, length: 25 mm, color: yellow

# AI-TWIN SORTI BOX GY - Range box



3202999

<https://www.phoenixcontact.com/us/products/3202999>

## AI-TWIN 2X10 -14 RD - Ferrule

3201026

<https://www.phoenixcontact.com/us/products/3201026>

Ferrule, sleeve length: 14 mm, length: 26 mm, color: red



# AI-TWIN SORTI BOX GY - Range box



3202999

<https://www.phoenixcontact.com/us/products/3202999>

## Technical data

### Product properties

Product type	Assortment box
--------------	----------------

### Material specifications

Color	gray
Material	CU-DHP
Flammability rating according to UL 94	HB
Coating	tin-plated (galvanic)
Components	free from silicone and halogen

# AI-TWIN SORTI BOX GY - Range box



3202999

<https://www.phoenixcontact.com/us/products/3202999>

## Classifications

### ECLASS

ECLASS-11.0	27400218
ECLASS-12.0	27400218
ECLASS-13.0	27400218

### ETIM

ETIM 8.0	EC000524
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# AI-TWIN SORTI BOX GY - Range box



3202999

<https://www.phoenixcontact.com/us/products/3202999>

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)