

# TMB-QT 2,5/20-B 244 - Assembled cable connectors



3207761

<https://www.phoenixcontact.com/us/products/3207761>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Assembled cable connectors

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 3207761       |
| Packing unit                         | 1 pc          |
| Minimum order quantity               | 1 pc          |
| Sales key                            | BF12          |
| Product key                          | BF8EAA        |
| GTIN                                 | 4046356058018 |
| Weight per piece (including packing) | 273.8 g       |
| Weight per piece (excluding packing) | 273.8 g       |
| Customs tariff number                | 85444290      |
| Country of origin                    | PL            |

# TMB-QT 2,5/20-B 244 - Assembled cable connectors





3207761


<https://www.phoenixcontact.com/us/products/3207761>


## Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/3207761>

|  <b>CSA</b><br>Approval ID: 13631 |                       |                       |                   |                             |
|--|-----------------------|-----------------------|-------------------|-----------------------------|
|  | Nominal voltage $U_N$ | Nominal current $I_N$ | Cross section AWG | Cross section $\text{mm}^2$ |
| Use group C  |                       |                       |                   |                             |
|  | 600 V                 | 20 A                  | - 14              | -                           |

|  <b>UL Recognized</b><br>Approval ID: FILE E 118976 |                       |                       |                   |                             |
|--|-----------------------|-----------------------|-------------------|-----------------------------|
|  | Nominal voltage $U_N$ | Nominal current $I_N$ | Cross section AWG | Cross section $\text{mm}^2$ |
|  | 600 V                 | 20 A                  | - 14              | -                           |

|  <b>IECEE CB Scheme</b><br>Approval ID: DE1-64129 |                       |                       |                   |                             |
|--|-----------------------|-----------------------|-------------------|-----------------------------|
|  | Nominal voltage $U_N$ | Nominal current $I_N$ | Cross section AWG | Cross section $\text{mm}^2$ |
|  | 800 V                 | 20 A                  | -                 | -                           |

|  <b>VDE Gutachten mit Fertigungsüberwachung</b><br>Approval ID: 40013075 |                       |                       |                   |                             |
|---|-----------------------|-----------------------|-------------------|-----------------------------|
|   | Nominal voltage $U_N$ | Nominal current $I_N$ | Cross section AWG | Cross section $\text{mm}^2$ |
|   | 800 V                 | 20 A                  | -                 | 2.5                         |

# TMB-QT 2,5/20-B 244 - Assembled cable connectors



3207761

<https://www.phoenixcontact.com/us/products/3207761>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-12.0 | 27060390 |
| ECLASS-11.0 | 27060390 |
| ECLASS-13.0 | 27060390 |

### ETIM

|          |          |
|----------|----------|
| ETIM 8.0 | EC000748 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 26121600 |
|-------------|----------|

Environmental product compliance

|            |   |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

Phoenix Contact 2023 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)