

RAD-SOL-SET-24-100-US - Solar system



5605943

<https://www.phoenixcontact.com/us/products/5605943>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Complete solar system, consisting of solar panel and control cabinet with charge controller, solar battery, surge protection, fuses and mounting material.

Your advantages

- Prewired control cabinet including charge controller, solar battery, surge protection, and fuses
- Optional wall or mast mounting

Commercial data

Item number	5605943
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	DN23
Product key	DNC6P1
Catalog page	Page 681 (IF-2011)
GTIN	4046356150279
Weight per piece (including packing)	450 g
Weight per piece (excluding packing)	450 g
Customs tariff number	85013100
Country of origin	DE

RAD-SOL-SET-24-100-US - Solar system



5605943

<https://www.phoenixcontact.com/us/products/5605943>

Set consists of

RAD-SOL-BAT-12- 80 - Solar battery

2885498

<https://www.phoenixcontact.com/us/products/2885498>




12 V/100 Ah gel solar battery, designed for use in the 200 Wp RAD-SOL-SET-24-200 solar system. Two batteries are required to operate the solar system.

RAD-SOL-CHG-24- 10 - Charge controller

2885443

<https://www.phoenixcontact.com/us/products/2885443>



Fully automatic charge controller with electronic protection functions, for photovoltaic systems with a system voltage of 24 V.

RAD-SOL-SET-24-100-US - Solar system



5605943

<https://www.phoenixcontact.com/us/products/5605943>

RAD-SOL-PAN-12- 50 - Solar panel

2885456

<https://www.phoenixcontact.com/us/products/2885456>

12 V/50 Wp solar module, designed for use in the RAD-SOL-SET-24-100 or RAD-SOL-SET-24-200 solar system. Two or four modules are required to operate the solar system.



RAD-SOL-BOX-24V - Control cabinet

2917353

<https://www.phoenixcontact.com/us/products/2917353>

Pre-wired aluminum cabinet for use outdoors, with charger, surge protection and fuses. Designed for use in the solar set RAD-SOL-SET-24-...



RAD-SOL-SET-24-100-US - Solar system



5605943

<https://www.phoenixcontact.com/us/products/5605943>

RAD-SOL-MKT-100 - Solar panel bracket

2917735

<https://www.phoenixcontact.com/us/products/2917735>

Solar panel bracket for mounting 2 x RAD-SOL-PAN-12-50 solar panels on the wall or on a mast



RAD-SOL-SET-24-100-US - Solar system



5605943

<https://www.phoenixcontact.com/us/products/5605943>

Technical data

Electrical properties

Operating voltage	24 V DC
-------------------	---------

Dimensions

Width	489 mm
Height	822.4 mm
Depth	337.7 mm

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-30 °C ... 60 °C
Ambient temperature (storage/transport)	-30 °C ... 60 °C
Wind velocity	25 m/s (per m ² corresponds to wind load zone 2, at a force of 0.39 kN)

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com