

The logo consists of the letters 'OX' in a bold, italicized, sans-serif font. The 'O' is a solid blue circle, and the 'X' is formed by two blue diagonal strokes that meet at a sharp point. A registered trademark symbol (®) is located to the right of the 'X'.

OX®

UNLEASH THE POWER

A large, faint, dark blue silhouette of an ox's head is centered in the background. The silhouette shows the ox's face, including its eyes, ears, and large, curved horns. The background is a dark, textured surface that looks like cracked stone or rock.

**BORN IN
AUSTRALIA.
RAISED IN
THE USA.**

Full Line Catalog



Our story

Since 1974 we have been delivering high quality professional tools to the general construction, masonry and tiling trades. Our company has grown steadily based on the quality of our products and our determined pursuit of service excellence.

Our commitment to research and development is combined with a willingness to listen to the people who everyday depend on our tools. By relentlessly researching and introducing new materials and new features, we are proud to say we have positively impacted the lives of the professional contractor.

With experience gained through research and collaboration within the construction trade sector, we actively are charting a course to continue to bring added value, new thinking and viable approaches, addressing the dilemmas and challenges today that frustrate both the contractor and the retail sector that serves them.

Our commitment to innovation and quality continues to be at the core of our strategy. As we move farther into the 21st century we believe our innovative approach will be a deciding factor in the growth of our business

We aim to leverage our global business portfolio built around the strength of the OX brand. Unleash the Power®.


Contents



Striking Tools
pages 8-11



Demolition Tools
pages 12-15



Layout & Measuring Tools
pages 16-23



General Hand Tools
pages 24-25



Cutting Tools
pages 26-27



Bricklaying Tools
pages 28-33



Concreting Tools
pages 34-39



Plastering Tools
pages 40-45



Tiling Tools
pages 46-59



Site Tools
pages 60-63



Safety
pages 64-65



Tool Storage
pages 66-67



Diamond Tools
pages 68-105

18 offices, 10 countries, one **OX**



Australia
UK
France
Spain


New Zealand
USA
Canada
The Netherlands

Sweden
Argentina


New innovative tool development

With our 41 years experience, and product and marketing innovation, we deliver ingenious design solutions to meet ever-evolving customer requirements.


The performance, service life and ergonomics of our tools are guided by the need to meet the high expectations of professional users.




Full back up support



Staff training



USA Regional coverage




Demonstrations & trade shows




Service & support on site

Whatever the level of merchandising support you need we have the answer!



Promotional displays & support...






Striking Tools

OX hammers are full of features to make them perfectly balanced and built to last.

Shock absorbing ergonomically designed handles reduce hand fatigue and vibration. The quality of the steel, the balance and comfort grip handles mean they are perfect for tradesmen who want the job done right, first time every time.





Striking Tools

PRO STRAIGHT CLAW RIP HAMMER - 20oz

FEATURES

- Non-slip grip handle with shock reduction
- Precision balanced
- Forged, one piece steel construction
- High quality steel for durability

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P082920	5060242338502	20oz / 560g	1	4	35.95



PRO FRAMING HAMMER – SMOOTH FACE

FEATURES

- Straight claw hammer designed for frame work
- Long handle for greater impact
- Non-slip grip handle with shock reduction
- Forged, one piece steel construction
- Precision balanced

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P082322	5060242338458	22oz / 624g	1	4	39.95
OX-P082328	5060242338014	28oz / 790g	1	4	42.95



PRO FRAMING HAMMER – MILLED FACE

FEATURES

- Straight claw hammer designed for frame work
- Long handle for greater impact
- Non-slip grip handle with shock reduction
- Forged, one piece steel construction
- Precision balanced

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P083422	5060242338519	22oz / 624g	1	4	39.95
OX-P083428	5060242338533	28oz / 790g	1	4	42.95





PRO BRICK HAMMER – 24oz

FEATURES

- Accurately ground chisel end for clean cutting
- Non-slip grip handle with shock reduction
- Forged, one piece steel construction
- Precision balanced

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P082424	5060242338021	24oz / 680g	1	4	36.75



PRO CLUB HAMMER

FEATURES

- Forged, one piece steel construction
- Non-slip grip handle with shock reduction
- High quality steel for durability

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P082703	5060242338045	3lb / 1.3kg	1	4	37.75



PRO DRYWALL HAMMER

FEATURES

- Crowned, scored hammer head to reduce the chance of impact marks on plasterboard
- Cutaway and notched cutting blade for withdrawing nails and cutting laths
- Non-slip grip handle with shock reduction

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P082614	5060242338038	14oz / 400g	1	4	33.85



PRO CALIFORNIA FRAMING HAMMER

FEATURES

- Unique head design – excellent balance for faster strike
- Genuine american hickory handle
- Forged solid steel head
- Milled face

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P083322	9341231012006	22oz / 624g	1	4	27.00



PRO DEADBLOW HAMMER

FEATURES

- Durable one-piece molded construction
- Shot-filled head eliminates rebound

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P085248	9341231015274	48oz / 1361g	1	4	23.45

NEW!



TRADE COMBINATION RUBBER MALLET

FEATURES

- Standard black face for general work
- Semi hard white face that will not mark or discolor surfaces
- Strong & light fiberglass handle
- Comfortable grip

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T081916	5060242337420	16oz / 450g	1	6	13.50






Demolition Tools

The OX demolition range is a very impressive line up.

The handles are shaped and sized to provide comfort in the hand with shock absorbing technology.

The materials and construction are of the highest quality to stand up to an unbelievable amount of force. Only heavy use can really demonstrate the power and resistance of these tools.







Demolition Tools

PRO CLAW BAR



FEATURES

- Unique hammer head
- Multi-functional claw bar for striking, prying & pulling
- Comfort non-slip grip handle
- Polished bevelled claw for better access

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P083010	5060242339981	10" / 250mm	1	6	16.50
OX-P083012	5060242338069	12" / 300mm	1	6	18.00



PRO MOULDING BAR



FEATURES

- Unique hammer head
- Multi-functional moulding bar with extra wide chisel blade
- Comfort non-slip grip handle
- Polished bevelled claw for better access

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P083110	5060242338076	10" / 250mm	1	6	16.50

PRO HANDY BAR



FEATURES

- Heat treated, forged steel
- For pulling, lifting or prying
- Powder coated to provide maximum resistance to rusting

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P093015	5060242338083	16" / 390mm	1	8	16.00



PRO FLOOR CHISEL – 3" x 11"

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting, prying & ripping of Nails & Hard Wood Flooring

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P092103	5060242334542	3" x 11"	1	5	21.50



PRO COLD CHISEL - 1" x 12"

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & shaping Iron, Steel, Aluminium, Copper, Brass, Nuts & Bolts

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P092401	5060242334566	1" x 12"	1	5	16.95



PRO BRICK CHISEL - 4" x 8 1/2"

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & splitting of Bricks & Masonry

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P092304	5060242334528	4" x 8 1/2"	1	5	21.50



PRO CONCRETE CHISEL – 3/4" x 12"

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & breaking of Concrete

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P092501	5060242334535	3/4" x 12"	1	5	16.95





Layout & Measuring Tools

Lifetime vial warranty, 30mm depth extrusion and patented innovative dual view vials are just some of the features on the extraordinary OX Pro Series level.

This one is definitely stronger than an OX – and if you can find a tougher level we will give you your money back...Guaranteed!







Layout & Measuring Tools

PRO TAPE MEASURE – 16FT & 26FT



FEATURES

- Professional tape measure
- Chrome case with over mold for heavy duty use
- Cushion grip for comfort and slip resistant hold
- Extra tough nylon coated steel 27mm wide blade
- Double sided printing on tape for convenience
- 9' 2" stand out
- Bigger end hook
- Easy access thumb lock
- Class II
- CE Approved



Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P023905	9341231034220	16FT	1	8	14.00
OX-P023908	9341231034237	26FT	1	8	22.00



PRO POWER TAPE



FEATURES

- High impact ABS case with rugged over mold
- Cushion grip for comfort and slip resistant hold
- Double sided printing on tape for convenience
- Bigger end hook
- Easy access thumb lock
- Class II
- CE approved

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P027808	9341231004698	25FT	1	6	17.00



PRO TAPE MEASURE – 1-1/16" TAPE

FEATURES

- High impact ABS case with rugged over mold
- Cushion grip for comfort and slip resistant hold
- 1-1/16" (27mm) wide tape
- Double sided printing on tape for convenience
- Inch fractional markings
- Bigger end hook
- Easy access thumb lock
- Class II
- CE approved



Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P029225	9341231015250	25FT	1	8	18.00



PRO SS TAPE MEASURE – 1-3/16" TAPE

FEATURES

- Durable and corrosion resistant stainless steel case with rugged over mold
- Cushion grip for comfort and slip resistant hold
- 1-3/16" (30mm) wide tape - 9' standout
- Double sided printing on tape for convenience
- Inch fractional markings
- Bigger end hook with magnetic feature
- Easy access thumb lock
- Class II
- CE approved



Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P029425	9341231015267	25FT	1	8	24.00



TRADE OPEN REEL TAPE MEASURE – 165FT / 50M

FEATURES

- Durable fiberglass tape
- Rubber grip handle
- Hi-impact case
- 1/2" wide blade
- Versatile double sided tape with imperial and metric scale



Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T023505	9341231010675	165FT / 50M	1	5	22.00



Magnified vial for better readability

Dual view vials give the unique front view of the vertical vial – for more precise leveling, and an end to neck & eye strain

Life time vial warranty

Shock-proof polypropylene & TPR end caps with air cushioned PVC shock absorbers



Air cushioned grip handles with soft touch feel

High quality aluminium extrusion 66mm (w) x 30mm (d)

Vials individually calibrated to an accuracy of 0.005"/" (0.5mm/m)



* for full details on display stands see pages 106-110.



PRO LEVEL

FEATURES

- The strongest level EVER or your money back!
- Unique dual view
- Silicone air cushioned handles
- Shock proof end caps
- Available in 24", 36", 48", 72" & 98"

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P024406	5060242333897	24" / 600mm	1	4	60.00
OX-P024409	5060242333910	36" / 900mm	1	4	70.00
OX-P024412	5060242333934	48" / 1200mm	1	4	80.00
OX-P024418	5060242333941	72" / 1800mm	1	4	125.00
OX-P024424	5060242333965	96" / 2400mm	1	4	145.00



PRO LEVEL – MAGNETIC

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P024306	5060242338359	24" / 600mm	1	4	78.00
OX-P024308	5060242338366	32" / 800mm	1	4	87.00
OX-P024312	5060242338397	48" / 1200mm	1	4	104.00
OX-P024320	5060242338410	78" / 2000mm	1	4	149.00
OX-P024324	5060242338427	96" / 2400mm	1	4	159.00



PRO TILERS LEVEL

FEATURES



- Magnified centre vial
- Made from structural aircraft alloy
- Plexiglass shock proof vials
- Accuracy +/- 0.5mm/m
- Great for use as a screed

Product Code	UPC Code	Length	Inner Qty	Outer Qty	List Price \$
OX-P021208	9341231030062	32" / 800mm	3	6	34.50
OX-P023112	9341231030093	48" / 1200mm	3	6	52.50





Layout & Measuring Tools



PRO TOOL BOX LEVEL

FEATURES

- The toughest level in the world!
- Tilted horizontal vial for direct view of bubble
- 3 Unbreakable acrylic shock-proof vials
- Accuracy <math><0.0005\text{"/math><math>0.5mm/m</math></math> on the fixed vials
- 25mm Thick profile – extremely strong construction
- Fine milled surface with V-groove



Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P027210	5060242338632	250mm	1	4	49.95

TRADE CARPENTER'S PENCILS – 10PK

FEATURES

- 10 Carpenters pencils with FREE sharpener included
- Comfort grip and easy to hold
- Medium lead



Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T023010	9341231035012	10 Pack	12	12	7.85



PRO HEAVY DUTY CHALK LINE REEL – 30M / 100FT

FEATURES

- Heavy duty construction
- 5:1 Gear ratio for fast rewind
- 30M Chalkline length
- Twisted polyester string for strength and durability

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P027730	5060242338861	30M / 100FT	1	4	21.65



TRADE HEAVY DUTY CHALK LINE REEL

FEATURES

- Dual use – can be used as plumb bob
- High impact cast metal body
- Stainless-steel hook

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T020830	9341231001291	30M / 100FT	1	12	11.55



PRO CHALK POWDER – 8OZ / 226G

FEATURES

- Two different colors available – red, blue
- Powder formulated for good adhesion and high visibility
- For both interior & exterior use
- For use with chalk lines
- Easy pour, refillable bottle

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P025701	9341231004698	Red / 8oz (226g)	12	12	3.50
OX-P025702	5060242337901	Blue / 8oz (226g)	12	12	3.50





General Hand Tools

Owning quality hand tools says a lot about how serious a tradesman you are.

Superbly balanced chisels and built tough bar clamps are products that have been designed to give users greater control and accuracy.

The OX pro heavy duty clamp has been created for more demanding work where high-force tension, strength and durability are required.





PRO HEAVY DUTY BAR CLAMP

FEATURES

- Very heavy duty construction for durability
- High clamping force – 330 lb / 150kg
- Quick change conversion from clamp to spreader
- TPR Jaw pads protect surfaces from damage



Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P201212	5060242338793	12" / 300MM	1	10	33.65

PRO SCREWDRIVER SET – 7PC

FEATURES

- Pro series 7pc set
- Chrome vanadium steel bar
- Soft grip handle moulded directly to shaft for ultimate strength
- Colour coded handles
- Robust, heavy duty case
- Set includes: 3 Flat Head, Phillips PH1, PH2, Pozi PZ1, PZ2



Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P360207	5060242339318	7 Piece Set	1	5	49.98

ROBUST, HEAVY DUTY CASE – UNBREAKABLE!





Cutting Tools

Tradesmen demand a lot from their cutting tools. Our utility knives and saws are designed for ease of use, so that you can change blades without extra tools, cut faster, cut longer and cut hours off your day!





Cutting Tools

PRO FIXED FOLDING KNIFE

FEATURES

- Compact foldable design
- Blade storage in handle
- Very fast blade change

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P221301	5060242339349	-	1	12	12.95



PRO SOFT GRIP UTILITY KNIFE

FEATURES

- Sleek 'flipout' blade storage cartridge in the back of the handle for extra blades
- Quick blade change - 'push the button'
- Ergonomic grip for ease of use
- Dual cutting position

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P220801	9341231032370	-	4	12	11.35



PRO HEAVY DUTY KNIFE BLADES - 100 PACK

FEATURES

- General purpose heavy duty blades in dispenser
- High quality SK2 steel
- Extra flexible and durable

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P222110	5060242332364	100 Pack	6	6	22.50



PRO AVIATION SNIPS

FEATURES

- Heat treated alloy jaws
- Fully adjustable and replaceable jaws
- Rated to cut HRC49

Product Code	UPC Code	Cut Direction	Order Qty	Box Qty	List Price \$
OX-P231001	9341231032448	Left (Red)	4	12	17.35
OX-P231002	9341231032455	Right (Green)	4	12	17.35
OX-P231003	9341231032462	Straight (Yellow)	4	12	17.35





Bricklaying Tools

Bricklaying is a highly skilled trade and is characterised by regional variations in both brick size/shape & laying techniques.

We have spent years working on-site with bricklayers & liaising with training institutions around the world to ensure our products are second to none.

From the strength of the forged steel to the perfect weight & balance – these tools symbolize quality. Guaranteed better than the rest!







Bricklaying Tools



PRO BRICK TROWEL – PHILADELPHIA

FEATURES

- Solid forged steel blade for ultimate strength
- Precision tapered ground blade
- OX grip handle with finger protection for extreme comfort
- Hard end handle for tapping in bricks
- Well balanced & perfect flexibility
- Wide heel holds the most mortar - most popular shape for CMU

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P011210	5060242330605	10" / 250mm	1	6	42.00
OX-P011211	5060242330612	11" / 280mm	1	6	42.00
OX-P011212	5060242330629	12" / 300mm	1	4	42.00



PRO BRICK TROWEL – WIDE LONDON

FEATURES

- Solid forged steel blade for ultimate strength
- Precision tapered ground blade
- OX grip handle with finger protection for extreme comfort
- Hard end handle for tapping in bricks
- Well balanced & perfect flexibility
- Wide heel holds more mortar - popular for CMU and stone

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P404110	5060242338663	10" / 250mm	1	6	42.00
OX-P011111	5060242330643	11" / 280mm	1	6	42.00
OX-P011112	9341231013232	12" / 300mm	1	6	42.00



PRO BRICK TROWEL – NARROW LONDON

FEATURES

- Solid forged steel blade for ultimate strength
- Precision tapered ground blade
- OX grip handle with finger protection for extreme comfort
- Hard end handle for tapping in bricks
- Well balanced & perfect flexibility
- Narrow shape for general masonry and bricklaying

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P404009	5060242338557	9" / 225mm	1	6	40.00
OX-P404010	5060242338564	10" / 250mm	1	6	42.00
OX-P404011	5060242338571	11" / 280mm	1	6	42.00
OX-P404012	5060242338588	12" / 300mm	1	6	42.00





PRO POINTING TROWEL - PHILADELPHIA

FEATURES

- OX grip handle with finger protection for extreme comfort
- High quality carbon steel, straight welded shank
- Soft grip handle for extreme comfort

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P018506	5060242334283	6" / 152mm	1	6	14.85
OX-P018507	5060242338601	7" / 178mm	1	6	18.60

NEW!



PRO GAUGING TROWEL

FEATURES

- OX grip handle with finger protection for extreme comfort
- Welded shank
- Flexible precision taper ground blade

Product Code	UPC Code	Size	Inner Qty	Outer Qty	List Price \$
OX-P011407	5060242330261	3½ x 7" / 88 x 178mm	4	12	24.80

NEW!



PRO TUCK POINTER / MORTAR SMOOTHING TOOL

FEATURES

- One piece high quality carbon steel blade
- OX grip handle with finger protection for extreme comfort
- Soft grip handle for extreme comfort

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P011510	5060242330346	6 ¾" x ¾" / 10mm	1	12	14.95
OX-P011512	5060242330285	6 ¾" x ½" / 12mm	1	12	14.95



PRO BRICK JOINTER

FEATURES

- For a professional finish to joints between bricks
- Heavy duty design
- High quality steel
- Sizes clearly engraved onto tool

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P031101	5060242330520	½" x ¾"	1	6	6.30
OX-P031104	5060242330551	¾" x ½"	1	6	6.30





Bricklaying Tools



PRO BRICK JOINT RAKER

FEATURES

- Designed for clearing out mortar from between brickwork prior to pointing
- Strong aluminium handle contoured to fit the hand
- Two hardwearing wheels and replaceable point

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P031003	5060242330292	8 1/2" x 3"	1	6	11.80



PRO POLY WHEEL ROLLER RAKER

FEATURES

- OX grip handle with finger protection for extreme comfort
- Adjustable rake depth
- Zinc plated
- Steel frame

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P030501	9341231020285	8-5/8" x 3-5/8"	1	4	23.60



PRO SLED BRICK – 1/2" (12MM)

FEATURES

- OX grip handle with finger protection for extreme comfort
- High quality bright steel

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P030312	9341231004810	19.5" x 1/2" (12mm)	1	4	13.95




PRO LINE PINS – 2PK

FEATURES

- Made from solid forged carbon steel for ultimate strength
- Taper ground point & edges – drives easily into the wall
- Chrome plated for fine finish, extra wear resistance and rust prevention
- Pack of 2 with plastic hang tag

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P100102	5060242334009	6" / 152mm	1 pair	12 pairs	9.85



PRO GROUT BAG

FEATURES

- For grouting large joints and irregular joints such as natural stone
- Heavy duty vinyl
- Heat-sealed seam
- Stainless steel tip is removable for easy cleaning



Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P044001	5060359913135	21"	1	10	6.95

PRO BRICK CARRIER

FEATURES

- OX grip handle with finger protection for extreme comfort
- Adjustable
- Heavy duty construction
- Lift capacity 100lbs
- New improved tong design

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P171250	9341231038235	15.75" - 19.5"	1	12	38.95

NEW!





Concreting Tools

Concreting is hard work and the OX range has been developed to stand the test of time.

Look at the detail of the products – the quality and thickness of the steel, the perfect amount of flexibility, the positioning of the handles, the quality of the riveting – the complete finish.

A tough range of trowels to cement your reputation.





PRO POINTED FLOORING TROWEL

FEATURES

- OX grip handle with finger protection for extreme comfort
- Stainless steel blade
- High grade and flexible blade
- Heavy duty fully riveted aluminium shank
- Stainless steel rivets for holding the blade, shank and handle together for unsurpassed strength

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P018716	5060242334320	16" / 115 x 405mm	1	6	48.00



PRO CEMENT FINISHING TROWEL

FEATURES

- OX grip handle with finger protection for extreme comfort
- Stainless steel blade
- High grade and flexible blade
- Heavy duty fully riveted aluminium shank
- Stainless steel rivets for holding the blade, shank and handle together for unsurpassed strength

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P018814	5060242334306	14" / 120 x 356mm	1	6	45.00
OX-P018816	5060242334313	16" / 115 x 405mm	1	6	48.00



PRO POOL TROWEL - FLEXIBLE

FEATURES

- Heavy duty aluminium shank
- OX grip handle with finger protection for extreme comfort
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength
- High grade stainless steel blade

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P015714	9341231013751	4" x 14" (100 x 356mm)	1	6	35.95
OX-P015716	9341231015311	4" x 16" (100 x 406mm)	1	6	38.95



PRO POOL FINISHING TROWEL - RIGID

FEATURES

- Heavy duty aluminium shank
- OX grip handle with finger protection for extreme comfort
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength
- High grade stainless steel blade

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price
OX-P015814	9341231015328	4" x 14" (100 x 356mm)	1	6	45.00
OX-P015816	9341231015335	4" x 16" (100 x 406mm)	1	6	48.00





PRO NARROW EDGER



FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Reversible OX grip handle
- Blade size: 3 x 7" / 75 x 180mm

Product Code	UPC Code	Size	Radius	Order Qty	Box Qty	List Price \$
OX-P014410	9341231011108	3" x 7"	3/8" / 10mm	1	4	15.85

PRO MEDIUM EDGER



FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Reversible OX grip handle
- Blade size: 4 x 7" / 100 x 180mm

Product Code	UPC Code	Size	Radius	Order Qty	Box Qty	List Price \$
OX-P014510	9341231011122	4"x7"	3/8" / 10mm	1	4	16.85

PRO NARROW GROOVER



FEATURES

- High grade stainless steel blade
- Reversible OX grip handle
- Groove: Width 5/8" - 5/16" 15-8mm

Product Code	UPC Code	Size	Depth	Order Qty	Box Qty	List Price \$
OX-P014210	9341231011269	3" x 7"	3/8" / 10mm	1	4	23.50

PRO MEDIUM GROOVER



FEATURES

- High grade stainless steel blade
- Reversible OX grip handle
- Groove: Width 5/8" - 5/16" 15-8mm

Product Code	UPC Code	Size	Depth	Order Qty	Box Qty	List Price \$
OX-P404910	9341231004643	4-1/2" x 7"	3/8" / 10mm	1	4	29.85
OX-P404925	9341231004667	4-1/2" x 7"	1" / 25mm	1	4	29.85





Concreting Tools

PRO MAGNESIUM FLOAT – DURAGRIP HANDLE

FEATURES

- Heavy duty magnesium blade
- Bevelled ends and rounded corners
- OX grip 'High lift' handle design

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P017016	9341231011030	3-1/8"x16"	1	3	28.00



PRO WOOD FLOAT

FEATURES

- OX grip 'High lift' handle design
- High quality hardwood blade
- Special timber screws to prevent 'backing out'

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P012215	9341231013461	4-1/2"x15" (112x380mm)	1	4	14.85



PRO FRESNO WALKING TROWEL

FEATURES

- Complete with rotating Fresno Bracket and OX handle system adapter
- High grade Stainless Steel

Product Code	UPC Code	Size	Inner Qty	Outer Qty	List Price \$
OX-P402890	9341231034404	4 3/4 x 36" / 120 x 900mm	2	6	85.60





Concreting Tools



PRO ALUMINIUM CONCRETE RAKE

FEATURES

- Braced for additional strength
- With 3/8" diameter hook for lifting rebar
- 60" long handle with soft grip

Product Code	UPC Code	Size	Inner Qty	Outer Qty	List Price \$
OX-P016303	9341231024467	20" x 4" (500 x 100mm)	4	48	33.50



PRO CLAMPED HANDLE SCREED WITH VIAL

FEATURES

- Heavy duty structural alloy
- Reversible clamped handle
- Ergonomic grip handle
- Easy to clean powder-coated finish
- Internal strength support bars
- Cutting and pushing edge positioned for comfort
- Profile size 1-1/2" x 2"
- Built in vial for easy levelling

Product Code	UPC Code	Length	Inner Qty	Outer Qty	List Price \$
OX-P021324	93412310001017	96" / 2400mm	1	4	97.85



PRO TELESCOPIC HANDLE

FEATURES

- Powder coated finish
- Fluted profile
- H.D.P.E screw-lock fitting
- "T" section "Twist Stop" extrusion design
- High quality extruded aluminium

Product Code	UPC Code	Length	Inner Qty	Outer Qty	List Price \$
OX-P016550	9341231000836	9 - 16' (270 - 500cm)	4	12	78.85



PRO CLIP TOGETHER HANDLE ADAPTER

FEATURES

- High quality extruded aluminium
- Adapts the OX handle system to major manufacturers' clip together handles

Product Code	UPC Code	Size	Inner Qty	Outer Qty	List Price
OX-P019102	9341231024597	OX Female fitting	1	6	\$19.65



PRO CONCRETE FINISHING BROOM

FEATURES

- Extruded aluminium back
- Premium fiber bristles
- Complete with OX handle system adapter

Product Code	UPC Code	Size	Inner Qty	Outer Qty	List Price \$
OX-P060390	9341231025174	36" / 900mm	2	6	69.85 NEW!



PRO ALUMINIUM BULLFLOAT

FEATURES


- Heavy duty structural alloy
- Easy to clean powder coated finish
- Extruded ribs for extra strength
- Includes tilt mechanism bracket
- Fits OX handle system

Product Code	UPC Code	Overall Length	Inner Qty	Outer Qty	List Price \$
OX-P016612	9341231000942	48" x 6" (1200 x 150mm)	1	4	98.84



The OX bullfloat system is designed and built around the user. Unique features designed for ease of use and reduced fatigue make the OX bullfloat system the best the industry has seen in decades.

The most innovative bullfloat in the market!





Plastering Tools

No trade is as demanding on the design of its tools as the plastering trade. Many tools look the same, but the OX Range has been tried and tested by tradesmen and offers unmatched quality.

OX tools do what you want them to do, over and over again.

A tough, durable design for the professional plasterer – you'll probably wear out before they do!





Clear product information engraved onto surface

Handle set for perfect balance

Bi-directional handle with thumb indent

OX grip handle with finger protection

Lightweight fully riveted aluminium shank

High quality stainless steel blade

Soft grip handle for extreme comfort

Pre-worn edges to eliminate line & ripple marks



Plastering Tools

PRO PLASTERERS TROWEL – STAINLESS STEEL



FEATURES

- Pre-worn edges to eliminate line & ripple marks
- High quality tempered stainless steel blade
- Lightweight aluminium shank
- Handle set for perfect balance
- Fully riveted shank
- OX grip handle with finger protection for extreme comfort

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P011014	5060242330339	4 ¾" x 14" / 120 x 356mm	1	6	45.00
OX-P011016	9341231021169	4" x 16" / 100 x 406mm	1	6	48.00
OX-P011018	5060242330568	4 ½" x 18" / 115 x 457mm	1	6	53.00

PRO MARGIN TROWEL



FEATURES

- High quality carbon steel
- Flat rectangular blade
- OX grip handle with finger protection for extreme comfort
- Precision tapered ground blade

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P013405	5060242333705	5" x 2" / 125 x 50mm	1	12	14.75
OX-P013406	5060359913371	6" x 2" / 150 x 50mm	1	12	15.65
OX-P013408	5060242339745	8" x 2" / 200 x 50mm	1	12	21.35

TRADE MARGIN TROWEL



FEATURES

- Flat rectangular blade
- Soft grip handle

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T013406	5060242339738	6" x 2" / 150 x 50mm	1	10	8.75



PRO ALUMINIUM HAWK

FEATURES

- OX grip handle with finger protection for extreme comfort
- High quality, lightweight and tempered aluminium blade mounted with 8 rivets for extra strength
- Surface of blade machined to prevent mortar from sliding off and aluminium from bowing or bending

Product Code	UPC Code	Size	Inner Qty	Outer Qty	List Price \$
OX-P010513	5060242330377	13" x 13" (330 x 330mm)	4	12	39.80



PRO BUCKET FRONT TROWEL

FEATURES

- OX grip handle with finger protection for extreme comfort
- High quality carbon steel blade
- Forged shank

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P013718	5060242330506	7" / 180mm	1	6	12.95



PRO EGG BEATER MIXER - HEX SHAFT

FEATURES

- 7/16" Steel hex shaft
- 28" Overall length
- Mixes thin set grout and all concrete based products
- Easily cleaned

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P121710	5060359913128	28"	1	10	12.25





PRO PS RUBBER SPONGE FLOAT



FEATURES

- One piece molded handle and blade
- Soft - Long life coarse cell "sponge-rubber" material
- Made in the EU

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P014014	9341231010316	5-1/2" x 11" (140 x 280mm)	1	4	14.25

- Replacement sponge - 2 pack
- Pre-glued for convenience

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P405228	9341231006166	5-1/2" x 11" (140 x 280mm)	1	4	13.50

PRO SUPER POLY FOAM FLOAT



FEATURES

- Does not disintegrate like most foams
- One piece molded handle and blade
- Super fine cell

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P405719	5060242339769	7-3/4" x 5" (195 x 125mm)	1	10	9.25

PRO GREEN TEXTURE FLOAT



FEATURES

- Coarse green plastic foam
- Excellent for sand surfaces
- One piece molded handle and blade

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P407921	9341231015281	8-1/4" x 5-1/2" (210 x 140mm)	1	10	9.25



PRO MOLDED RUBBER FLOAT

FEATURES

- OX grip handle for ultimate comfort
- Non-marring plastic back plate
- Molded black sponge rubber
- Very dense texture

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P142009	5060359913081	9" x 4" (628 x 102mm)	1	12	13.60



TRADE RUBBER FLOAT

FEATURES

- Comfortable and economical plastic handle
- Non-marring plastic back plate
- Black foam sponge rubber
- Very dense texture

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T142009	5060359913036	9" x 4" (628 x 102mm)	1	12	9.25






Tiling Tools

Tiling is hard work and the OX range has been developed to stand the test of time. Our tiling tools are prized examples of when design innovation meets ultimate performance to achieve the superior finish.

With 2 different style trowels and 6 different notch sizes, we've got a solution for every tiling application.

From the strength of the steel to the perfect weight and balance – our tiling tools symbolize quality. Guaranteed better than the rest.





PRO SS NOTCH TROWEL

FEATURES

- High quality tempered stainless steel blade
- Aluminum heavy duty shank
- OX grip handle for perfect balance and extra comfort
- Size: 11" x 4-3/4"

Product Code	UPC Code	Notch Size	Notch Type	Order Qty	Box Qty	List Price \$
OX-P405841	5060359912961	1/4" x 1/4" x 1/4"	Square	1	6	19.85
OX-P405842	5060359912947	1/4" x 3/8" x 1/4"	Square	1	6	19.85
OX-P405860	5060359912954	1/2" x 1/2" x 1/2"	Square	1	6	19.85
OX-P405940	5060359912930	1/4" x 3/16"	'V'	1	6	19.85
OX-P405950	5060359912923	5/16" x 1/4" x 1/16"	'V'	1	6	19.85



TRADE NOTCH TROWEL

FEATURES

- Carbon steel blade
- Aluminum heavy duty shank
- Soft grip handle for comfort
- Size: 11" x 4-3/4"

Product Code	UPC Code	Notch Size	Notch Type	Order Qty	Box Qty	List Price \$
OX-T406041	5060359912916	1/4" x 1/4" x 1/4"	Square	1	6	9.90
OX-T406042	5060359912893	1/4" x 3/8" x 1/4"	Square	1	6	9.90
OX-T406060	5060359912909	1/2" x 1/2" x 1/2"	Square	1	6	9.90
OX-T406140	5060359912886	1/4" x 3/16"	'V'	1	6	9.90
OX-T406150	5060359912879	5/16" x 1/4" x 1/16"	'V'	1	6	9.90



PRO CALIFORNIA TROWEL

FEATURES

- High quality tempered stainless steel blade
- Aluminum heavy duty shank
- OX grip handle for perfect balance and extra comfort
- Unique alternating notch pattern for more consistent mortar bed
- Reduces mortar voids and need to back butter tile
- Size: 11" x 4-3/4"

Product Code	UPC Code	Notch Type	Order Qty	Box Qty	List Price \$
OX-P408101	9341231015427	California	1	6	19.85





PRO SERIES

PRO GROUT FLOAT



FEATURES

- OX grip handle for perfect balance and extra comfort
- 3mm gum rubber face
- Black closed-cell rubber pad
- 2 square and 2 round corners
- Non-marring plastic back plate

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P141609	5060359913050	9" x 4"	1	6	13.85

PRO TAPERED GROUT FLOAT



FEATURES

- OX grip handle for perfect balance and extra comfort
- 3mm gum rubber face
- Black closed-cell rubber pad
- 2 square and 2 round corners
- Non-marring plastic back plate
- Tapered from 3 to 4 inches wide
- Off-set handle – great for under toe kicks

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P141711	5060359913043	11" x 3"	1	6	14.75

PRO XL GROUT FLOAT



FEATURES

- OX grip handle for perfect balance and extra comfort
- 3mm gum rubber face
- Black closed-cell rubber pad
- 2 square and 2 round corners
- Non-marring plastic back plate
- Larger size – moves more grout for large jobs

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P141812	5060359913067	12" x 4"	1	6	16.50



TRADE SERIES

TRADE GROUT FLOAT

FEATURES

- Comfortable and economical plastic handle
- 3mm gum rubber face
- Black closed-cell rubber pad
- 2 square and 2 round corners
- Non-marring plastic back plate

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T141609	5060359913005	9" x 4"	1	6	9.75



TRADE TAPERED GROUT FLOAT

FEATURES

- Comfortable and economical plastic handle
- 3mm gum rubber face
- Black closed-cell rubber pad
- 2 square and 2 round corners
- Non-marring plastic back plate
- Tapered from 3 to 4 inches wide
- Off-set handle – great for under toe kicks

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T141711	5060359912992	11" x 3"	1	6	12.65



TRADE XL GROUT FLOAT

FEATURES

- Comfortable and economical plastic handle
- 3mm gum rubber face
- Black closed-cell rubber pad
- 2 square and 2 round corners
- Non-marring plastic back plate
- Larger size – moves more grout for large jobs

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P141812	5060359913012	12" x 4"	1	6	12.50





PRO EPOXY FLOAT



FEATURES

- OX grip handle for perfect balance and extra comfort
- Hard, green rubber designed not to melt from epoxy
- Non-marring plastic back plate

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P141909	5060359913074	9" x 4"	1	6	19.50

TRADE EPOXY FLOAT



FEATURES

- Comfortable and economical plastic handle
- Hard, green rubber designed not to melt from epoxy
- Non-marring plastic back plate

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T141909	5060359913029	9" x 4"	1	6	16.65

PRO SUPER FLEXIBLE STONE FLOAT



FEATURES

- OX grip handle for perfect balance and extra comfort
- Non-marring plastic back plate
- Super flexible soft pad designed specifically for textured tile and natural stone

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
NEW! OX-P142609	5060359914552	9" x 4"	1	6	14.50



TRADE MARGIN FLOAT

FEATURES

- Dual hand guard
- Soft grip handle
- 3mm gum rubber face
- Black closed-cell rubber pad
- Ideal for tight and hard to reach areas

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T142306	5060359913098	6" x 2"	1	10	6.75



PRO TILE NIPPER

FEATURES

- Heavy duty large blade nipper for ceramic tiles
- Tungsten carbide tipped jaws
- Soft grip ergonomic handle for extreme comfort

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P153080	5060359913203	8" / 200mm	1	5	17.25



PRO COMPOUND TILE NIPPER

FEATURES

- Heavy duty large blade nipper for ceramic tiles
- Tungsten carbide tipped jaws
- Soft grip ergonomic handle for extreme comfort
- Compound lever action provides up to 3 times the power of conventional nippers

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P152901	5060359913210	8" / 200mm	1	6	23.95





PRO WHITE RUB STONE



FEATURES

- For dressing/finishing cut edges of tile and stone
- 80 Grit for fine finish

Product Code	UPC Code	Grit	Order Qty	Box Qty	List Price \$
OX-P071480	5060359913159	80	1	6	6.98

PRO UNDERCUT SAW



FEATURES

- Great for under door jambs and other hard to reach cuts
- Soft grip handle

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P132801	5060359913159	12" x 4"	1	2	19.85

PRO CEMENT BOARD SCREWS



FEATURES

- #2 square drive head
- Counter sink head
- Hi-Lo thread
- Self-starting tip
- Reclosable plastic container with handle

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P490132	5060359913425	#8 x 1-1/4"	1 bkt	10 bkt	15.98




TRADE RED EURO WEDGES

FEATURES

- Strong & durable plastic tile wedges
- 500 Pcs per bag

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T160605	9341231029264	1-1/4" x 1/4" x 3/16"	1	10	6.75



TRADE SMALL WHITE WEDGES

FEATURES

- Strong & durable plastic tile wedges
- 500 Pcs per bag

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T161001	5060242339639	5/8" x 1/2" x 1/8"	1	10	8.95



TRADE HORSESHOE SHIMS

FEATURES

- Strong & durable solid plastic horseshoe shaped shims
- 250 Pcs per bag

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T161110	5060242339677	1/16" (Blue)	1	10	12.75
OX-T161120	5060242339646	1/8" (Red)	1	10	19.75





PRO TILE SETTING SYSTEM



FEATURES

- Eliminates lippage
- Very easy to use
- Secures tile while mortar sets preventing tiles from moving
- Interlocks tiles reducing settling from shrinkage and minimizes possibility of warping
- Reusable caps – metal tab for durability and strong clamping power
- Great for 12" and larger tile

Product Code	UPC Code	Description	Order Qty	Box Qty	List Price \$
OX-P161710	5060242339981	Caps - 250pcs / bkt	1	8	240.00
OX-P161720	5060242338069	Straps - 250pcs / bkt	1	8	60.00

PRO SETTING PLIERS



FEATURES

- Economical setting tool
- Durable metal construction
- Also work great for cap removal after mortar has set

Product Code	UPC Code	Order Qty	Box Qty	List Price \$
OX-P161730	5060359913456	1	4	49.50

PRO SETTING GUN



FEATURES

- Ergonomic setting tool
- Adjustable tension setting

Product Code	UPC Code	Order Qty	Box Qty	List Price \$
OX-P161740	5060359913555	1	4	74.85





INTRODUCING...


the new PRO Tile Setting System!

INCREASE PRODUCTIVITY - ELIMINATE LIPPAGE

TILE SETTING SYSTEM



- Creates lippage free surface
- Reduce settling and warping
- Reuseable caps




TRADE TILE SPACER - HARD CROSS

FEATURES

- Hard plastic - does not compress
- 1/16" is solid, 1/8" and larger are hollow allowing thin set through
- Can be used as leave-in spacers

Product Code	UPC Code	Size	Packaging	Order Qty	Box Qty	List Price \$
OX-T161210	5060242339578	1/16"	Bag - 500 pcs	1	10	6.00
OX-T161211	5060242339585	1/16"	Bucket - 1000 pcs	1	12	13.60
OX-T161220	5060242339516	1/8"	Bag - 500 pcs	1	10	6.25
OX-T161221	5060242339523	1/8"	Bucket - 1000 pcs	1	12	14.30
OX-T161230	5060242339493	3/16"	Bag - 500 pcs	1	10	6.50
OX-T161231	5060242339509	3/16"	Bucket - 1000 pcs	1	12	14.75



TRADE TILE SPACER - HARD 'T'

FEATURES

- Hard plastic - does not compress
- 1/16" is solid, 1/8" and larger are hollow allowing thin set through
- Can be used as leave-in spacers

Product Code	UPC Code	Size	Packaging	Order Qty	Box Qty	List Price \$
OX-T161310	5060242339691	1/16"	Bag - 250 pcs	1	25	4.50
OX-T161320	5060242339592	1/8"	Bag - 500 pcs	1	25	6.00
OX-T161321	5060242339608	1/8"	Bucket - 1000 pcs	1	12	14.00
OX-T161330	5060242339653	3/16"	Bag - 500 pcs	1	25	8.75



TRADE TILE SPACER - SOFT CROSS

FEATURES

- Flexible yet not compressible for ease of installation
- Precision molded for accuracy

Product Code	UPC Code	Size	Packaging	Order Qty	Box Qty	List Price \$
OX-T161410	5060242339684	1/16"	Bag - 500 pcs	1	10	6.00
OX-T161420	5060242339707	1/8"	Bag - 500 pcs	1	10	6.50
OX-T161430	5060242339622	3/16"	Bag - 500 pcs	1	10	10.75



TRADE TILE SPACER - LONG SOFT CROSS

FEATURES

- Flexible yet not compressible for ease of installation
- Precision molded for accuracy

Product Code	UPC Code	Size	Packaging	Order Qty	Box Qty	List Price \$
OX-T161520	5060242339530	1/8"	Bag - 500 pcs	1	10	10.50
OX-T161521	5060242339547	1/8"	Bucket - 1000 pcs	1	12	21.00
OX-T161530	5060242339554	3/16"	Bag - 500 pcs	1	10	16.70
OX-T161531	5060242339561	3/16"	Bucket - 1000 pcs	1	12	33.40
OX-T161540	5060242339721	1/4"	Bag - 250 pcs	1	10	11.95



TRADE TILE SPACER - SOFT 'T'

FEATURES

- Flexible yet not compressible for ease of installation
- Precision molded for accuracy

Product Code	UPC Code	Size	Packaging	Order Qty	Box Qty	List Price \$
OX-T161620	5060242339660	1/8"	Bag - 250 pcs	1	25	4.75
OX-T161630	5060242339714	3/16"	Bag - 260 pcs	1	25	6.95



TRADE SUCTION LIFTER

FEATURES

- Convenient one-hand use
- Approximate load capacity" 40 lbs.

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T171101	5060242334566	4-5/8"	1	6	9.90





PRO XL HYDRO SPONGE



FEATURES

- Premium quality hydrophilated polyester foam has tremendous water holding capacity
- Professional extra large sponge for grouting and general clean up
- Rounded edges minimize digging into grout
- Packed in vacuum packs of 25 each

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P140902	5060359912985	7-3/8" x 5-1/4" x 2-1/4"	25	250	3.75

TRADE EPOXY SPONGE



FEATURES

- Coarse plastic foam designed specifically for cleaning tough epoxy grouts
- Rounded edges minimize digging into grout

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T141001	5060242339776	7-1/4" x 5 x 2	1	100	4.25

PRO CHEESE CLOTH



FEATURES

- For removing grout haze and final cleaning
- Polishes most tile surfaces to a bright clean finish
- 100% cotton gauze material
- Professional grade, fine mesh

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P141505	5060359913180	5 yards	1	20	7.55



PRO SCRUB PAD SET

FEATURES

- Includes two pads - fine white and medium blue
- One-piece molded handle and back plate
- replaceable pads

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P141401	5060359913265	10" x 5"	1	25	15.75



PRO SCRUB PAD - WHITE

FEATURES

- Fine grit replacement pad

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P141201	5060359913111	10" x 5"	1	20	3.75



PRO GROUT REMOVER

FEATURES

- Includes two blades - tungsten carbide grit and steel saw tooth
- Ergonomic body and grip - with blade

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P130201	9341231029899	-	1	12	7.65





Site Tools

OX offers a premium range of site tools to cater for every need.

Our extensive range of shovels are manufactured to withstand the heat, the cold and the building site. Don't settle for something inferior.





PRO 5 GALLON BUCKET

FEATURES

- Durable 70ml plastic
- Heavy duty handle
- General purpose mixing and moving of materials

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P112105	5060359913104	5 gallon	10	120	7.10



PRO LID FOR 5 GALLON BUCKET

FEATURES

- Fits OX P112105 bucket above
- Heavy duty plastic

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P112205	5060359913401	5 gallon	1	5	2.99



TRADE CAULK GUN

FEATURES

- Dripless type
- Stamped steel construction

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T044301	5060359913241	9oz	1	10	5.85





PRO 5" HEAVY DUTY SCRAPER

FEATURES

- Heavy duty chrome plated solid steel handle
- Cushion grip
- Solid steel hammer end cap
- Replaceable blades

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P051218	5060359913173	18"	1	6	28.50

■ Replacement 5" Blades

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P051310	5060359913289	10 pack	1	20	9.95



TRADE 4" SCRAPER

FEATURES

- Chrome plated steel tube handle
- Rubber grip
- Replaceable blades

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T050716	5060359913142	16"	1	6	14.95

■ Replacement 4" Blades

Product Code	UPC Code	Size	Inner Qty	Outer Qty	List Price \$
OX-T050810	5060359913272	10 pack	1	20	3.85



TRADE BENCH BRUSH

FEATURES

- Plastic block/handle
- Exploded tip bristles pick up fine dust and particles

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-T061601	5060359913166	10"	1	10	8.95



PRO MICROFIBER TOWEL

FEATURES

- All-purpose cleaning - glass, windows, tile, wood, stainless steel
- Use wet or dry
- Reuseable
- Washable
- 12 clothes to a pack

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P142412	5060359914644	12" x 12"	1 pack	5 packs	21.60/pk





Safety Equipment

If you are looking for hardwearing, functional Personal Protection Equipment to cope with the most extreme work conditions – OX has what you need.

Like you, we take our work seriously and believe that every detail has to be designed and manufactured with great care to ensure our products really work and also look good.

All OX safety products meet 'AS/NZ standards' where applicable.

Once you have tried OX Safety you will never leave it!





TRADE DELUXE KNEE PAD

FEATURES

- Durable rubber face with foam 'liner'
- One size fits all
- Quick release 'hook and loop' fastening
- Double strap

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-S240102	9341231011740	-	1	4	17.95



PRO SOFT GEL FILLED KNEE PAD

FEATURES

- Ultimate comfort for use over long periods
- Anti compression air injected Gel
- EVA form core gives maximum cushioning
- Perforated neoprene lining keeps away moisture
- One size fits all
- Easy positioning of knee pad

Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-S242006	9341231001161	-	1	12	38.85





Tool Storage

Like you, we take our work seriously and believe that every detail has to be designed and manufactured with great care to ensure our products really work and also look good.

If you are looking for hardwearing, functional tool storage solutions to cope with the most extreme work conditions – OX has what you need!





PRO CANVAS MASON BAG

FEATURES

- Nylon Strap Handles
- Includes shoulder strap
- Suede Leather Bottom
- Heavy weight canvas for durability
- Reinforced and riveted opening frame
- Leather closure straps
- Resists moisture
- Perfect for masons, tilers and general construction


Product Code	UPC Code	Size	Order Qty	Box Qty	List Price \$
OX-P262924	9341231035661	24"	1	10	68.85



World leading technology...



Only the finest quality of diamond is used in the production of OX products





State of the art laser technology for ultimate performance and safety



Blade cores are made of the highest quality steel, precision engineered, ground and hardened

What is 'auto' technology?

The diamonds are placed in a regular pattern using advanced auto-array technology. This allows the diamonds to be placed exactly where they will give the optimum performance, over against traditional random diamond grit segments.



Reduced cutting times from the ultra fast auto blade means less time to do the work, offering massive savings on cost per cut.

Product guarantees & safety

The concept of safety is fundamental to the philosophy of the OX range. It is interwoven into the very fiber of innovation, design and production from concept to after sales service.



EN13236
Blades conform to USA, European and Australian standards.



Full 'No Hassle' Guarantee
All OX products are backed by our full 'No hassle' guarantee – Ensuring confidence of distributors and their customers.



Diamond Innovation
Ongoing development provides increased performance on existing products, and innovative new diamond solutions.



Safety
Products undergo rigorous safety and vibration testing at our research & development facility, and in the field.



Professional Builders Award
Professional builders coveted 'Top Product' Award was won by the OX-PU10 PROFESSIONAL diamond blade in 2006.



Ultimate Guarantee
Ultimate products undergo extreme testing – the OX-PU10 undergoes factory testing +80% more demanding than the requirements of EN13236.



Hand/Arm Vibration
OX products were among the first to be tested and certified safe for hand/arm vibration.



Extra Safe
Our safety policy is an integral part of our company ethos with policies incorporating ISO18001.



Staff
Staff safety and care is no afterthought. Our personal and individual approach is reflected in our attitude to customers and staff alike.



Environmental
Showing that we care: Manufacturing operations accredited to ISO 14001 environmental systems.

We have a responsibility. Quality control systems and environmental and safety management ensure that our care covers not only our products and our customers – but that our ethical guidelines address issues such as staff safety and care for the environment.



Diamond Blades – The Range

Blade selection & presentation



Performance Classes

TRADE SERIES

Exceptional value for the price conscious buyer who wants something better.

PRO SERIES

The award winning, best selling ‘Pro’ blades – including the PU10 – the best all round builders blade on the market.

ULTIMATE SERIES

When nothing but the best will do. ‘Ultimate’ says it all.



Material Classes

U CLASS
UNIVERSAL HARD
 Hard materials
 Fast cutting universal
 Hard natural stone
 Clay products
 Engineering bricks

C CLASS
CONCRETE /
GENERAL PURPOSE
 Concrete & concrete products
 General purpose
 Unabrasive products
 Building products

B CLASS
ABRASIVE /
GENERAL PURPOSE
 Abrasive materials
 Concrete & asphalt
 Dual purpose
 Concrete products
 Concrete roof tiles

A CLASS
ASPHALT
 Asphalt & extremely abrasive products
 Stucco

QUALITY: **TRADE SERIES**

prefix: T



TU10



TC10 / TC15



TB10



TA10

QUALITY: **PRO SERIES**

prefix: P



PU10 / MPSS



PC15



PB10



PA10

QUALITY: **ULTIMATE SERIES**

prefix: U



UU10



UC10



UB10




UA10



TRADE SERIES diamond blades

Exceptional value for the price conscious buyer who wants something better.

BLADE PROFILE: TU10



TU10: incorporating SUPERFAST TURBO technology

TRADE SERIES

The TRADE range allows blade users to get value for money without compromising on performance or safety. Not only are these the best blades available at this price level, they also offer the most comprehensive and clear choice.

The exceptionally good pricing of the TC10 has won over many users who previously bought only the least expensive blades.

BLADE SELECTOR

UNIVERSAL HARD

Hard materials & metal
Fast cutting universal
Hard natural stone
Clay products
Engineering bricks



TU10

CONCRETE

Concrete & concrete products
General purpose
Unabrasive products
Building products



TC10

ABRASIVE

Abrasive materials
Concrete & asphalt
Dual purpose
Concrete products
Concrete roof tiles



TB10

ASPHALT

Asphalt & extremely
abrasive products
Stucco



TA10



The best diamond blades you can buy at this price level.

TU10 TURBO

TRADE UNIVERSAL / HARD

Fast cutting universal blade, with 3/8" (10mm) segment. Features super fast turbo segment and cooling holes. CUTS IT ALL – GUARANTEED. Applications include: concrete products, clay products, granite, engineering bricks, building products.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-TU10-4	9341231002007	4	7/8 - 5/8	19.50
OX-TU10-4.5	9341231002014	4 1/2	7/8 - 5/8	20.60
OX-TU10-5	9341231002021	5	7/8 - 5/8	24.90
OX-TU10-6	9341231002038	6	7/8 - 5/8	29.20
OX-TU10-7	9341231002045	7	DM-7/8-5/8	38.90
OX-TU10-8	9341231002052	8	DM-7/8-5/8	45.90
OX-TU10-9	9341231002069	9	7/8 - 5/8	55.10
OX-TU10-10	9341231012013	10	DM-7/8-5/8	69.20
OX-TU10-12-20	9341231012020	12	20mm	91.80
OX-TU10-12	9341231002076	12	1 - 20mm	91.80
OX-TU10-14-20	9341231012037	14	20mm	121.50
OX-TU10-14	9341231002083	14	1 - 20mm	121.50



CUTS EVERYTHING ON A CONSTRUCTION SITE!

TC10

TRADE CONCRETE / GENERAL PURPOSE

The general purpose blade with a 3/8" (10mm) segment. All round performance. Applications include: building products, general purpose, curbs and slabs, concrete pavers and blocks, roof tiles.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-TC10-4	9341231002106	4	7/8 - 5/8	10.80
OX-TC10-4.5	9341231002113	4 1/2	7/8 - 5/8	11.90
OX-TC10-5	9341231002120	5	7/8 - 5/8	13.00
OX-TC10-6	9341231002137	6	7/8 - 5/8	16.20
OX-TC10-7	9341231002144	7	DM-7/8-5/8	19.50
OX-TC10-8	9341231002151	8	DM-7/8-5/8	21.60
OX-TC10-9	9341231002168	9	7/8 - 5/8	23.80
OX-TC10-10	9341231012044	10	DM-7/8-5/8	30.30
OX-TC10-12-20	9341231012051	12	20mm	41.10
OX-TC10-12	9341231002175	12	1 - 20mm	41.10
OX-TC10-14-20	9341231012068	14	20mm	62.70
OX-TC10-14	9341231002182	14	1 - 20mm	62.70



* See pg 19 for the New Generation Trade General Purpose Blade

TB10

TRADE ABRASIVE / GENERAL PURPOSE

Abrasive and general purpose blade with 3/8" (10mm) segment. Applications include: general and abrasive building products, concrete pavers, concrete roof tiles, hard asphalt, abrasive blocks.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-TB10-4	9341231002205	4	7/8 - 5/8	16.20
OX-TB10-4.5	9341231002212	4 1/2	7/8 - 5/8	17.30
OX-TB10-5	9341231002229	5	7/8 - 5/8	18.40
OX-TB10-6	9341231002236	6	7/8 - 5/8	23.80
OX-TB10-7	9341231002243	7	DM-7/8-5/8	29.20
OX-TB10-8	9341231002250	8	DM-7/8-5/8	34.60
OX-TB10-9	9341231002267	9	7/8 - 5/8	40.00
OX-TB10-10	9341231012075	10	DM-7/8-5/8	45.40
OX-TB10-12-20	9341231012082	12	20mm	69.20
OX-TB10-12	9341231002274	12	1 - 20mm	69.20
OX-TB10-14-20	9341231012099	14	20mm	95.10
OX-TB10-14	9341231002281	14	1 - 20mm	95.10
OX-TB10-16	9341231002298	16	1 - 20mm	151.20



TA10

TRADE ASPHALT

Asphalt blade with 3/8" (10mm) segment and wedge undercut protection. Applications include: asphalt and extremely abrasive materials, render.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-TA10-12-20	9341231012105	12	20mm	69.20
OX-TA10-12	9341231002304	12	1 - 20mm	69.20
OX-TA10-14-20	9341231012112	14	20mm	95.10
OX-TA10-14	9341231002311	14	1 - 20mm	95.10






PRO SERIES diamond blades

Simply the best value for money available – fantastic performance, revolutionary pricing.

BLADE PROFILE: PU10



PU10 Bestseller: One sold every 2 minutes!

PRO SERIES

The award winning, best selling PRO blades – including the PU10 – the best all round professional contractor blade on the market.

These are simply the best value for money blades available in this sector, giving performance you would associate with a professional product at a price that has revolutionised the market.

BLADE SELECTOR

UNIVERSAL HARD

Hard materials & metal
Fast cutting universal
Hard natural stone
Clay products
Engineering bricks



PU10

CONCRETE

Concrete & concrete products
General purpose
Unabrasive products
Building products



PC15

ABRASIVE

Abrasive materials
Concrete & asphalt
Dual purpose
Concrete products
Concrete roof tiles



PB10

ASPHALT

Asphalt & extremely
abrasive products
Stucco



PA10



PROFESSIONAL performance from the best value for money blades available.

PU10 SUPERFAST

PRO UNIVERSAL HARD

Guaranteed to cut all construction products including metal. Excellent fast cut universal & hard materials. Reinforced flange. Cooling holes. Semi-transparent. Applications include: granite, natural stone, clay products, engineering bricks, metal, concrete products, all building materials. Wear will increase on abrasive materials. 12mm Segment height.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-PU10-4	9341231002335	4	7/8 - 5/8	30.30
OX-PU10-4.5	9341231002342	4 1/2	7/8 - 5/8	31.40
OX-PU10-5	9341231002359	5	7/8 - 5/8	36.20
OX-PU10-6	9341231002366	6	7/8 - 5/8	47.60
OX-PU10-7	9341231002373	7	DM-7/8-5/8	53.50
OX-PU10-8	9341231002380	8	DM-7/8-5/8	64.80
OX-PU10-9	9341231002397	9	7/8 - 5/8	76.20
OX-PU10-10	9341231012129	10	DM-7/8-5/8	97.80
OX-PU10-12-20	9341231012136	12	20mm	129.10
OX-PU10-12	9341231002403	12	1 - 20mm	129.10
OX-PU10-14-20	9341231012143	14	20mm	173.40
OX-PU10-14	9341231002410	14	1 - 20mm	173.40



CUTS EVERYTHING ON A CONSTRUCTION SITE!
12mm SEGMENT HEIGHT

* See pg 20 for the MPSS series - Fast Cut segmented version of the PU10.

PC15 SUPERCUT

PRO CONCRETE / GENERAL PURPOSE

Durable 'Cuts it all' general purpose and concrete products blade with 5/8" (15mm) segment and cooling holes. Applications include: concrete curbs and slabs, concrete pavers, roof tiles, bricks, general building materials.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-PC15-4	9341231002434	4	7/8 - 5/8	22.70
OX-PC15-4.5	9341231002441	4 1/2	7/8 - 5/8	24.90
OX-PC15-5	9341231002458	5	7/8 - 5/8	28.10
OX-PC15-6	9341231002465	6	7/8 - 5/8	32.40
OX-PC15-7	9341231002472	7	DM-7/8-5/8	37.80
OX-PC15-8	9341231002489	8	DM-7/8-5/8	45.40
OX-PC15-9	9341231002496	9	7/8 - 5/8	58.40
OX-PC15-10	9341231012150	10	DM-7/8-5/8	75.60
OX-PC15-12-20	9341231012167	12	20mm	96.30
OX-PC15-12	9341231002502	12	1 - 20mm	96.30
OX-PC15-14-20	9341231012174	14	20mm	141.00
OX-PC15-14	9341231002519	14	1 - 20mm	141.00



5/8" (15mm) SEGMENT HEIGHT

PB10 ZEBRA

PRO ABRASIVE / GENERAL PURPOSE

High performance dual purpose blade with 3/8" (10mm) segment. Applications include: abrasive building materials, concrete products, roof tiles, blocks, walk-behind saw concrete & dual concrete/asphalt.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-PB10-4	9341231002533	4	7/8 - 5/8	38.90
OX-PB10-4.5	9341231002540	4 1/2	7/8 - 5/8	43.20
OX-PB10-5	9341231002557	5	7/8 - 5/8	48.60
OX-PB10-6	9341231002564	6	7/8 - 5/8	57.30
OX-PB10-7	9341231002571	7	DM-7/8-5/8	67.00
OX-PB10-8	9341231002588	8	DM-7/8-5/8	80.00
OX-PB10-9	9341231002595	9	7/8 - 5/8	88.60
OX-PB10-10	9341231012181	10	DM-7/8-5/8	110.20
OX-PB10-12-20	9341231012198	12	20mm	140.40
OX-PB10-12	9341231002601	12	1 - 20mm	140.40
OX-PB10-14-20	9341231012204	14	20mm	194.40
OX-PB10-14	9341231002618	14	1 - 20mm	194.40
OX-PB10-16	9341231012211	16	1 - 20mm	259.20



PA10 SHARK

PRO ASPHALT

Undercut protected blade with 3/8" (10mm) segment. Applications include: asphalt and extremely abrasive products.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-PA10-12-20	9341231012228	12	20mm	140.40
OX-PA10-12	9341231002632	12	1 - 20mm	140.40
OX-PA10-14-20	9341231012235	14	20mm	194.40
OX-PA10-14	9341231002649	14	1 - 20mm	194.40
OX-PA10-16	9341231002656	16	1 - 20mm	259.20






ULTIMATE SERIES diamond blades

The ultimate performance product. When only the best will do; ultimate says it all.

BLADE PROFILE: UU10



ULTIMATE SERIES

When we set out to create the ultimate range, the brief was that these blades needed to be better than anything else available on the market for performance, presentation and value. We believe we have excelled ourselves.

The Ultimate range stands apart from the crowd. It is a range of its own and has its own packaging, brochure and stands. Backed by every safety standard including EN13236 Guaranteed safe. Guaranteed to perform.

BLADE SELECTOR

UNIVERSAL HARD

Hard materials
Fast cutting universal
Hard natural stone
Clay products
Engineering bricks



UU10

CONCRETE

Concrete & concrete products
General purpose
Unabrasive products
Building products



UC10

ABRASIVE

Abrasive materials
Concrete & asphalt
Dual purpose
Concrete products
Concrete roof tiles



UB10

ASPHALT

Asphalt & extremely
abrasive products
Stucco



UA10




The Ultimate performance: blades don't come better than this.

UU10 AUTO

ULTIMATE UNIVERSAL/HARD

New Auto-Array technology allow the diamonds to be placed evenly to an exact specification. This produces exceptionally fast cutting speed and the ability to cut the hardest concrete and natural stone. Applications include: hard natural stone, hard concrete, clay products & general building materials.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-UU10-4	5060242335747	4	7/8 - 5/8	68.00
OX-UU10-4.5	5060242335754	4 1/2	7/8 - 5/8	70.00
OX-UU10-5	5060242335761	5	7/8 - 5/8	74.00
OX-UU10-6	5060242335778	6	7/8 - 5/8	88.00
OX-UU10-7	5060242335785	7	DM-7/8-5/8	98.00
OX-UU10-9	5060242335792	9	7/8 - 5/8	145.00
OX-UU10-12-20	5060242336393	12	20mm	198.00
OX-UU10-12	5060242335808	12	1 - 20mm	198.00
OX-UU10-14-20	5060242336409	14	20mm	258.00
OX-UU10-14	5060242335815	14	1 - 20mm	258.00
OX-UU10-16	5060242335822	16	1 - 20mm	320.00
OX-UU10-18	5060242339431	18	1 - 20mm	448.00
OX-UU10-20	5060242339448	20	1 - 20mm	530.00



UC10 CYCLONE

ULTIMATE CONCRETE PRODUCTS

Blade with 3/8" (10mm) segment height. Featuring tear drop gullet design, cooling holes. Applications include: reinforced concrete, concrete products, natural stone, building materials.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-UC10-4	9341231002762	4	7/8 - 5/8	58.40
OX-UC10-4.5	9341231002779	4 1/2	7/8 - 5/8	59.40
OX-UC10-5	9341231002786	5	7/8 - 5/8	63.80
OX-UC10-6	9341231002793	6	7/8 - 5/8	70.20
OX-UC10-7	9341231002809	7	DM-7/8-5/8	81.00
OX-UC10-8	9341231002816	8	DM-7/8-5/8	94.00
OX-UC10-9	9341231002823	9	7/8 - 5/8	115.60
OX-UC10-10	9341231012266	10	DM-7/8-5/8	140.40
OX-UC10-12-20	9341231012273	12	20mm	193.40
OX-UC10-12	9341231002830	12	1 - 20mm	193.40
OX-UC10-14-20	9341231012280	14	20mm	257.10
OX-UC10-14	9341231002847	14	1 - 20mm	257.10



UB10 ZEBRA

ULTIMATE ABRASIVE

Dual purpose blade with 3/8" (10mm) segment height. Featuring 'wedge segment' undercut protection, narrow gullet. Applications include: dual purpose concrete & asphalt, abrasive materials and abrasive concrete products (e.g. roof tiles, blocks).

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-UB10-4	9341231002861	4	7/8 - 5/8	58.40
OX-UB10-4.5	9341231002878	4 1/2	7/8 - 5/8	59.40
OX-UB10-5	9341231002885	5	7/8 - 5/8	63.80
OX-UB10-6	9341231002892	6	7/8 - 5/8	70.20
OX-UB10-7	9341231002908	7	DM-7/8-5/8	81.00
OX-UB10-8	9341231002915	8	DM-7/8-5/8	94.00
OX-UB10-9	9341231002922	9	7/8 - 5/8	115.60
OX-UB10-10	9341231012297	10	DM-7/8-5/8	140.40
OX-UB10-12-20	9341231012303	12	20mm	193.40
OX-UB10-12	9341231002939	12	1 - 20mm	193.40
OX-UB10-14-20	9341231002946	14	20mm	257.10
OX-UB10-14	9341231012310	14	1 - 20mm	257.10
OX-UB10-16	9341231002953	16	1 - 20mm	321.90



UA10 BLACK SHARK

ULTIMATE ASPHALT

Asphalt blade with 3/8" (10mm) segment height. Featuring 'wedge segment' undercut protection, 'U' clearance gullet. Applications include: asphalt & extremely abrasive products, stucco.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-UA10-12-20	9341231012327	12	20mm	193.40
OX-UA10-12	9341231002960	12	1 - 20mm	193.40
OX-UA10-14-20	9341231012334	14	20mm	257.10
OX-UA10-14	9341231002977	14	1 - 20mm	257.10
OX-UA10-16	9341231002984	16	1 - 20mm	321.90





STANDARD SERIES diamond blades

OX DC10: Setting The Standard

The DC10 remains the No.1 standard general purpose blade and an industry benchmark for our competitors to aspire to. Robust 10mm segment height gives an increased life of 43% over the original 7mm segment.

BLADE PROFILE: DC10

Brand identity

Robust cutting

Striking graphics



OX safety standards

3/8" (10mm) Segment height

The Standard range gives the benefit of a safe performing product for the cost conscious user.



DU10 STANDARD

GENERAL PURPOSE

General purpose turbo blade with robust 3/8" (10mm) segment height. Applications include: bricks and slabs, concrete pavers, roof tiles, concrete products.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-DU10-4	9341231024030	4	7/8 - 5/8	10.90
OX-DU10-4.5	9341231024047	4 1/2	7/8 - 5/8	12.60
OX-DU10-5	9341231024054	5	7/8 - 5/8	14.00
OX-DU10-6	9341231024061	6	7/8 - 5/8	20.00
OX-DU10-7	9341231024078	7	DM-7/8-5/8	23.40



DC10 STANDARD

GENERAL PURPOSE

Best selling general purpose blade with robust 3/8" (10mm) segment height. Applications include: bricks and slabs, concrete pavers, roof tiles, concrete products.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-DC10-4	9341231003608	4	7/8 - 5/8	7.60
OX-DC10-4.5	9341231003615	4 1/2	7/8 - 5/8	8.70
OX-DC10-5	9341231003622	5	7/8 - 5/8	9.80
OX-DC10-6	9341231003639	6	7/8 - 5/8	13.00
OX-DC10-7	9341231003646	7	DM-7/8-5/8	16.20
OX-DC10-8	9341231003653	8	DM-7/8-5/8	18.40
OX-DC10-9	9341231003660	9	7/8 - 5/8	20.60
OX-DC10-10	9341231011986	10	DM-7/8-5/8	27.00
OX-DC10-12-20	9341231011993	12	20mm	37.80
OX-DC10-12	9341231003677	12	1 - 20mm	37.80
OX-DC10-14-20	9341231012006	14	20mm	58.40
OX-DC10-14	9341231003684	14	1 - 20mm	58.40

NEW GENERATION DIAMOND BLADES



The exciting TC15 General Purpose blade!
 Taking world class technology to new heights
 extreme performance • extreme value

BLADE PROFILE: TC15



TC15

TRADE CONCRETE / GENERAL PURPOSE

Universal concrete blade with a 15mm segment height. Combining excellent performance in speed of cut and life – this product provides an exceptional quality/price ratio. Applications include: concrete products, roof tiles, blocks, and all general building materials.

Product Code	UPC Code	Diameter (in)	Bore (in)	List Price \$
OX-TC15-14	5060242336300	14"	1" - 20mm	70.00






NEW GENERATION DIAMOND BLADES

Angle Grinders & Demolition Saws

The blade that is...

GUARANTEED

To cut ALL masonry construction products!



SUPERFAST TURBO segment technology combines aggressive cutting ability with a fine, clean cut and no burning of the segments. Eliminating the possibility of single segment detachment.



REINFORCED, EXTRA SECURE, DUAL CENTER FLANGE AND UNIQUE COOL-FAST DESIGN for a quieter, cooler and safer blade, with no distortion in the cut.



In use, the blade is semi-transparent and cuts out much of the vibration associated with conventional diamond tools.



Safety and vibration tested to meet and surpass relevant standards. Conforms with EN13236.

PRO SUPERFAST UNIVERSAL/HARD

Guaranteed to cut all masonry construction products. Excellent fast cut universal & hard materials. Reinforced flange. Cooling holes. Semi-transparent. Applications include: granite, natural stone, clay products, engineering bricks, concrete products, all building materials. Wear will increase on abrasive materials. 15mm segment height. Not recommended for reinforced concrete - use PU10 blade.

GUARANTEED TO CUT ALL MASONRY CONSTRUCTION PRODUCTS!

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-MPSS-12	9341231003172	12"	1"/20mm	163.00
OX-MPSS-14	9341231003189	14"	1"/20mm	228.00



Walk-behind saws are more powerful machines than angle grinders and gas cut-off saws, and typically the substrate being cut is more demanding.

This is why – especially for concrete – we recommend dedicated walk-behind saw blades. We also have professional walk-behind saw blades up to 36" diameter.

WALK-BEHIND SAW BLADE PROFILE: UBF



WALK-BEHIND SAW BLADE RANGE

BLADE SELECTOR

CONCRETE

ASPHALT

PRO SERIES



PBF



PAF

ULTIMATE SERIES



UBF



UAF

Diamond blades for walk-behind saws



PBF

PRO CONCRETE

High quality blade with 3/8" (10mm) segment.
Applications include: in-situ concrete, flint & limestone aggregate, reinforced concrete.

Product Code	UPC Code	Diameter(in)	Bore(in)	Segment Width(in)	List Price \$
OX-PBF-14	9341231012358	14	1	0.125	194.40
OX-PBF-16	9341231003745	16	1	0.135	259.20
OX-PBF-18	9341231003752	18	1	0.142	356.40
OX-PBF-20	9341231003769	20	1	0.150	429.90
OX-PBF-24	9341231003776	24	1	0.165	561.60
OX-PBF-26	9341231031212	26	1	0.177	584.00

LARGER SIZES AVAILABLE UPON REQUEST



PAF

PRO WALK-BEHIND SAW ASPHALT

High quality blade with 3/8" (10mm) segment and wedge undercut protection.
Applications include: asphalt and stucco.

Product Code	UPC Code	Diameter(in)	Bore(in)	Segment Width(in)	List Price \$
OX-PAF-14	9341231012365	14	1	0.125	194.40
OX-PAF-16	9341231003783	16	1	0.135	259.20
OX-PAF-18	9341231003790	18	1	0.142	356.40
OX-PAF-20	9341231003806	20	1	0.150	429.90
OX-PAF-24	9341231003813	24	1	0.165	561.60
OX-PAF-26	9341231031229	26	1	0.177	624.00

LARGER SIZES AVAILABLE UPON REQUEST



UBF

ULTIMATE CONCRETE

Very high quality long life blade with 3/8" (10mm) segment height, featuring 'wedge segment' undercut protection.
Applications include: concrete, flint & limestone aggregate, reinforced concrete.

Product Code	UPC Code	Diameter(in)	Bore(in)	Segment Width(in)	List Price \$
OX-UBF-14	9341231012396	14	1	0.125	257.10
OX-UBF-16	9341231003868	16	1	0.135	321.90
OX-UBF-18	9341231003875	18	1	0.142	429.90
OX-UBF-20	9341231003882	20	1	0.150	537.90
OX-UBF-24	9341231003899	24	1	0.165	712.80
OX-UBF-26	9341231031236	26	1	0.177	750.00

LARGER SIZES AVAILABLE UPON REQUEST



UAF

ULTIMATE WALK-BEHIND SAW ASPHALT

Asphalt blade with 3/8" (10mm) segment height. Featuring 'wedge segment' undercut protection, 'U' clearance gullet. Applications include: asphalt, stucco, extremely abrasive new green concrete.

Product Code	UPC Code	Diameter(in)	Bore(in)	Segment Width(in)	List Price \$
OX-UAF-14	9341231012402	14	1	0.125	257.10
OX-UAF-16	9341231003905	16	1	0.135	321.90
OX-UAF-18	9341231003912	18	1	0.142	429.90
OX-UAF-20	9341231003929	20	1	0.150	537.90
OX-UAF-24	9341231003936	24	1	0.165	712.80
OX-UAF-26	9341231031243	26	1	0.177	850.00

LARGER SIZES AVAILABLE UPON REQUEST





Diamond cup wheels



Precision manufactured diamond grinding cups and heads for angle grinders and concrete planers.

We also provide a range of specialist and custom grinding heads and tools for a variety of machines and applications.



UCDT & UCDA

ULTIMATE DOUBLE ROW CUP GRINDER

Ultimate double row cup grinder for universal concrete, construction products and stone. Long life. Applications include: concrete, natural stone and construction products.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-UCDT-4	9341231004933	4	7/8 - 5/8	73.50
OX-UCDT-4.5	9341231004957	4 ½	7/8 - 5/8	84.30
OX-UCDTA-4.5	9341231030000	4 ½	5/8 - 11	84.30
OX-UCDT-5	9341231004971	5	7/8 - 5/8	97.20
OX-UCDTA-5	5060242336416	5	5/8 - 11	97.20
OX-UCDT-7	9341231005015	7	7/8 - 5/8	162.00
OX-UCDTA-7	5060242335525	7	5/8 - 11	162.00



UCGB & UCGC

ULTIMATE TURBO CUP GRINDER

Extremely versatile wide turbo. Fast cutting, long life. Applications include: concrete and natural stone.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-UCGB-4	9341231005039	4	7/8 - 5/8	138.30
OX-UCGC-4	9341231024436	4	5/8 - 11	138.30
OX-UCGB-6	5060242336317	6	7/8 - 5/8	178.00
OX-UCGC-6	9341231026034	6	5/8 - 11	178.00



UCGS & UCGSA

ULTIMATE SPIRAL CUP GRINDER

Ultimate spiral cup grinder for universal concrete construction products and stone. Applications include: concrete, natural stone and construction products.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-UCGS-4	9341231006555	4	7/8 - 5/8	74.25
OX-UCGS-4.5	9341231006579	4.5	7/8 - 5/8	81.00
OX-UCGS-5	9341231006593	5	7/8 - 5/8	104.85
OX-UCGS-7	9341231006616	7	7/8 - 5/8	126.00
OX-UCGSA-4	9341231006562	4	5/8 - 11	77.85
OX-UCGSA-4.5	9341231006586	4.5	5/8 - 11	84.60
OX-UCGSA-5	9341231006609	5	5/8 - 11	108.90
OX-UCGSA-7	9341231006623	7	5/8 - 11	133.65

Diamond cup wheels



PCST & PCSTA

PRO SINGLE ROW CUP GRINDER

Professional double row cup grinder for universal concrete, construction products and stone.
Applications include: concrete, natural stone and construction products.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-PCST-4	9341231006234	4	7/8 - 5/8	58.20
OX-PCSTA-4	9341231006241	4	5/8 - 11	63.00
OX-PCST-4.5	9341231006258	4 1/2	7/8 - 5/8	61.20
OX-PCSTA-4.5	9341231006265	4 1/2	5/8 - 11	63.60
OX-PCST-5	9341231006272	5	7/8 - 5/8	64.20
OX-PCSTA-5	9341231006289	5	5/8 - 11	69.00
OX-PCST-7	9341231006296	7	7/8 - 5/8	97.80
OX-PCSTA-7	9341231006302	7	5/8 - 11	108.00



PCTB

PRO TURBO CUP GRINDER

Extremely versatile wide turbo. Fast cutting.
Applications include: concrete and natural stone.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-PCTB-4	9341231004872	4	7/8 - 5/8	37.80



PCGS & PCGSA

PRO SPIRAL CUP GRINDER

Professional spiral cup grinder for universal concrete construction products and stone.
Applications include: concrete, natural stone and construction products.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-PCGS-4	9341231006630	4	7/8 - 5/8	40.60
OX-PCGSA-4	9341231006647	4	5/8 - 11	46.90
OX-PCGS-4.5	9341231006654	4.5	7/8 - 5/8	49.00
OX-PCGSA-4.5	9341231006661	4.5	5/8 - 11	54.60
OX-PCGS-5	9341231006678	5	7/8 - 5/8	63.00
OX-PCGSA-5	9341231006685	5	5/8 - 11	68.60
OX-PCGS-7	9341231006692	7	7/8 - 5/8	81.90
OX-PCGSA-7	9341231006708	7	5/8 - 11	93.25





Tuck pointing/mortar raking blades

Tuck pointing diamond blades provide fast, effective removal of mortar joints prior to re-pointing.



A thicker center plate maintains a stable and durable cut and protects against undercutting.



TMR

TRADE TUCK POINTING

1/4" wide segment blade. Fantastic value for money product. Applications include: mortar raking, brick raking, abrasive materials.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-TMR-4.5	9341231003981	4 1/2	7/8 - 5/8	34.60
OX-TMR-5	9341231003998	5	7/8 - 5/8	41.10
OX-TMR-7	9341231004001	7	DM-7/8-5/8	77.80



PMR

PROFESSIONAL TUCK POINTING

High quality 1/4" wide segment blade. The market leader – a great product to use. Fast cut/long life. Applications include: mortar raking, abrasive materials.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-PMR-4.5	9341231004018	4 1/2	7/8 - 5/8	85.40
OX-PMR-5	9341231004025	5	7/8 - 5/8	94.00
OX-PMR-7	9341231004032	7	DM-7/8-5/8	137.70



UMR

ULTIMATE TUCK POINTING

Ultimate - tuck pointing/mortar raking blade. Applications include: mortar raking, abrasive materials. 1/4" wide segment blade.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-UMR-4.5	9341231004049	4 1/2	7/8 - 5/8	140.40
OX-UMR-5	9341231004056	5	7/8 - 5/8	155.60
OX-UMR-7	9341231004063	7	DM-7/8-5/8	213.90

Sandwich double tuck point blades



TDTP

TRADE SANDWICH DOUBLE TUCK POINTING

1/4" Wide blade. For use on an angle grinder.
Applications include: tuck pointing, masonry, concrete.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-TDTP-4.5	5060242336423	4 1/2	7/8 - 5/8	23.00
OX-TDTP-5	5060242336430	5	7/8 - 5/8	26.50



PDTP

PRO SANDWICH DOUBLE TUCK POINTING

1/4" Wide blade – Faster cutting and longer life. For use on an angle grinder.
Applications include: tuck pointing, masonry, concrete.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-PDTP-4.5	5060242336447	4 1/2	7/8 - 5/8	29.00
OX-PDTP-5	5060242336454	5	7/8 - 5/8	34.00



PCTP

PRO SUPERFAST SANDWICH TUCK POINTING

1/4" Wide blade. For use on an angle grinder. Turbo segment for extremely fast cut. 15mm segment for long life.
Applications include: tuck pointing, masonry, concrete.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-PCTP-4.5	9341231006784	4 1/2	7/8 - 5/8	38.85
OX-PCTP-5	9341231006791	5	7/8 - 5/8	40.75



TTTP

TRADE SANDWICH DOUBLE TURBO TUCK POINTING

1/4" Wide blade. For use on an angle grinder.
Applications include: tuck pointing, masonry, concrete.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-TTTP-4.5	5060242336461	4 1/2	7/8 - 5/8	39.00
OX-TTTP-5	5060242336478	5	7/8 - 5/8	45.00



PTTP

PRO SANDWICH DOUBLE TURBO TUCK POINTING

1/4" Wide blade – Faster cutting and longer life. For use on an angle grinder.
Applications include: tuck pointing, masonry, concrete.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-PTTP-4.5	5060242336485	4 1/2	7/8 - 5/8	57.00
OX-PTTP-5	5060242336492	5	7/8 - 5/8	63.00





Crack Chaser Blades

For cleaning, routing, and repairing of cracks in concrete and most other building materials.

ULTIMATE CRACK CHASER

V-shaped segments quickly and effectively prepare cracks for filling, repair or caulking.



UCCB ULTIMATE CRACK CHASER - BORE HUB



Segmented crack chaser with 12.7mm segment height.
Applications include: concrete, asphalt.

Product Code	UPC Code	Diameter(in)	Bore(in)	Width(in)	List Price \$
OX-UCCB-4	9341231015342	4	7/8 - 5/8	.375	122.55
OX-UCCB-4.5	9341231015359	4 1/2	7/8 - 5/8	.375	144.45

UCCT ULTIMATE CRACK CHASER - THREADED HUB



Segmented crack chaser with 12.7mm segment height.
Applications include: concrete, asphalt.

Product Code	UPC Code	Diameter(in)	Bore(in)	Width(in)	List Price \$
OX-UCCT-4	9341231015366	4	5/8 - 11	.375	122.55
OX-UCCT-4.5	9341231015373	4 1/2	5/8 - 11	.375	144.45

Stone Polishing Pads



STONE POLISHING PADS

WET ULTIMATE POLISHING PADS

Wet premium polishing pads. Spiral type.
Applications: All natural stone.

Product Code	UPC Code	Diameter(in)	Grit	List Price \$
OX-WPPS8-4	5060359913760	4	50 / 100 / 200 / 400 / 800 / 1500 / 3000 / Blk Buff / Wht Buff	169.75



DRY ULTIMATE POLISHING PADS

Dry premium polishing pads. Hexagon type.
Applications: All natural stone.

Product Code	UPC Code	Diameter(in)	Grit	List Price \$
OX-DPPS8-4	5060359913777	4	50 / 100 / 200 / 400 / 800 / 1500 / 3000	225.00



BACKER PAD ULTIMATE POLISHING PADS

Flexible backer pad. For use with all wet and dry polishing pads.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-DPPBP-4	5060359913852	4	5/8 - 11	31.70






Blades for ceramic, stone & tile

Tiling is a big thing in today's world, and the last few years have seen a massive increase in the use of natural stone and man-made ceramics in commercial and domestic situations. For cutting ceramics, a smooth continuous rim diamond blade is used to give a fine clean cut – where a segmented blade could cause chipping. Our ceramic tile cutting blades are available in the STANDARD and PRO ranges, with our flagship ultimate UCT blade 'guaranteed to cut all tiles' and super-thin turbo UCTT for the hardest of porcelains.

TILING BLADE PROFILE: UCT



CERAMIC & STONE BLADES RANGE

CERAMIC	CERAMIC	PORCELAIN, CERAMIC, MARBLE, GRANITE	PORCELAIN, CERAMIC, STONE, GRANITE
DCT	PCT	UCT	UCTT

Blades for ceramic, stone & tile



DCT

STANDARD CERAMICS

Continuous rim diamond blade for cutting ceramic tiles and stone. 3/8" (10mm) Segment height.
Applications include: ceramic tiles/stone.

Product Code	UPC Code	Diameter(in)	Bore(in)	Width(in)	List Price \$
OX-DCT-4	9341231024085	4	7/8 - 5/8	0.080	7.00
OX-DCT-4.5	9341231024092	4 1/2	7/8 - 5/8	0.080	7.50
OX-DCT-5	9341231024108	5	7/8 - 5/8	0.080	8.25
OX-DCT-7	9341231024115	7	7/8 - 5/8	0.094	15.80
OX-DCT-8	9341231024122	8	7/8 - 5/8	0.094	17.00



PCT

PROFESSIONAL CERAMICS

Continuous PROFESSIONAL blade for cutting ceramic tiles. All sizes from 4"-14".
Applications include: ceramic and medium hard natural stone tiles.

Product Code	UPC Code	Diameter(in)	Bore(in)	Width(in)	List Price \$
OX-PCT-4	9341231004179	4	7/8 - 5/8	.080	16.20
OX-PCT-4.5	9341231004186	4 1/2	7/8 - 5/8	.080	17.30
OX-PCT-5	9341231004193	5	7/8 - 5/8	.080	20.60
OX-PCT-6	9341231004209	6	7/8 - 5/8	.080	28.10
OX-PCT-7	9341231004216	7	7/8 - 5/8	.080	33.00
OX-PCT-8	9341231004223	8	7/8 - 5/8	.080	41.10
OX-PCT-9	9341231004230	9	7/8 - 5/8	.080	50.80
OX-PCT-10	9341231012440	10	7/8 - 5/8	.080	63.20
OX-PCT-10-1	9341231004247	10	1	.080	63.20
OX-PCT-12	9341231004254	12	1	.125	78.30
OX-PCT-14	9341231004261	14	1	.125	93.50



UCT

ULTIMATE - CUTS ALL TILES - GUARANTEED!

Featuring 5/8" (10mm) continuous rim, fine cut, high concentration, s-slot cool cutting, s-detensio silencing.
Cuts all tiles - guaranteed! Applications include: ceramic tiles, natural stone, porcelain, granite, marble.

Product Code	UPC Code	Diameter(in)	Bore(in)	Width(in)	List Price \$
OX-UCT-4	9341231004278	4	7/8 - 5/8	.048	24.90
OX-UCT-4.5	9341231004285	4 1/2	7/8 - 5/8	.048	27.00
OX-UCT-5	9341231004292	5	7/8 - 5/8	.048	30.30
OX-UCT-6	9341231004308	6	7/8 - 5/8	.048	40.10
OX-UCT-7	9341231004315	7	7/8 - 5/8	.048	45.40
OX-UCT-8	9341231004322	8	7/8 - 5/8	.048	52.80
OX-UCT-9	9341231004339	9	7/8 - 5/8	.048	62.70
OX-UCT-10	9341231004346	10	5/8	.048	81.00
OX-UCT-10-1	9341231012464	10	1	.048	81.00
OX-UCT-12	9341231004353	12	1	.060	100.50
OX-UCT-14	9341231004360	14	1	.060	123.70



UCTT

ULTIMATE FINE TURBO PORCELAIN

Super thin turbo with 5/16" (8mm) segment. The finest cut for porcelain.
Applications include: porcelain, ceramic, natural stone, granite.

Product Code	UPC Code	Diameter(in)	Bore(in)	Width(in)	List Price \$
OX-UCTT-4	9341231004377	4	7/8 - 5/8	.060	30.00
OX-UCTT-4.5	9341231004384	4 1/2	7/8 - 5/8	.060	33.00
OX-UCTT-5	9341231004391	5	7/8 - 5/8	.060	36.00
OX-UCTT-6	9341231004407	6	7/8 - 5/8	.070	43.00
OX-UCTT-7	9341231004414	7	7/8 - 5/8	.070	50.00
OX-UCTT-8	9341231004421	8	7/8 - 5/8	.070	56.00
OX-UCTT-9	9341231004438	9	7/8 - 5/8	.070	66.00
OX-UCTT-10	5060242337383	10	7/8 - 5/8	.070	86.00






Blades for ceramic, stone & tile

INTRODUCING... the new Ultimate UGT cutting blade!

Super fine diamond matrix designed specifically for cutting glass tile and mosaic.

GLASS TILE AND MOSAIC BLADE



UGT

ULTIMATE GLASS TILE AND MOSAIC

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-UGT-4	9341231006715	4	7/8-5/8	65.00
OX-UGT-7	9341231006722	7	7/8-5/8	99.40
OX-UGT-10	9341231006739	10	7/8-5/8	105.50

Blades for ceramic, stone & tile



PMT PROFESSIONAL ELECTROPLATED MARBLE

Electroplated diamond blade for fine cutting of marble & fiberglass.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-PMT-4	9341231004476	4	7/8 - 5/8	38.90
OX-PMT-4.5	9341231004483	4 1/2	7/8 - 5/8	44.30
OX-PMT-5	9341231004490	5	7/8 - 5/8	48.60
OX-PMT-7	9341231004513	7	7/8 - 5/8	73.50
OX-PMT-9	9341231004537	9	7/8 - 5/8	88.60



PMTV PROFESSIONAL MARBLE VANITY

Electroplated diamond blade with diamond coated sides for cutting curves in marble.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-PMTV-4.5	9341231004544	4 1/2	7/8 - 5/8	121.00



UMTC ULTIMATE CURVE CUTTING BLADE

For cutting radii in concrete products and stone. Ideal for decorative patio work. 'Must have' blade for landscape contractors. Applications include: concrete products, slabs, natural stone, paving blocks.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-UMTC-4.5	9341231004551	4 1/2	7/8 - 5/8	86.40
OX-UMTC-9	9341231004568	9	7/8 - 5/8	151.20






Metal cutting diamond blades

WORLD LEADING TECHNOLOGY –
the UMB / USB / UMC series

The new way to cut ALL metals...FAST!

BLADE PROFILE: UMB



BLADE SELECTOR

HAND HELD SAWS
Cuts ALL metals
(with vacuum brazed centre)




UMB

**ANGLE GRINDERS &
HAND HELD SAWS**
ALL Metals



USB

CHOP SAWS
ALL Metals



UMC

Metal cutting diamond blades



UMB

DUCTILE IRON BLADE

Suitable for hand held saws. Cuts ductile iron pipe, cast iron, rebar, steel, fiberglass, plastic pipe, concrete. Vacuum brazed centreplate for side clearance & protection.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-UMB-12	9341231031090	12	1 - 20mm	278.00
OX-UMB-14	9341231031106	14	1 - 20mm	338.00



USB

SUPER ABRASIVE BLADE

Suitable for angle grinders & hand held saws. Cuts ductile iron pipe, cast iron, rebar, steel, fiberglass, plastic pipe, concrete.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-USB-3	5060242337604	3	3/8	39.75
OX-USB-4	9341231024238	4	7/8 - 5/8	41.75
OX-USB-4.5	9341231024245	4 1/2	7/8 - 5/8	47.40
OX-USB-5	9341231024252	5	7/8 - 5/8	53.85
OX-USB-7	9341231024276	7	DM-7/8-5/8	96.60
OX-USB-9	9341231024283	9	7/8 - 5/8	110.35
OX-USB-12	9341231024290	12	1 - 20mm	167.65
OX-USB-14	9341231024306	14	1 - 20mm	201.25
OX-USB-14-20	5060242337482	14	20mm	201.25
OX-USB-16	9341231024313	16	1 - 20mm	249.65




UMC

CHOP SAW METAL CUTTING BLADE

Suitable for chop saws. Cuts stainless steel, rebar, iron, ductile iron pipe, threaded rod, plastic, fiberglass, rubber, concrete.

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-UMC-14	9341231030895	14	1	198.00





ULTIMATE SERIES fiber cement blade

PCD fiber cement cutting blade

Polycrystalline diamond tipped teeth this blade produces faster cutting ability and far longer life when cutting fiber cement board.

FIBER CEMENT BLADE PROFILE: PCD



PCD

ULTIMATE FIBER CEMENT BLADE

Product Code	UPC Code	Diameter (in)	Bore (in)	List Price \$
OX-PCD-185	5060242335570	7 1/4	DM-7/8-5/8	65.00
OX-PCD-250	5060242335600	10	DM-7/8-5/8	124.00

Other features include:

- Thin kerf blade for minimal dust
 - Ground hardened plate for smooth cut
 - Polycrystalline diamond tipped teeth
 - Laser cut body, stronger tooth attachment and greater accuracy
- Applications include: fiber cement board, hardie board, siding.

ULTIMATE SERIES karbite blade



The OX Ultimate KARBITE is a saw blade made up of carbide clusters welded to a reduced noise and vibration centerplate which can cut equally well in either direction, and can rip through many products which cannot be cut using a diamond blade or chainsaw. Available in 300mm (12") & 350mm (14") for use on gas cut-off saw and 230mm (9") and 115mm (4½") for angle grinders.

For a blade that's got some bite, the KARBITE gives a remarkably even cut in many products from wood to plastic, tree roots to rubber and is not put off by nails or screws! As it is bi-directional, the KARBITE does not need to be sharpened – simply turn it round and carry on cutting.

DEMOLITION/RESCUE BLADE PROFILE: Karbite



What does the Karbite blade cut?

- Tree roots & soil
- Wooden boards & planks
- Fence panels
- Railway sleepers
- Small trees & branches
- Thin sheet metal
- Scaffold boards
- Wooden / plastic pallets
- Plywood
- Chipboard
- Nails & screws
- PE & PP plastics
- Flashing
- Decking
- Rubber
- Abrasive blocks
- Tar & mastic
- Flat roofing

UKB

ULTIMATE – MULTI PURPOSE BLADE

Product Code	UPC Code	Diameter(in)	Bore(in)	List Price \$
OX-UKB-4.5	9341231005138	4 ½	7/8 - 5/8	67.00
OX-UKB-9	9341231005152	9	7/8 - 5/8	183.60
OX-UKB-12-20	9341231012488	12	20mm	270.00
OX-UKB-12	9341231005169	12	1 - 20mm	270.00
OX-UKB-14-20	9341231012495	14	20mm	345.60
OX-UKB-14	9341231012501	14	1 - 20mm	345.60





Diamond core bit drilling

With a wealth of experience in all types of diamond core drilling, OX has the most complete range of products available in the market today.

NO.1 FOR DRY CORE DRILLING

OX: the home of dry core drills.



ULTIMATE LIFE
The most durable



ULTIMATE SPEED
The fastest




NO.1 FOR WET CORE DRILLING

The professional choice for the professional contractor. UWC wet concrete drills have been tested and proven in the most demanding aggregates in the world.



NO.1 FOR TILE DRILLING

PDD Tile Drilling revolution. Quite simply, exactly what the market has been asking for. Fast, easy to use, and completely trouble free.




With the TTD cores for occasional users, and a choice of the PDD or UTDH cores for professional users – OX have the answers.

ULTIMATE SERIES dry core case



UDCL ULTIMATE DRY CORE - LIFE

Superfast performance;
long life.



The universal super-core!

LONGER LIFE...GUARANTEED!

UCC

ULTIMATE HELIX DRY CORE CASE

Everything you need to get going with dry core drilling in a strong, aluminium case. Contains 2, 2.5, 3, 3.5 & 4" ultimate dry core drills and HEX adaptor & 12" A Taper Drill. Fitting: 5/8" - 11" Length: 11"

Product Code	UPC Code	Core Sizes(in)	Accessories	List Price \$
OX-UCC-05	9341231007323	2, 2.5, 3, 3.5 & 4	HEX adaptor 3" & A taper drill	640.00



UDCL

ULTIMATE HELIX DRY CORE

Universal dry core for longer life and cleaner cutting in most building materials including semi-engineering bricks, clay products, and limestone aggregate concrete. Applications include: all bricks, concrete bricks, general building materials, lightly reinforced limestone aggregate concrete, most natural stone.

Product Code	UPC Code	Diameter(in)	Length(in)	Fitting	List Price \$
OX-UDCL-2	5060359913487	2"	11"	5/8" - 11	81.00
OX-UDCL-2.5	5060359913494	2 - 1/2"	11"	5/8" - 11	100.00
OX-UDCL-3	5060359913500	3"	11"	5/8" - 11	115.00
OX-UDCL-3.5	5060359913517	3 - 1/2"	11"	5/8" - 11	153.00
OX-UDCL-4	5060359913524	4"	11"	5/8" - 11	191.00





extreme performance, extreme safety, extreme value

DRY CORE USAGE GUIDE



SAFETY PRECAUTIONS FOR DRILLING

MOST GENERAL BUILDING MATERIALS SUCH AS FACING BRICK, CONCRETE BLOCK, ETC.



WARNING

- Do not attempt to drill concrete or other hard products, except with designated core bit (ask supplier for information).
- If drill overheats, stop use immediately, and contact your supplier for advice.
- Do not drill into loose material as this can cause segment detachment.
- Minimum motor size – 850 Watts.

DRILLING METHOD



- Pre-drill 3/8" pilot hole.
- Insert guide rod into core bit.
- Using rotary action (no hammer), drill hole, regularly withdrawing bit to clear dust build-up.

SAFETY

- Use correct safety wear, including gloves and safety goggles/glasses.
- When drilling, use steady pressure. Do not force the core.
- Ensure equipment does not overheat. Stop regularly if cooling breaks are required.
- Check core bit frequently for damage to diamond tips. If this occurs, stop use immediately.

PLEASE NOTE

- If blunting occurs, core bit can be resharpened by running in a soft, abrasive material such as mortar, sandstone, or soft concrete block.




GENERAL GUIDE TO SPEED SETTINGS FOR DRY CORES

Dry Core Drilling Speeds	
Diameter	Recommended RPM
1-1/2"	1,200
2"	1,150
2-1/2"	1,100
3"	1,050
3-5/8"	1,050
4-1/4"	1,000
4-1/2"	950
5"	950
6"	900
6-1/4"	850
6-1/2"	800
7"	800



ACCESSORY OPTIONS





ULTIMATE SPEED DRY CORE DRILLING



UDCS

ULTIMATE UNSLOTTED DRY CORE

The UDCS is the core that cuts the products which many other products claim to, but in reality do not. With excellent life and fast speed on all construction products, the UDCS excels in hard materials that many cores will not touch! It cuts almost anything, even hard concrete & natural stone. With the aid of dust extraction or water feed down the center of the core – something that this core is ideally suited to – the UDCS has even drilled hard, reinforced London flint concrete! The Zenith of achievement by any dry cores standards. Applications include: bricks, concrete blocks, general building materials. Fitting: 5/8 - 11 Length: 10"

Product Code	UPC Code	Diameter(in)	Length (in)	Fitting	List Price \$
OX-UDCS-22	9341231005558	0.75"	10"	5/8" - 11	90.00
OX-UDCS-28	9341231005565	1"	10"	5/8" - 11	82.00
OX-UDCS-32	9341231005572	1.25"	10"	5/8" - 11	87.00
OX-UDCS-38	9341231005589	1.5"	10"	5/8" - 11	90.00
OX-UDCS-48	9341231005596	1.75"	10"	5/8" - 11	98.00
OX-UDCS-52	9341231005602	2"	10"	5/8" - 11	116.00
OX-UDCS-65	9341231005619	2.5"	10"	5/8" - 11	150.00
OX-UDCS-78	9341231005626	3"	10"	5/8" - 11	172.00
OX-UDCS-91	9341231005633	3.5"	10"	5/8" - 11	192.00
OX-UDCS-102	9341231005640	4"	10"	5/8" - 11	226.00
OX-UDCS-107	9341231005657	4.25"	10"	5/8" - 11	232.00
OX-UDCS-117	9341231005664	4.5"	10"	5/8" - 11	244.00
OX-UDCS-127	9341231005671	5"	10"	5/8" - 11	252.00
OX-UDCS-142	9341231005688	5.5"	10"	5/8" - 11	282.00
OX-UDCS-152	9341231005695	6"	10"	5/8" - 11	306.00
OX-UDCS-162	9341231005718	6.5"	10"	5/8" - 11	458.00
OX-UDCS-172	9341231005725	6.75"	10"	5/8" - 11	502.00
OX-UDCS-182	9341231005732	7"	10"	5/8" - 11	526.00

Dry Core Accessories

Ox dry core accessories are manufactured from the highest grade steel to ensure that they can withstand the toughest use. Zinc plating enhances the visual appearance and protects against rust without leaving oil deposits. The most complete range of accessories to cover all machinery options and personal preferences.

ADAPTORS



With BSP male fitting to suit UDCL and UDCS cores.

Product code	UPC Code	Description	Inner Qty	List Price \$
OX-JX01	9341231012518	HEX ADAPTOR ONLY	1	12.70
OX-JS01	9341231012532	SDS (PLUS) ADAPTOR ONLY	1	17.50
OX-JM01	9341231012556	SDS MAX ADAPTOR ONLY	1	31.20

PILOTS & DRIFTS



Product code	UPC Code	Description	Inner Qty	List Price \$
OX-JB13	9341231012655	1/2" A TAPER DRILL 8-1/4" & DRIFT KEY	1	11.70



ULTIMATE SERIES wet core bit range

OX has a full range of wet diamond core drills for professional users, combining ultra precise engineering and high concentration, high quality diamonds. Rigorously tested in the toughest of aggregates.


UWC

ULTIMATE WET CORE

ULTIMATE wet diamond core drill for professional hand held and rig mounted use. 14" drilling length. 10mm Segment height. Applications include: flint and limestone aggregate concrete, reinforced concrete, universal building products.

LASER
WELDED SEGMENTS

Product Code	UPC Code	Diameter(in)	Length(in)	Fitting	List Price \$
OX-UWC-1	5060242335983	1"	14"	5/8" - 11	70.20
OX-UWC-1.25	5060242336003	1 - 1/4"	14"	5/8" - 11	76.80
OX-UWC-1.375	5060242336010	1 - 3/8"	14"	5/8" - 11	88.50
OX-UWC-1.5	5060242336027	1 - 1/2"	14"	5/8" - 11	93.40
OX-UWC-1.75	5060242336041	1 - 3/4"	14"	5/8" - 11	108.90
OX-UWC-2	5060242336065	2"	14"	1 - 1/4" - 7"	114.70
OX-UWC-2.5	5060242336089	2 - 1/2"	14"	1 - 1/4" - 7"	129.30
OX-UWC-3	5060242336102	3"	14"	1 - 1/4" - 7"	149.70
OX-UWC-3.5	5060242336126	3 - 1/2"	14"	1 - 1/4" - 7"	168.20
OX-UWC-4	5060242336133	4"	14"	1 - 1/4" - 7"	190.60
OX-UWC-4.5	5060242336157	4 - 1/2"	14"	1 - 1/4" - 7"	200.30
OX-UWC-5	5060242336164	5"	14"	1 - 1/4" - 7"	229.40
OX-UWC-5.5	5060242336171	5 - 1/2"	14"	1 - 1/4" - 7"	261.50
OX-UWC-6	5060242336188	6"	14"	1 - 1/4" - 7"	290.70



tile drill range



Tile Drills

PDD

PROFESSIONAL DIAMOND DRILL

Fast drilling, long life diamond drills supplied with unique water container for accurate positioning and cooling of the diamond tip. Superfast drilling and core ejection. Quick change 6.3 standard hex shank. Precision drilling.

Product Code	UPC Code	Diameter(in)	List Price \$
OX-PDD-05	9341231007170	3/16"	21.60
OX-PDD-06	9341231007187	1/4"	23.80
OX-PDD-08	9341231007200	5/16"	29.20
OX-PDD-10	9341231007224	3/8"	31.40
OX-PDD-12	9341231007231	1/2"	35.70
OX-PDD-25	9341231007262	1"	43.20
OX-PDD-35	9341231007279	1 - 3/8"	54.00



Applications include: GUARANTEED TO DRILL ALL TILES, porcelain, ceramics, granite, glass, quarry, everything!

TTD

TRADE DIAMOND HOLESAW

Fast, fine cutting of marble, ceramics and stone. Low cost for the occasional user. Straight shank for use in 3 jaw chuck.

Product Code	UPC Code	Diameter(in)	List Price \$
OX-TTD-06	9341231006319	1/4"	8.80
OX-TTD-08	9341231006326	5/16"	9.80
OX-TTD-10	9341231006333	3/8"	11.70
OX-TTD-15	9341231012778	5/8"	14.60
OX-TTD-20	9341231006364	13/16"	18.50
OX-TTD-25	9341231012785	1"	20.50
OX-TTD-30	9341231006395	1 - 3/16"	24.30
OX-TTD-35	9341231012792	1 - 3/8"	29.20
OX-TTD-40	9341231012808	1 - 9/16"	31.20
OX-TTD-45	9341231012815	1 - 3/4"	35.00
OX-TTD-50	9341231012822	2"	38.90
OX-TTD-55	9341231012839	2 - 3/16"	45.70
OX-TTD-60	9341231012846	2 - 3/8"	51.60
OX-TTD-65	9341231012853	2 - 9/16"	55.50
OX-TTD-70	9341231012860	2 - 3/4"	59.30
OX-TTD-75	9341231012877	2 - 15/16"	62.30
OX-TTD-80	9341231012884	3 - 1/8"	66.10



ULTIMATE UTDH WET DIAMOND HOLESAW - HEXSHANK

Product code	UPC Code	Diameter (in)	Length (in)	Shank (in)	Inner Qty	Outer Qty	List Price \$
OX-UTDH-06	9341231020797	1/4" (6mm)	1 - 9/16"	3/8"	1	6	38.90
OX-UTDH-08	9341231020803	5/16" (8mm)	1 - 9/16"	3/8"	1	6	40.00
OX-UTDH-35	9341231006913	1-3/8" (32mm)	1 - 9/16"	1/2"	1	6	73.90
OX-UTDH-36	9341231020902	1-7/16" (36mm)	1 - 9/16"	1/2"	1	6	73.90





Diamond blade application matrix

RECOMMENDATION GUIDE *For specific advice, refer to your supplier*



Highly recommended



Occasional use



Recommended (not continuous use)




Not recommended

CONSTRUCTION BLADES

BLADE REFERENCE	METAL	VERY HARD	CONCRETE	GENERAL PURPOSE	ABRASIVE	ASPHALT
	Exposed steel and sheet metal	Granite, engineering bricks and hard clay products, hard Indian stone	Limestone and flint aggregate reinforced concrete, hard, unabrasive concrete products	Curbs and slabs, medium hard bricks, yorkstone, concrete paviors	Concrete roof tiles, sandstone, abrasive concrete pavers	Asphalt, green concrete, render, stucco
DU10	x	✓	✓✓	✓✓✓	✓	x
DC10	x	x	✓✓	✓✓✓	✓✓	x
TU10	✓	✓✓✓	✓✓	✓✓	✓	x
TC10	x	✓	✓✓	✓✓✓	✓✓	x
TC15	x	✓	✓✓	✓✓✓	✓✓	x
TB10	x	x	✓	✓✓✓	✓✓✓	✓
TA10	x	x	x	x	✓✓	✓✓✓
MPS	✓✓	✓✓✓	✓✓	✓✓✓	✓	x
PU10	✓✓	✓✓✓	✓✓	✓✓✓	✓	x
PC15	x	x	✓✓✓	✓✓✓	✓✓	x
PB10	x	x	✓✓	✓✓✓	✓✓✓	✓✓
PA10	x	x	x	x	✓	✓✓✓
UU10	x	✓✓✓	✓✓✓	✓✓	✓	x
UC10	x	✓✓	✓✓✓	✓✓✓	✓	x
UB10	x	x	✓✓	✓✓✓	✓✓✓	✓✓
UA10	x	x	x	x	✓	✓✓✓
TMR	x	x	x	✓	✓✓	✓✓✓
PMR	x	x	x	✓	✓✓	✓✓✓
UMR	x	x	x	✓	✓✓	✓✓✓
TDTP	x	x	✓	✓✓✓	✓✓✓	✓✓
PDTP	x	x	✓	✓✓✓	✓✓✓	✓✓
TTTP	x	✓✓✓	✓✓	✓✓	✓	✓
PTTP	x	✓✓✓	✓✓	✓✓✓	✓	✓
PCTP	x	x	✓✓✓	✓✓✓	✓✓✓	✓

BLADE REFERENCE	CERAMIC & STONE BLADES/SPECIALIST BLADES
DCT STANDARD	Continuous rim; ceramic tiles
PCT PROFESSIONAL	Continuous rim; ceramic tiles
UCT ULTIMATE	Continuous rim; s-slots; GUARANTEED TO CUT ALL TILES
UCTT ULTIMATE	Fine turbo rim; porcelain, granite, hard natural stone and ceramics
UGT ULTIMATE	Glass tile and mosaics
PMT PROFESSIONAL	Electroplated; marble, GRP, plastic and stone
PMTV PROFESSIONAL	Electroplated, side coatings: marble, curve cutting
UMTC ULTIMATE	Curve cutting, general masonry work, concrete products and stone
UKB ULTIMATE	Wood, metal, plastic, rubber
UMB ULTIMATE	Ductile iron pipe, cast iron, rebar, steel, fiberglass, plastic pipe, concrete
USB ULTIMATE	Ductile iron pipe, cast iron, rebar, steel, fiberglass, plastic pipe, concrete
UMC ULTIMATE	Stainless steel, rebar, iron, ductile iron pipe, threaded rod, plastic, fiberglass, rubber, concrete
PCD ULTIMATE	Fibre cement board

Aggregate classification





A	E	Line Pins 32	T
Asphalt Blades 73-77, 83	Edger 36	Lippage System..... 54	Tape Measures..... 18-19
Aviation Snips 27			Tile
B	F	M	Blades 91-93
Bags 67	Fasteners 52	Magnesium Float..... 37	Core Drills..... 103
Bar Clamp 25	Fiber Cement Blades 96	Mallet 11	Floats..... 44-45, 48-51
Blades	Finishing Trowels 35, 42	Margin Trowels 42	Leveling System..... 54
Concrete 73-79, 83	Floats	Metal Cutting Blades 95	Lippage System..... 54
Crack Chasers..... 88	Epoxy..... 50	Microfiber Towel 63	Nippers 51
Diamond 72-103	Foam 44	Mixing Paddles..... 43	Setting System..... 54
Fiber Cement 96	Grout 44-45, 48-51	Mortar Rake Blades 86-87	Shims 53
Floor Saw 83	Magnesium 37	Mortar Smoothing Tool . 31-32	Spacers 56-57
General Purpose..... 73-79	Margin 51	Moulding Bar..... 14	Wedges..... 53
Metal Cutting 95	Plastering..... 44-45		Tilers Level 21
Mortar Rake 86-87	Rubber..... 45, 48-51	N	Tin Snips..... 27
Rescue..... 75, 80, 95, 97	Sponge 44	Nippers 51	Tool Box Level..... 22
Scraper..... 62	Stone 50	Notch Trowels 47	Toolbags 67
Tuck Point..... 86-87	Texture 44-45	O	Torpedo Level 22
Universal..... 73-81	Wood 37		Towel - Microfiber 63
Utility 27	Floor Saw Blades 83	P	Trowels
Walk-Behind 83	Flooring Trowel 35, 42	Paddle Mixer 43	Brick..... 30
Bolsters 15	Framing Hammer 9, 11	Pails 61	Bucket 43
Brick Bolster 15	Frenso Walking Trowel 37	Pencils..... 22	California 47
Brick Carrier..... 33		Placer Rake..... 38	Cement 35, 42
Brick Jointer 31-32	G	Plastering Floats..... 44-45	Concrete 35, 42
Brick Trowels 30	Gauging Trowel 31	Plastering Trowel 42	Finish..... 35, 42
Broom	General Pur. Blades..... 73-79	Pointing Trowel 31	Flooring 35, 42
Dust..... 63	Groovers 36	Polishing Cloth 58	Frenso Walking 37
Finishing 39	Grout Bag..... 33	Polishing Pads..... 89	Gauging 31
Handle 38	Grout Remover 59	Pool Trowel 35	Margin 42
Brush - Dust 63	H	Q	Notch 47
Bucket 61	Hammers		Plaster 42
Bucket Trowel 43	Brick..... 10	R	Pointing 31
Bullfloat 39	Claw 9	Rake 38	Pool 35
	Club..... 10	Rescue Blades.. 75, 80, 95, 97	Tuck 31
C	Deadblow..... 11	Roller Raker 32	Trimming Knives 27
California Notch Trowel 47	Drywall 10	Reel Tapes..... 19	Tuck Point Blades..... 86-87
Canvas Mason Bag 67	Framing 9, 11	Rub Stone 52	Tuck Pointer..... 31-32
Carpenters Pencils 22	Rip..... 9	Rubber Mallet..... 11	
Caulking Gun..... 61	Handle	S	U
Caulking Trowel 31	Adapter..... 38	Saw	Undercut Saw..... 52
Cement Board Blades 96	Broom..... 38	Door Jamb 52	Universal Blades..... 73-81
Cement Trowel 35, 42	Bullfloat 38	Undercut..... 52	Utility Blades 27
Chalk Line Reels..... 23	Telescopic..... 38	Scrapers 62	Utility Knives 27
Chalk Powder 23	Handy Bar 14	Screeds 21, 38	
Cheese Cloth..... 58	Hawk 43	Screwdrivers..... 25	V
Chisels..... 15	Hydro Sponges 58	Screws..... 52	
Clamp 25		Scrub Pads..... 58	W
Claw Bar 14	I	Sealant Gun 61	Walk-Behind Blades 83
Cold Chisel..... 15	Jointer	Setting System 54	Walking Trowel 37
Concrete Blades 73-79, 83	Brick..... 31-32	Shims 53	Wall Scraper 62
Concrete Rake..... 38		Sled Brick 32	Wedges..... 53
Concrete Trowel 35, 42	K	Spacers 56-57	Wet Core Drills 102
Core Drills 99-103	Karbide Blades..... 97	Sponges..... 58	Wood Float..... 37
Crack Chasers..... 88	Knee Pads..... 65	Square Finishing Trowel 0	Wrecking Bar 14
Crow Bar..... 14	Knife Blades..... 27	Square Front Trowel 43	
Cup Wheels..... 84-85	Knives..... 27	Suction Lifter 57	X
D	L		
Diamond Blades 72-103	Leveling System 54		Y
Door Jamb Saw..... 52	Levels 21-22		
Dressing Stone..... 52			Z
Dry Core Drills..... 99-101			



SKU Index

Product Code	Page #	Product Code	Page #	Product Code	Page #	Product Code	Page #	Product Code	Page #	Product Code	Page #	Product Code	Page #
OX-DC10-10.....	78	OX-P029225.....	19	OX-PAF-14.....	83	OX-PMT-9.....	93	OX-TC10-14-20.....	73	OX-UC10-8.....	77	OX-USB-12.....	95
OX-DC10-12.....	78	OX-P029425.....	19	OX-PAF-16.....	83	OX-PMTV-4.5.....	93	OX-TC10-4.....	73	OX-UC10-9.....	77	OX-USB-14.....	95
OX-DC10-12-20.....	78	OX-P030312.....	32	OX-PAF-18.....	83	OX-PTTP-4.5.....	87	OX-TC10-4.5.....	73	OX-UCC-05.....	99	OX-USB-14-20.....	95
OX-DC10-14.....	78	OX-P030501.....	32	OX-PAF-20.....	83	OX-PTTP-5.....	87	OX-TC10-5.....	73	OX-UCCB-4.....	88	OX-USB-16.....	95
OX-DC10-14-20.....	78	OX-P031101.....	31	OX-PAF-24.....	83	OX-PU10-10.....	75	OX-TC10-6.....	73	OX-UCCB-4.5.....	88	OX-USB-3.....	95
OX-DC10-4.....	78	OX-P031104.....	31	OX-PAF-26.....	83	OX-PU10-12.....	75	OX-TC10-7.....	73	OX-UCCB-5.....	88	OX-USB-4.....	95
OX-DC10-4.5.....	78	OX-P044001.....	33	OX-PB10-10.....	75	OX-PU10-12-20.....	75	OX-TC10-8.....	73	OX-UCCB-6.....	88	OX-USB-4.5.....	95
OX-DC10-5.....	78	OX-P051218.....	62	OX-PB10-12.....	75	OX-PU10-14.....	75	OX-TC10-9.....	73	OX-UCCB-7.....	88	OX-USB-5.....	95
OX-DC10-6.....	78	OX-P051310.....	62	OX-PB10-12-20.....	75	OX-PU10-14-20.....	75	OX-TC15-14.....	79	OX-UCCB-8.....	88	OX-USB-7.....	95
OX-DC10-7.....	78	OX-P060390.....	39	OX-PB10-14.....	75	OX-PU10-4.....	75	OX-TDTP-4.5.....	87	OX-UCCB-9.....	88	OX-USB-9.....	95
OX-DC10-8.....	78	OX-P071480.....	52	OX-PB10-14-20.....	75	OX-PU10-4.5.....	75	OX-TDTP-5.....	87	OX-UCCD-7.....	84	OX-UTDH-06.....	103
OX-DC10-9.....	78	OX-P082322.....	9	OX-PB10-16.....	75	OX-PU10-5.....	75	OX-TMR-4.5.....	86	OX-UCCD-7.5.....	84	OX-UTDH-08.....	103
OX-DCT-4.....	91	OX-P082328.....	9	OX-PB10-4.....	75	OX-PU10-6.....	75	OX-TMR-5.....	86	OX-UCCDT-4.5.....	84	OX-UTDH-35.....	103
OX-DCT-4.5.....	91	OX-P082424.....	10	OX-PB10-4.5.....	75	OX-PU10-7.....	75	OX-TMR-7.....	86	OX-UCCDT-5.....	84	OX-UTDH-36.....	103
OX-DCT-5.....	91	OX-P082614.....	10	OX-PB10-5.....	75	OX-PU10-8.....	75	OX-TTD-06.....	103	OX-UCCDT-5.5.....	84	OX-UU10-12.....	77
OX-DCT-7.....	91	OX-P082703.....	10	OX-PB10-6.....	75	OX-PU10-9.....	75	OX-TTD-08.....	103	OX-UCCDT-6.....	84	OX-UU10-12-20.....	77
OX-DCT-8.....	91	OX-P082920.....	9	OX-PB10-7.....	75	OX-S240102.....	65	OX-TTD-10.....	103	OX-UCCDT-7.....	84	OX-UU10-14.....	77
OX-DPPBP-4.....	89	OX-P083010.....	14	OX-PB10-8.....	75	OX-S242006.....	65	OX-TTD-15.....	103	OX-UCCDT-8.....	84	OX-UU10-14-20.....	77
OX-DPPS8-4.....	89	OX-P083012.....	14	OX-PB10-9.....	75	OX-T013406.....	42	OX-TTD-20.....	103	OX-UCCDTA-4.5.....	84	OX-UU10-16.....	77
OX-DU10-4.....	78	OX-P083110.....	14	OX-PBF-14.....	83	OX-T020830.....	23	OX-TTD-25.....	103	OX-UCCDTA-5.....	84	OX-UU10-18.....	77
OX-DU10-4.5.....	78	OX-P083322.....	11	OX-PBF-16.....	83	OX-T023010.....	22	OX-TTD-30.....	103	OX-UCCDTA-7.....	84	OX-UU10-20.....	77
OX-DU10-5.....	78	OX-P083422.....	9	OX-PBF-18.....	83	OX-T023505.....	19	OX-TTD-35.....	103	OX-UCCG-4.....	84	OX-UU10-4.....	77
OX-DU10-6.....	78	OX-P083428.....	9	OX-PBF-20.....	83	OX-T044301.....	61	OX-TTD-40.....	103	OX-UCCG-4.5.....	84	OX-UU10-4.5.....	77
OX-DU10-7.....	78	OX-P085248.....	11	OX-PBF-24.....	83	OX-T050716.....	62	OX-TTD-45.....	103	OX-UCCG-5.....	84	OX-UU10-5.....	77
OX-JB13.....	101	OX-P092103.....	15	OX-PBF-26.....	83	OX-T050810.....	62	OX-TTD-50.....	103	OX-UCCG-6.....	84	OX-UU10-6.....	77
OX-JM01.....	101	OX-P092304.....	15	OX-PC15-10.....	75	OX-T061601.....	63	OX-TTD-55.....	103	OX-UCCG-7.....	84	OX-UU10-7.....	77
OX-JS01.....	101	OX-P092401.....	15	OX-PC15-12.....	75	OX-T081916.....	11	OX-TTD-60.....	103	OX-UCCG-8.....	84	OX-UU10-9.....	77
OX-JX01.....	101	OX-P092501.....	15	OX-PC15-12-20.....	75	OX-T141001.....	58	OX-TTD-65.....	103	OX-UCCG-9.....	84	OX-UU10-10.....	77
OX-MPSS-12.....	80	OX-P093015.....	14	OX-PC15-14.....	75	OX-T141609.....	49	OX-TTD-70.....	103	OX-UCCG-10.....	84	OX-UU10-12.....	77
OX-MPSS-14.....	80	OX-P100102.....	32	OX-PC15-14-20.....	75	OX-T141711.....	49	OX-TTD-75.....	103	OX-UCCG-11.....	84	OX-UU10-14.....	77
OX-P010513.....	43	OX-P112105.....	61	OX-PC15-4.....	75	OX-T141812.....	49	OX-TTD-80.....	103	OX-UCCG-12.....	84	OX-UU10-16.....	77
OX-P011014.....	42	OX-P112205.....	61	OX-PC15-4.5.....	75	OX-T141909.....	50	OX-TTTP-4.5.....	87	OX-UCCG-13.....	84	OX-UU10-18.....	77
OX-P011016.....	42	OX-P121710.....	43	OX-PC15-5.....	75	OX-T142009.....	45	OX-TTTP-5.....	87	OX-UCCG-14.....	84	OX-UU10-20.....	77
OX-P011018.....	42	OX-P130201.....	59	OX-PC15-6.....	75	OX-T142306.....	51	OX-TU10-10.....	73	OX-UCCG-15.....	84	OX-UU10-4.....	77
OX-P011111.....	30	OX-P132801.....	52	OX-PC15-7.....	75	OX-T160605.....	53	OX-TU10-12.....	73	OX-UCCG-16.....	84	OX-UU10-4.5.....	77
OX-P011112.....	30	OX-P140902.....	58	OX-PC15-8.....	75	OX-T161001.....	53	OX-TU10-12-20.....	73	OX-UCCG-17.....	84	OX-UU10-5.....	77
OX-P011210.....	30	OX-P141201.....	59	OX-PC15-9.....	75	OX-T161110.....	53	OX-TU10-14.....	73	OX-UCCG-18.....	84	OX-UU10-6.....	77
OX-P011211.....	30	OX-P141401.....	59	OX-PCD-185.....	96	OX-T161120.....	53	OX-TU10-14-20.....	73	OX-UCCG-19.....	84	OX-UU10-7.....	77
OX-P011212.....	30	OX-P141505.....	58	OX-PCD-250.....	96	OX-T161210.....	56	OX-TU10-4.....	73	OX-UCCG-20.....	84	OX-UU10-9.....	77
OX-P011407.....	31	OX-P141609.....	48	OX-PCGS-4.....	85	OX-T161211.....	56	OX-TU10-4.5.....	73	OX-UCCG-21.....	84	OX-UU10-10.....	77
OX-P011510.....	31	OX-P141711.....	48	OX-PCGS-4.5.....	85	OX-T161220.....	56	OX-TU10-5.....	73	OX-UCCG-22.....	84	OX-UU10-12.....	77
OX-P011512.....	31	OX-P141812.....	48	OX-PCGS-5.....	85	OX-T161221.....	56	OX-TU10-6.....	73	OX-UCCG-23.....	84	OX-UU10-14.....	77
OX-P012215.....	37	OX-P141909.....	50	OX-PCGS-5.5.....	85	OX-T161230.....	56	OX-TU10-7.....	73	OX-UCCG-24.....	84	OX-UU10-16.....	77
OX-P013405.....	42	OX-P142009.....	45	OX-PCGS-6.....	85	OX-T161231.....	56	OX-TU10-8.....	73	OX-UCCG-25.....	84	OX-UU10-18.....	77
OX-P013406.....	42	OX-P142412.....	63	OX-PCGS-6.5.....	85	OX-T161310.....	56	OX-TU10-9.....	73	OX-UCCG-26.....	84	OX-UU10-20.....	77
OX-P013408.....	42	OX-P142609.....	50	OX-PCGS-7.....	85	OX-T161320.....	56	OX-UA10-12.....	77	OX-UCCG-27.....	84	OX-UU10-4.....	77
OX-P013718.....	43	OX-P152901.....	51	OX-PCGS-7.5.....	85	OX-T161321.....	56	OX-UA10-12-20.....	77	OX-UCCG-28.....	84	OX-UU10-4.5.....	77
OX-P014014.....	44	OX-P153080.....	51	OX-PCST-4.....	85	OX-T161330.....	56	OX-UA10-14.....	77	OX-UCCG-29.....	84	OX-UU10-5.....	77
OX-P014210.....	36	OX-P161710.....	54	OX-PCST-4.5.....	85	OX-T161410.....	56	OX-UA10-14-20.....	77	OX-UCCG-30.....	84	OX-UU10-6.....	77
OX-P014410.....	36	OX-P161720.....	54	OX-PCST-5.....	85	OX-T161420.....	56	OX-UA10-16.....	77	OX-UCCG-31.....	84	OX-UU10-7.....	77
OX-P014510.....	36	OX-P161730.....	54	OX-PCST-7.....	85	OX-T161430.....	56	OX-UAF-14.....	83	OX-UCCG-32.....	84	OX-UU10-9.....	77
OX-P015714.....	35	OX-P161740.....	54	OX-PCSTA-4.....	85	OX-T161520.....	57	OX-UAF-16.....	83	OX-UCCG-33.....	84	OX-UU10-10.....	77
OX-P015716.....	35	OX-P171250.....	33	OX-PCSTA-4.5.....	85	OX-T161521.....	57	OX-UAF-18.....	83	OX-UCCG-34.....	84	OX-UU10-12.....	77
OX-P015814.....	35	OX-P201212.....	25	OX-PCSTA-5.....	85	OX-T161530.....	57	OX-UAF-20.....	83	OX-UCCG-35.....	84	OX-UU10-14.....	77
OX-P015816.....	35	OX-P220801.....	27	OX-PCSTA-5.5.....	85	OX-T161531.....	57	OX-UAF-24.....	83	OX-UCCG-36.....	84	OX-UU10-16.....	77
OX-P016303.....	38	OX-P221301.....	27	OX-PCT-10.....	91	OX-T161540.....	57	OX-UAF-26.....	83	OX-UCCG-37.....	84	OX-UU10-18.....	77
OX-P016550.....	38	OX-P222110.....	27	OX-PCT-10-1.....	91	OX-T161620.....	57	OX-UAF-28.....	83	OX-UCCG-38.....	84	OX-UU10-20.....	77
OX-P016612.....	39	OX-P231001.....	27	OX-PCT-12.....	91	OX-T161630.....	57	OX-UAF-30.....	83	OX-UCCG-39.....	84	OX-UU10-4.....	77
OX-P017016.....	37	OX-P231002.....	27	OX-PCT-14.....	91	OX-T171101.....	57	OX-UAF-32.....	83	OX-UCCG-40.....	84	OX-UU10-4.5.....	77
OX-P018506.....	31	OX-P231003.....	27	OX-PCT-4.....	91	OX-T406041.....	47	OX-UAF-34.....	83	OX-UCCG-41.....	84	OX-UU10-5.....	77
OX-P018507.....	31	OX-P262924.....	67	OX-PCT-4.5.....	91	OX-T406042.....	47	OX-UAF-36.....	83	OX-UCCG-42.....	84	OX-UU10-6.....	77
OX-P018716.....	35	OX-P360207.....	25	OX-PCT-5.....	91	OX-T406060.....	47	OX-UAF-38.....	83	OX-UCCG-43.....	84	OX-UU10-7.....	77
OX-P018814.....	35	OX-P402890.....	37	OX-PCT-6.....	91	OX-T406140.....	47	OX-UAF-40.....	83	OX-UCCG-44.....	84	OX-UU10-9.....	77
OX-P018816.....	35	OX-P404009.....	30	OX-PCT-7.....	91	OX-T406150.....	47	OX-UAF-42.....	83	OX-UCCG-45.....	84	OX-UU10-10.....	77
OX-P019102.....	38	OX-P404010.....	30	OX-PCT-8.....	91	OX-TA10-12.....	73	OX-UAF-44.....	83	OX-UCCG-46.....	84	OX-UU10-12.....	77
OX-P021208.....	21	OX-P404011.....	30	OX-PCT-9.....	91	OX-TA10-12-20.....	73	OX-UAF-46.....	83	OX-UCCG-47.....	84	OX-UU10-14.....	77
OX-P021324.....	38	OX-P404012.....	30	OX-PCTB-4.....	85	OX-TA10-14.....	73	OX-UAF-48.....	83	OX-UCCG-48.....	84	OX-UU10-16.....	77
OX-P023112.....	21	OX-P404110.....	30	OX-PCTP-4.5.....	87	OX-TA10-14-20.....	73	OX-UAF-50.....	83	OX-UCCG-49.....	84	OX-UU10-18.....	77
OX-P023905.....	18	OX-P404910.....	36	OX-PCTP-5.....	87	OX-TB10-10.....	73	OX-UAF-52.....	83	OX-UCCG-50.....	84	OX-UU10-20.....	77
OX-P023908.....	18	OX-P404925.....	36	OX-PDD-05.....	103	OX-TB10-12.....	73	OX-UAF-54.....	83	OX-UCCG-51.....	84	OX-UU10-4.....	77
OX-P024306.....	21	OX-P405228.....	44	OX-PDD-06.....	103	OX-TB10-12-20.....	73	OX-UAF-56.....	83	OX-UCCG-52.....	84	OX-UU10-4.5.....	77
OX-P024308.....	21	OX-P405719.....	44	OX-PDD-08.....	103	OX-TB10-14.....	73	OX-UAF-58.....	83	OX-UCCG-53.....	84	OX-UU10-5.....	77
OX-P024312.....	21	OX-P405841.....	47	OX-PDD-10.....	103	OX-TB10-14-20.....	73	OX-UAF-60.....	83	OX-UCCG-54.....	84	OX-UU10-6.....	77
OX-P024320.....	21	OX-P405842.....	47	OX-PDD-12.....	103	OX-TB10-16.....	73	OX-UAF-62.....	83	OX-UCCG-55.....	84	OX-UU10-7.....	77
OX-P024324.....	21	OX-P405860.....	47	OX-PDD-25.....	103	OX-TB10-4.....	73	OX-UAF-64.....	83	OX-UCCG-56.....	84	OX-UU10-9.....	77
OX-P024406.....	21	OX-P405940.....	47	OX-PDD-35.....	103	OX-TB10-4.5.....	73	OX-UAF-66.....	83	OX-UCCG-57.....	84	OX-UU10-10.....	77
OX-P024409.....	21	OX-P405950.....	47	OX-PDTP-4.5.....	87	OX-TB10-5.....	73	OX-UAF-68.....	83	OX-UCCG-58.....	84	OX-UU10-12.....	77
OX-P024412.....	21	OX-P407921.....	44	OX-PDTP-5.....	87	OX-TB10-6.....	73	OX-UAF-70.....	83	OX-UCCG-59.....	84	OX-UU10-14.....	77
OX-P024418.....	21	OX-P408101.....	47	OX-PMR-4.5.....	86	OX-TB10-7.....	73	OX-UAF-72.....	83	OX-UCCG-60.....	84	OX-UU10-16.....	77
OX-P024424.....	21	OX-P490132.....	52	OX-PMR-5.....	86	OX-TB10-8.....	73	OX-UAF-74.....	83	OX-UCCG-61.....	84	OX-UU10-18.....	77
OX-P025701.....	23	OX-PA10-12.....	75	OX-PMR-7.....	86	OX-TB10-9.....	73	OX-UAF-76.....	83	OX-UCCG-62.....	84	OX-UU10-20.....	77
OX-P025702.....	23	OX-PA10-12-20.....	75	OX-PMT-4.....	93	OX-TC10-10.....	73	OX-UAF-78.....	83	OX-UCCG-63.....	84	OX-UU10-4.....	



Terms & Conditions of Sale

CONTACT DETAILS

Telephone: +1 888 850 6710
Fax: +1 908 603 0899
Email: info@oxtools.com
Web: www.oxtools.com

PLEASE CONTACT US FOR YOUR LOCAL ACCOUNT MANAGER INFORMATION.

PRICES

All prices are subject to change without prior notice and are not guaranteed. All prices are per unit (each) unless otherwise specified and do not include sales tax or local taxes. OX Group USA products cannot be advertised with prices lower than 10% below list without written authorization from OX Group USA.

ERRORS AND OMISSIONS

While OX Group USA makes every effort to provide an accurate price list, we are not responsible for errors and/or omissions which may appear. Customers will be invoiced the actual and true price on all orders.

CREDIT TERMS

The standard credit terms of OX Group USA are 1% 10 days net 30. Net 30 days means the check is received at OX Group USA on or before 30 days from the date of the invoice. Interest will be charged at the rate of 1-1/2% per month on past due accounts. A \$25.00 fee will be charged for all Returned Checks.

MINIMUM ORDER

The minimum order requirement is \$50 net.

PRODUCT RETURN

OX Group USA has a 90-Day full no hassle guarantee, subject to the following:

- The purpose of the 90-day full no hassle guarantee is to ensure our dealers stock the product that suits their market and clientele.
- Return request must be submitted to OX Group USA within 90 days of the date of the original invoice.
- Returns after 90 days incur a 15% restocking charge, and are subject to approval.
- Products may only be returned once the customer receives written authorization from OX Group USA. If the return is authorized by OX Group USA a Return Merchandise Authorization (RMA) number will be issued to the customer.
- Products returned must have the RMA number clearly marked on the outside of the box and reach OX Group USA within 45 days from the date RMA is issued. All documentation and RMA number must accompany the return along with an explanation why the product is being returned so that OX Group USA may inspect the product accordingly.
- Only product that is current, non-obsolete, not specially manufactured, unused and in their original condition and original packaging will be considered for return. No returns are allowed on product with a ship date of older than 12 months.

Terms & Conditions of Sale



- Refused shipments sent back to OX Group USA without an RMA incur a 25% restocking charge.
- Upon receipt and inspection of the product, if the product is accepted for a return, a credit will be issued for the value on the original invoice, less freight and cash discounts. At the option of OX Group USA, full credit against future purchases or replacements will be made.
- Care must be taken to package all returns to ensure that they are not damaged in shipment.

OX Group USA will not credit items returned that have not been properly packed and as a result have sustained damage in shipment back to our facility.

FORCE MAJEURE

OX Group USA will not be held responsible for delays in delivery caused by strikes, acts by government agencies, fires, floods or any other causes beyond our control, including the delivery of material to us. Under no circumstances shall OX Group USA be liable or accountable for consequential damages due to failure of delivery.

CLAIMS

Every possible care is taken in the final examination and packing of goods, and no complaints can be entertained unless made promptly on receipt of goods. No claim will be allowed for consequential damages or other expenditure, and OX Group USA's undertaking to repair or replace defective goods is its only liability. No claim for damage, shortage or loss in transit will be considered unless notice in writing is given to the carrier and to OX Group USA within ten (10) days of receipt of goods.

FREIGHT CHARGES

Ship location is at factory discretion. Freight charges are prepaid and added to invoice. C.O.D. freight charges are paid by consignee. If invoice exceeds the product category free freight minimum, full surface freight (UPS or truck) within continental U.S.A. is deductible, provided invoice is paid within terms. Air freight and other special shipments are not deductible. Freight allowance methods are at the discretion of OX Group USA. Estimates of delivery schedule are made by OX Group USA in good faith and are not guaranteed. OX Group USA does not assume responsibility for delay in deliveries.

Diamond Tools – Free Freight Net Order Minimum: \$300.00

Hand Tools – Free Freight Net Order Minimum: \$300.00

DISCONTINUANCE

OX Group USA reserves the right to discontinue or change any price, product, design, function and finish without prior notice.

Terms and Conditions of Sale Effective January 1, 2016



OX®

OX Group USA
95 Dermody Street
Cranford, New Jersey 07016

T: 888 850 6710
F: 908 603 0899
E: sales@oxtools.com

oxtools.com