

Han C-Contact Female with pin



| Part number | 09 32 000 6295 |
|--------------------|-------------------------------------|
| Specification | Han C-Contact Female with pin |
| HARTING eCatalogue | https://b2b.harting.com/09320006295 |

Image is for illustration purposes only. Please refer to product description.

| Identification | |
|---|---|
| Category | Contacts |
| Series | Han [®] C |
| Type of contact | PCB contact |
| | |
| Version | |
| Gender | Male |
| Manufacturing process | Turned contacts |
| | |
| Technical characteristics | |
| Rated current | ≤40 A |
| Contact resistance | ≤3 mΩ |
| | |
| | |
| Material properties | |
| Material properties Material (contacts) | Copper alloy |
| | Copper alloy Silver plated |
| Material (contacts) | |
| Material (contacts) Surface (contacts) | Silver plated |
| Material (contacts) Surface (contacts) RoHS | Silver plated compliant with exemption |
| Material (contacts) Surface (contacts) RoHS RoHS exemptions | Silver plated compliant with exemption 6(c): Copper alloy containing up to 4 % lead by weight |
| Material (contacts) Surface (contacts) RoHS RoHS exemptions ELV status | Silver plated compliant with exemption 6(c): Copper alloy containing up to 4 % lead by weight compliant with exemption |
| Material (contacts) Surface (contacts) RoHS RoHS exemptions ELV status China RoHS | Silver plated compliant with exemption 6(c): Copper alloy containing up to 4 % lead by weight compliant with exemption 50 |
| Material (contacts) Surface (contacts) RoHS RoHS exemptions ELV status China RoHS REACH Annex XVII substances | Silver plated compliant with exemption 6(c): Copper alloy containing up to 4 % lead by weight compliant with exemption 50 Not contained |

Page 1 / 2 | Creation date 2023-09-12 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Stiftung & Co. KG | Marienwerderstr. 3 | 32339 Espelkamp | Germany



Material properties

| ECHA SCIP number | b51e5b97-eeb5-438b-8538-f1771d43c17d |
|--------------------------------------|--------------------------------------|
| California Proposition 65 substances | Yes |
| California Proposition 65 substances | Lead |
| | Nickel |

Specifications and approvals

| Specifications | IEC 60664-1 |
|----------------|-------------|
| | IEC 61984 |

Commercial data

| Packaging size | 25 |
|--------------------------------|--|
| Net weight | 2.51 g |
| Country of origin | Germany |
| European customs tariff number | 85366990 |
| GTIN | 5713140049116 |
| ETIM | EC000796 |
| eCl@ss | 27440204 Contact for industrial connectors |