


Technical Data Sheet

36in. FTDI USB to Serial Cable for MAC PC Linux with Windows 10 Certified Drivers

Model Number: USA-FTDI-36

Rev 03.210315



Easily connect this 36 inch (1 meter) RS232 cable adapter to your modem, GPS, Palm or other serial device from your system's host USB port. The adapter works with Windows 10, 8, 7 and XP along with Mac and Linux.

Features

- Hi-Speed 36 Inch Black USB Serial Adapter, PC, MAC, supports Cisco Break Sequence
- Power Obtained from USB Cable – No External Power Required
- Built-in static and surge protection up to 600W
- Baud rate: 300bps to 1Mbps
- OS Compatibility: Windows XP, 2003, CE, Vista, Windows 7, 8, and 10 as well as Linux and Mac OS 10.X

Product Information

- Model Number: USA-FTDI-36
- Packing List:
 -

Specifications

OVERVIEW

Product Type	Serial Adapter
Electrical Protections	15KV ESD Protection
Mountable	
Material	
Compliance	N/A
LED indicators	N/A
Requires Host to Function	

0

Serial Modes	RS232
RS232 Signals	RxD, TxD, GND, RTS, CTS
RS422 Signals	
RS485 2-wire Signals	
RS485 4-wire Signals	

SERIAL SPECS

Maximum Data Rate	115.2 kbps
Minimum Data Rate	300 baud/bps
Data Bits	
Parity	
Stop Bits	
Flow Control	
FIFO	

Specifications Cont.**ENVIRONMENTAL**

Operating Temperature	-25C ~ 70C
Operating Humidity	5% to 95% RH
Storage Temperature	-25C ~ 70C

PHYSICAL

Length	inches
Width	inches
Height	inches
Item Weight	lbs
Ship Weight	0.1120 lbs

OS SUPPORT

Supported Operating Systems	Linux, OSX 10, Windows 10, Windows 8, Windows 7
-----------------------------	---

WARRANTY

Warranty Period	
-----------------	--

PRODUCT URL

USA-FTDI-36 Product Page	
--------------------------	--