

W2E142 Series

Tubeaxial

150x172x38mm



- AC fans with external rotor shaded-pole motor.
- Die-cast aluminum housing. Impeller of sheet-steel, directly welded onto rotor.
- Air exhaust over struts. Rotational direction CCW looking at rotor.
- Mounting from either face using two 4.3 mm holes.
- Electrical connection via 2 flat pin terminals 2.8 x 0.5 mm.
- Mounting from either face using 2 4.3 mm (.169") holes.
- UL, CSA, VDE approvals on some models, please contact application engineering.

| Part Number | Curve | CFM @ 0 | VAC | Hertz | Power (W) | dBA | Max Amb. Temp C | Bearing Type | Features | Wgt. (lbs) |
|----------------|-------|---------|-----|-------|-----------|-----|-----------------|--------------|-----------|------------|
| W2E142-CC13-16 | 1 | 175 | 115 | 50/60 | 16 | 54 | 75 | Ball | Terminals | 2.00 |
| W2E142-BB05-01 | 2 | 230 | 115 | 50/60 | 24 | 57 | 80 | Ball | Terminals | 2.00 |
| W2E142-BB05-87 | 2 | 230 | 115 | 50/60 | 24 | 57 | 80 | Ball | Terminals | 2.00 |
| W2E142-CC15-16 | 1 | 175 | 230 | 50/60 | 16 | 54 | 75 | Ball | Terminals | 2.00 |
| W2E142-BB01-01 | 2 | 230 | 230 | 50/60 | 28 | 57 | 80 | Ball | Terminals | 2.00 |
| W2E142-BB01-87 | 2 | 230 | 230 | 50/60 | 28 | 57 | 80 | Ball | Terminals | 2.00 |

