

## 230V Automatic Voltage Switch with Surge Protection, 380 Joules, Hardwired

MODEL NUMBER: AVS30D



### Highlights

- 30-amp current rating
- Hardwired directly into home and office mains
- Over- and undervoltage protection
- Surge and spike protection

### Package Includes

- AVS30D Automatic Voltage Switch
- Owner's manual

### Description

AVS30D Automatic Voltage Switch is a complete power protection device combining overvoltage, undervoltage and spike/surge protection for your appliances and electronics. Also guards against surges and spikes that may occur when power is restored. Hardwired directly into home or office wiring, the AVS30D safeguards refrigerators, freezers, air conditioners, washers, dryers, TVs and computer equipment from fluctuating power.

Program buttons let you quickly set voltage range, on/off delay, overload protection and digital display mode. The easy-to-read digital LED displays show you voltage, wattage, settings and status at a glance. The AVS30D features surge-protecting components to guard against spikes and surges.

### Features

- 30-amp current rating
- Input terminal connects to the mains power
- Output terminal connects to home or office wiring
- Program buttons
- Voltage LED
- Load LED
- Digital LED display

## Specifications

OVERVIEW	
UPC Code	037332182142
INPUT	

Nominal Input Voltage(s) Supported	220V AC
Recommended Electrical Service	230V
Voltage Compatibility (VAC)	230
Maximum Surge Amps	6500kA
Input Plug Type	Hard-wire
Input Cord Length (ft.)	0
Right-Angle Plug	No
Input Cord Length (m)	0.00
Integrated Cord Clip	No
<b>OUTPUT</b>	
Output Receptacles	Hardwire
Output Amp Capacity	30
Right-Angle Outlets	No
<b>USER INTERFACE, ALERTS &amp; CONTROLS</b>	
Diagnostic LED(s)	Yes
<b>SURGE / NOISE SUPPRESSION</b>	
AC Suppression Joule Rating	380
AC Suppression Response Time	<1ns
Automatic Shut-Off	No
<b>DATALINE SURGE SUPPRESSION</b>	
Cable (Coax) Protection	No
Network (Ethernet) Protection	No
Telephone/DSL Protection	Yes
<b>PHYSICAL</b>	
Color	Black
Material of Construction	Plastic
Mounting Holes or Slots	No
Shipping Dimensions (hwd / in.)	2.40 x 5.20 x 9.20
Shipping Dimensions (hwd / cm)	6.10 x 13.21 x 23.37
Shipping Weight (lbs.)	1.20
Shipping Weight (kg)	0.54
Unit Dimensions (hwd / in.)	7.000 x 5.240 x 2.180

# TRIPP-LITE

by **EAT•N**

1000 Eaton Boulevard  
Cleveland, OH 44122  
United States

Unit Dimensions (hwd / cm)	17.78 x 13.31 x 5.537
<b>FEATURES &amp; SPECIFICATIONS</b>	
Rotatable Outlets	No
Antimicrobial	No

# TRIPP-LITE

by **EAT•N**

© 2023 Eaton. All Rights Reserved.  
Eaton is a registered trademark. All other trademarks  
are the property of their respective owners.