




CONFOR™ SC FOAMS
Material Summary Sheet 53



Offering solutions for a wide range of applications such as...

- Smartphone & Tablet
- Laptop/Notebook
- Wearable Electronics
- IoT Devices





CONFOR™ SC Foams

- Small cell, slow-recovery foam that can be easily compressed up to 95% for shock protection and gasketing in tight spaces
- Low compression set
- Highly conformable gap filler
- Listed HF-1 @ 0.5 mm – 3.5 mm
- RoHS Compliant and non-halogenated

TYPICAL PROPERTIES		
PROPERTY	CF-42SC	CF-47SC
Density Nominal kg/m³ (lb/ft³) ASTM D3574-03 Test A	101 kg/m ³ (6.3 lbs/ft. ³)	101 kg/m ³ (6.3 lbs/ft. ³)
Tensile Strength kPa (psi) ASTM D3574-03 Test E	131 (19.1)	288.8 (41.89)
Tear Strength kN/m (lbf/in) ASTM D3574-03 Test F	0.53 (3.0)	1.26 (7.19)
Elongation ASTM D3574-03 Test F	181%	142%
Compression Set (%) ASTM D3574-03 Test D 50% Compression 22 hr at 22C (72F) 22 hr at 60C (140F)	<2%	<1% <1%
Compression Load Deflection kPa (psi) ASTM D 3574-03 Test C Modified		
@ 10% Compression	3.22 (0.47)	12.4 (1.80)
@ 20% Compression	3.64 (0.53)	13.5 (1.96)
@ 30% Compression	4.17 (0.60)	13.9 (2.02)
@ 40% Compression	4.98 (0.72)	15.8 (2.30)
@ 50% Compression	6.30 (0.91)	19.8 (2.87)
@ 60% Compression	8.73 (1.30)	27.6 (4.00)
@ 70% Compression	14.8 (2.10)	48.8 (7.07)
@ 80% Compression	39.8 (5.80)	147.0 (21.30)
Dust Resistance IEC 60529-Category 2 50% Compression 70% Compression	IP 5X Rating Dust Proof Dust Proof	IP 5X Rating Dust Proof Dust Proof
Flammability UL 94	Listed HF-1 @ 0.5mm – 3.0mm	Meets HF-1 @ 1.6mm – 3.5mm
RoHS Compliant	Yes	Yes
Halogen Free*	Yes	Yes

The above technical information and data should be considered representative or typical only and should not be used for specification purpose.

*Halogen-free per IEC 61249-2-21.



Technical Information: The technical information, recommendations and other statements contained in this document are based upon tests or experience that Aearo Technologies LLC believes are reliable, but the accuracy or completeness of such information is not guaranteed.

Product Use: Many factors beyond Aearo’s control and uniquely within user’s knowledge and control can affect the use and performance of an Aearo Technologies LLC product in a particular application. Given the variety of factors that can affect the use and performance of an Aearo Technologies LLC product, user is solely responsible for evaluating the Aearo Technologies LLC product and determining whether it is fit for a particular purpose and suitable for user’s method of application.

Warranty, Limited Remedy, and Disclaimer: Unless an additional warranty is specifically stated on the applicable Aearo Technologies LLC product packaging or product literature, Aearo Technologies LLC warrants that each Aearo Technologies LLC product meets the applicable Aearo Technologies LLC product specification at the time Aearo Technologies LLC ships the product. Aearo Technologies LLC MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the Aearo Technologies LLC product does not conform to this warranty, then the sole and exclusive remedy is, at Aearo Technologies LLC’s option, replacement of the Aearo Technologies LLC product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, Aearo Technologies LLC will not be liable for any loss or damage arising from the Aearo Technologies LLC product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

