

## Full-Motion TV Wall Mount with Fully Articulating Arm for 23" to 55" Flat-Screen Displays

MODEL NUMBER: DWM2355S



Mounts your 23 to 55 in. television to the wall of your home theater, office, restaurant or boardroom to provide optimal viewing angles.

### Features

**Mounts Your TV or Monitor to the Wall**Fits most flat-panel televisions, monitors and other displays from 23 to 55 in. Ideal for home theaters, offices, classrooms, boardrooms, hotels, bars and restaurants Full-motion articulating arm adjusts independently for angle and height Mounting hardware included Mounts on wood or concrete block

**Convenient One-Touch Adjustment**180° swivel and -15° to 15° tilt capability provides comfortable viewing from multiple angles

**Durable Metal Construction**Supports up to 51 lbs (23.1 kgs) Soft rubber-feel finish tolerates frequent handling and blends with any décor Display cables tuck inside articulating arm to prevent clutter

**VESA Compliance**Conforms with VESA-compliant universal mounting hole patterns

### Highlights

- TV wall mount with articulating gas-spring arm adjusts easily with just a single touch
- -15° to +5° tilt and -90° to +90° swivel helps you find the perfect angle to avoid glare
- Durable steel construction blends into any décor and supports up to 51 lbs (23.1 kgs)
- Display cables attach to arm to reduce clutter and keep cords organized
- VESA compliance ensures compatibility with most popular mounting hole patterns

### Applications

- Mounting a flat-screen television or monitor in an office lobby, conference room, bar, restaurant, airport or anywhere else digital signage is desired
- Installing a TV in your home theater that can be easily adjusted to accommodate the comfort levels of the audience

### System Requirements

- Flat-screen television or monitor from 23 to 55 in.

### Package Includes

- Wall plate with articulating arm
- VESA plate
- (4) VESA adapter brackets
- (2) Wall plate end caps
- (4) Nuts
- (4) Bolts
- Wrench
- Hex key, 4 mm
- Hex key, 6 mm
- (4) M5 x 14 screws
- (4) M6 x 14 screws
- (4) M6 x 30 screws
- (4) M8 x 30 screws
- (4) M8 x 50 screws
- (4) D5 washers
- (4) D8 washers
- (8) Small spacers

- (8) Large spacers
- (3) Anchor bolts
- (3) Concrete anchors
- (3) Washers
- Owner's manual

## Specifications

| OVERVIEW                        |  |
|---------------------------------|--|
| UPC Code                        | 037332258779   |
| Device Compatibility            | Monitor/HDTV   |
| PHYSICAL                        |  |
| Color                           | Black  |
| Material of Construction        | Steel  |
| VESA Pattern (mm)               | 75x75; 100x100; 200x100; 200x200; 300x300; 400x200; 400x300; 400x400 |
| Motion                          | Full   |
| Mounting Location               | Wall   |
| Degrees of Motion               | -15/+15 Tilt; 180 Swivel   |
| Distance from Wall (in.)        | 12.7   |
| Distance from Wall (cm)         | 32   |
| Distance from Wall (mm)         | 323  |
| Minimum Screen Size (in.)       | 23   |
| Minimum Screen Size (cm)        | 58.4   |
| Maximum Screen Size (in.)       | 55   |
| Maximum Screen Size (cm)        | 139.7  |
| Maximum Weight Capacity (lbs.)  | 51   |
| Maximum Weight Capacity (kg)    | 23   |
| Min/Max Arm Extension (in.)     | 2.83 min to 18.34 max  |
| Min/Max Arm Extension (cm)      | 71.9 min to 46.6 max   |
| Number of Displays              | 1  |
| Shipping Dimensions (hwd / in.) | 17.30 x 13.70 x 3.30   |
| Shipping Dimensions (hwd / cm)  | 43.94 x 34.80 x 8.38   |
| Shipping Weight (lbs.)          | 8.90   |
| Shipping Weight (kg)            | 4.04   |

|                                      |                                 |
|--------------------------------------|---------------------------------|
| Unit Dimensions (hwd / in.)          | 17.100 x 18.100 x 17.900        |
| Unit Dimensions (hwd / cm)           | 16.69 x 6.88 x 63.19            |
| Unit Weight (lbs.)                   | 7.1                             |
| Unit Weight (kg)                     | 3.22                            |
| Assembly Required                    | Yes                             |
| <b>FEATURES &amp; SPECIFICATIONS</b> |                                 |
| Antimicrobial                        | No                              |
| Cord Management                      | Yes                             |
| Tools Necessary                      | Yes                             |
| Security Lock                        | No                              |
| <b>STANDARDS &amp; COMPLIANCE</b>    |                                 |
| Product Compliance                   | RoHS; RoHS3; CE (Europe); REACH |
| <b>WARRANTY &amp; SUPPORT</b>        |                                 |
| Product Warranty Period (Worldwide)  | 5-year limited warranty         |