

KVT split cable gland

for cables with connectors, M20 - M63 / IP54 / UL Type 12



KVT is a circular split frame for quick and easy installation and sealing of cables with connectors or complete cable harnesses. But also electric, pneumatic or hydraulic lines without terminals or connectors as well as corrugated conduits can be easily routed (e.g. into control panels, enclosures or machinery) and sealed with IP54 / UL Type 12.

The cable glands are easy to install. The prefabricated cable is placed into the slit grommet which is set into one of the gland halves. Depending on the size of the cable gland, one, two or four separate grommets can be installed. By using multi-hole grommets up to 16 lines can be routed with one cable gland.

Polyamide locknuts as well as a sealing ring are included in the shipment.

For routing D-Sub, DVI or PROFIBUS connectors in combination with the split cable glands KVT, special locknuts with cut-outs are required.

IP54

UL TYPE
12

C_{UL} US

PROFIBUS
DIN EN 61873
DIN EN 60529

RIWA

HL3
EN 45545-2

EN 61873

ECOLAB
certified

PNEUMATICS

RoHS
compliant

REACH
COMPLIANCE

Made in
Germany

Specifications

IP rating (EN 60529)	IP54
UL Type (UL 50E)	UL Type 12
Material	Polycarbonate
Flame class	UL94-V0, self-extinguishing
Operating temperature	-30 C° to 100 C°
Properties	halogen free, silicone free
Mounting options	Fasten with locknut

Advantages & Benefits


- Routing of cables with and without connectors
- Warranty on pre-terminated cables remains
- Retrofits, repairs and maintenance can be done much more easily and quickly
- High cable density, wide variety of grommets
- Suitable for metric cut-outs
- Hexagonal locknut included in the delivery
- Greatly increased cable density when using double or quadruple grommets

Product types & Sizes

KVT 20 gy




Part No.	45034	Mounting height	20,5 mm
EAN	4251269311147	Cut-out size, metric	M20
PU	10	Thread	M20 x 1,5
For max. no. of cables	1	Thread length	14 mm
Max. cable diameter	11 mm	Suitable for grommets	1 x KT small
Color	grau (ähnlich RAL 7035)		
External diameter	40 mm		

KVT 20 bk


Part No. **45024**
 EAN **4251269311062**
 PU **10**
 For max. no. of cables **1**
 Max. cable diameter **11 mm**
 Color **schwarz**
 External diameter **40 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M20**
 Thread **M20 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **1 x KT small**

KVT 25 gy


Part No. **45035**
 EAN **4251269311154**
 PU **10**
 For max. no. of cables **1**
 Max. cable diameter **15 mm**
 Color **grau (ähnlich RAL 7035)**
 External diameter **40 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M25**
 Thread **M25 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **1 x KT small**

KVT 25 bk


Part No. **45025**
 EAN **4251269311079**
 PU **10**
 For max. no. of cables **1**
 Max. cable diameter **15 mm**
 Color **schwarz**
 External diameter **40 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M25**
 Thread **M25 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **1 x KT small**

KVT 32 gy


Part No. **45036**
 EAN **4251269311161**
 PU **10**
 For max. no. of cables **4**
 Max. cable diameter **17 mm**
 Color **grau (ähnlich RAL 7035)**
 External diameter **40 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M32**
 Thread **M32 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **1 x KT small**

KVT 32 bk

Part No. **45026**
 EAN **4251269311086**
 PU **10**
 For max. no. of cables **4**
 Max. cable diameter **17 mm**
 Color **schwarz**
 External diameter **40 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M32**
 Thread **M32 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **1 x KT small**

KVT 32 + KGM-SUB-D9 gy

Part No. **45037**
 EAN **4251269311178**
 PU **10**
 For max. no. of cables **4**
 Max. cable diameter **17 mm**
 Color **grau (ähnlich RAL 7035)**
 External diameter **40 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M32**
 Thread **M32 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **1 x KT small**

**KVT 32 + KGM-SUB-D9
bk**


Part No. **45027**
 EAN **4251269311093**
 PU **10**
 For max. no. of cables **4**
 Max. cable diameter **17 mm**
 Color **schwarz**
 External diameter **40 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M32**
 Thread **M32 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **1 x KT small**

KVT 40 gy


Part No. **45203**
 EAN **4251269311307**
 PU **10**
 For max. no. of cables **4**
 Max. cable diameter **17 mm**
 Color **grau (ähnlich RAL 7035)**
 External diameter **50 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M40**
 Thread **M40 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **1 x KT small**

KVT 40 bk


Part No. **45028**
 EAN **4251269311109**
 PU **10**
 For max. no. of cables **4**
 Max. cable diameter **17 mm**
 Color **schwarz**
 External diameter **50 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M40**
 Thread **M40 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **1 x KT small**

KVT 40 + KGM-PB gy


Part No. **45205**
 EAN **4251269311321**
 PU **10**
 For max. no. of cables **4**
 Max. cable diameter **17 mm**
 Color **grau (ähnlich RAL 7035)**
 External diameter **50 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M40**
 Thread **M40 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **1 x KT small**

KVT 40 + KGM-PB bk


Part No. **45029**
 EAN **4251269311116**
 PU **10**
 For max. no. of cables **4**
 Max. cable diameter **17 mm**
 Color **schwarz**
 External diameter **50 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M40**
 Thread **M40 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **1 x KT small**

KVT 50-2 gy


Part No. **45204**
 EAN **4251269311314**
 PU **5**
 For max. no. of cables **8**
 Max. cable diameter **17 mm**
 Color **grau (ähnlich RAL 7035)**
 External diameter **60 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **2 x KT small**

KVT 50-2 bk


Part No. **45030**
 EAN **4251269311123**
 PU **5**
 For max. no. of cables **8**
 Max. cable diameter **17 mm**
 Color **schwarz**
 External diameter **60 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **2 x KT small**

KVT 50-2 + KGM-SUB-D25 gy

Part No. **45206**
 EAN **4251269311338**
 PU **5**
 For max. no. of cables **8**
 Max. cable diameter **17 mm**
 Color **grau (ähnlich RAL 7035)**
 External diameter **60 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **2 x KT small**

KVT 50-2 + KGM-SUB-D25 bk

Part No. **45031**
 EAN **4251269311130**
 PU **5**
 For max. no. of cables **8**
 Max. cable diameter **17 mm**
 Color **schwarz**
 External diameter **60 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **2 x KT small**

KVT 63|4 gy

Part No. **45215**
 EAN **4251269311352**
 PU **5**
 For max. no. of cables **16**
 Max. cable diameter **16 mm**
 Color **grau (ähnlich RAL 7035)**
 External diameter **70,5 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M63**
 Thread **M63 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **4 x KT small**

KVT 63|4 bk

Part No. **45115**
 EAN **4251269311253**
 PU **5**
 For max. no. of cables **16**
 Max. cable diameter **16 mm**
 Color **schwarz**
 External diameter **70,5 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M63**
 Thread **M63 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **4 x KT small**

KVT 63|1 gy

Part No. **45212**
 EAN **4251269311345**
 PU **5**
 For max. no. of cables **1**
 Max. cable diameter **35 mm**
 Color **grau (ähnlich RAL 7035)**
 External diameter **70,5 mm**

Mounting height **20,5 mm**
 Cut-out size, metric **M63**
 Thread **M63 × 1,5**
 Thread length **14 mm**
 Suitable for grommets **1 x KT large**

KVT 63|1 bk



Part No. **45112**
EAN **4251269311246**
PU **5**
For max. no. of cables **1**
Max. cable diameter **35 mm**
Color **schwarz**
External diameter **70,5 mm**

Mounting height **20,5 mm**
Cut-out size, metric **M63**
Thread **M63 × 1,5**
Thread length **14 mm**
Suitable for grommets **1 x KT large**

□