# TRIPP·LITE by **FATON**

#### Important Note

This product is not available in the European Union. If you live in one of these countries, please contact us for further assistance.

## Computer Power Cord, NEMA 5-15P to Locking C13 - 10A, 125V, 18 AWG, 1 ft. (0.31 m)

### MODEL NUMBER: P006-L01







NEMA 5-15P to C13 power cable ensures a secure connection for all your equipment. Locking C13 connector prevents accidental disconnection.

#### Features

NEMA 5-15P to C13 Power Cable Connects Computers, Printers, Servers and Other EquipmentThis NEMA 5-15P to C13 power cable is designed for applications that do not require a heavy-duty cable. This UL-listed 5-15P to C13 power cord can be used to power a computer, printer or monitor or attach a server or drive to a UPS system or PDU.

Locking C13 Connector Helps Prevent Accidental Disconnection and Expensive DowntimeHaving a cable come loose accidentally can mean the loss of power and costly downtime. The P006-L01's locking C13 connector protects your critical equipment by maintaining a secure link without failure. The locking cable is also invaluable when moving equipment in a rack or removing equipment from tight areas, ensuring the power cord always stays connected.

Lifetime Limited WarrantyThe P006-L01 is backed by a lifetime limited warranty, ensuring reliability and performance.

## **Specifications**

OVERVIEW	
OVERVIEW	

OVERVIEW	
UPC Code	037332218254
Device Compatibility	Computer; Monitor/HDTV; Printer; Server; UPS; PDU
Country/Region	North America

#### **Highlights**

- Recommended for connecting power to computers, servers and other peripherals
- Adds 1-ft. (0.31 m) to your existing power connection to provide more flexibility in placing devices
- NEMA 5-15P to C13 cord is ideal replacement for worn-out or missing cable
- Locking C13 connector maintains secure link to avoid loss of power and costly downtime

#### **Applications**

- · Connect devices like computers, servers and monitors to a PDU up to 1-ft. (0.31 m) away
- Prevent accidental disconnection with the C13 locking connector
- Provide a high-quality replacement for a worn-out or missing power cord

#### **Package Includes**

• P006-L01 NEMA 5-15P to C13 Computer Power Cord, Locking C13 Connector - 10A, 125V, 18 AWG, 1-ft. (0.31 m)



INPUT			
Maximum Input Amps	10		
Voltage Compatibility (VAC)	125		
PHYSICAL			
Plug Color	Black		
Cable Jacket Color	Black		
Cable Jacket Material	PVC		
Cable Jacket Rating	VW-1		
Power Cord Jacket Type	SJT		
Cable Outer Diameter (OD)	7.7mm		
Number of Conductors	3		
Wire Gauge (AWG)	18		
Wire Gauge (OD - mm²)	0.82		
Cable Length (ft.)	1		
Cable Length (m)	0.30		
Shipping Dimensions (hwd / in.)	10.00 x 7.09 x 0.50		
Shipping Dimensions (hwd / cm)	25.40 x 18.01 x 1.27		
Shipping Weight (lbs.)	0.16		
Shipping Weight (kg)	0.07		
ENVIRONMENTAL			
Operating Temperature Range	-4° to 221°F (-20° to 105°C)		
Storage Temperature Range	-4° to 221°F (-20° to 105°C)		
Operating Humidity Range	0% to 65% RH		
Storage Humidity Range	0% to 65% RH		
CONNECTIONS	T		
Side A - Connector 1	NEMA 5-15P		
Side B - Connector 1	IEC-320-C13 - LOCKING		
FEATURES & SPECIFICATIONS	FEATURES & SPECIFICATIONS		
Antibacterial	No		
Angled Plug	No		
High Voltage	No		
Locking Plug	Yes		



1000 Eaton Boulevard Cleveland, OH 44122 United States

Coiled Power Cord	No			
STANDARDS & COMPLIANCE				
Product Certifications	CSA (Canada); cUL Listed; UL Listed			
Product Compliance	RoHS; REACH			
WARRANTY & SUPPORT				
Product Warranty Period (Worldwide)	Lifetime limited warranty			



© 2023 Eaton. All Rights Reserved. Eaton is a registered trademark. All other trademarks are the property of their respective owners.