# 

MEAS | MEAS MHR TE Internal #: 02560409-000 TE Internal Description: LVDT MHR 100 ASSY MINIATURE LIGHTWEIGHT LVDT

#### View on TE.com >



Sensors > Position Sensors > LVDT/LVIT Sensors > MINIATURE LIGHTWEIGHT LVDT



Housing Diameter: 9.52 mm [.375 in ]

Full Stroke Ranges: ±2.54 mm [.1 in ]

Linearity: ±.25 % of Span

Linear Position Sensor - LVDT/LVIT Housing Material: Stainless Steel

Linear Position Sensor - LVDT/LVIT Form Factor: Cylindrical

### All MINIATURE LIGHTWEIGHT LVDT (16)

### Features

### **Electrical Characteristics**

Linear Position Sensor - LVDT/LVIT Supply Voltage	3 V	
Electrical Connections	Leads	

#### 

### **Signal Characteristics**

Excitation Frequency	2 – 20 kHz					
Body Features						
Linear Position Sensor - LVDT/LVIT Form Factor	Cylindrical					
Spring Loaded	Separate Core					
Housing Features						
Housing Diameter	9.52 mm[.375 in]					
Linear Position Sensor - LVDT/LVIT Housing Material	Stainless Steel					
Usage Conditions						
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]					
Industry Standards						
IP Rating	IP61					
Industry Standards	RoHS					
Other						

**C** For support call+1 800 522 6752

#### LVDT MHR 100 ASSY



Full Stroke Ranges	±2.54 mm[.1 in]
Linearity	±.25 % of Span
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**




# Also in the Series | MEAS MHR


**C** For support call+1 800 522 6752

LVDT MHR 100 ASSY





# Customers Also Bought



5W XSM M/OX 5% 47K	5W XSM M/OX 5% 56K	LVDT HR 2000 ASSY	LVDT MHR 500 ASSY
ETE	Off Off		
TE Part #34123 TERMINAL,SOLIS R 16-14 10	TE Part #2-1437628-6 SPA42=SW PLATE (ON-OFF) 1/4" D		

## Documents

Datasheets & Catalog Pages Miniature General Purpose AC LVDT

English