



DEUTSCH | DEUTSCH Common Contact

TE Internal #: 0460-204-0490

Automotive Terminals, Pin, Pin Diameter 5.72 mm [.225 in], 6 AWG

Wire Size, 13 mm² Wire Size, Nickel (Ni) Interface Plating,

DEUTSCH Common Contact

[View on TE.com >](#)

Terminals & Splices > Automotive Terminals > DEUTSCH Solid Contacts



Terminal Type: **Pin**

Mating Pin Diameter: **5.72 mm [.225 in]**

Terminal Transmits: **41 – 100 A (High Power)**

Wire Size: **13 mm²**

[All DEUTSCH Solid Contacts \(46\)](#)

Features

Product Type Features

Sealable	No
Primary Locking Feature	On the Terminal

Contact Features

Contact Size	Size 4
Contact Fabrication	Solid
Wire Contact Termination Area Plating Material	Nickel
Typical Current Rating	100 A
Crimp Type	Indent
Terminal Type	Pin
Mating Pin Diameter	5.72 mm [.225 in]
Interface Plating	Nickel (Ni)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Wire Size	13 mm ²
Wire Size Search	6 AWG



Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C[176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Quantity	400
Packaging Method	Bag

Other

Customer Preferred Contact	Yes
Terminal Transmits	41 – 100 A (High Power)

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (1.2% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # CAT-H3930-CH8172
DEUTSCH HD30 Housings



TE Part # CAT-H396-CH8172
DEUTSCH HDP20 Housings



TE Part # CAT-D781-CH8172
DEUTSCH DRB Housings



TE Part # CAT-D48-PCH8172
DEUTSCH DTHD Housings



TE Part # 0410-241-0406
INSERT SEAL, CRIMP SLEEVE REDUCER




TE Part # HDT-04-08
CRIMP TOOL, HDT-04-08



TE Part # 0421-203-04141
REDUCING SLV



TE Part # HDP-400
POWER CRIMPER



TE Part # HDP24-24-14PE-L017
REC, 14P, BLK, E, RNG, 4/12/16, P



TE Part # HDP24-24-14PN-L017
REC, 14P, BLK, N, RNG, 4/12/16, P



TE Part # HDP26-24-14PN-L015
PLG, 14P, BLK, N, THD, 4/12/16, P



TE Part # CAT-D48-ST273
DEUTSCH Solid Contacts




TE Part # 2386144-1
HDP24-18-6PE-L024, REC, 6P, E, THD, 4/16, P



TE Part # HDP24-24-14PN-L015
REC, 14P, BLK, N, THD, 4/12/16, P



TE Part # HDP26-24-14PE
PLG, 14P, BLK, E, 4/12/16, P



TE Part # 0434-205-0400
1/2 DIE SET



TE Part # 400-414DA-4SPEC
SZ 4 DIE ASM

TE Part # 400-4301-4S
SZ 4 LOCATOR

TE Part # 450GA-4-SPEC
GAUGE SZ 4 GO-NO-GO FOR HDP-400

Also in the Series | DEUTSCH Common Contact

Automotive Terminals(91)

Insertion & Extraction Tools(8)

Customers Also Bought

TE Part #HD36-18-6SN-C030
PLG, 6P, AL, N, 1256 BLKD, 4, S

TE Part #HDP24-18-6PN
DEUTSCH HDP20 Housings

TE Part #DTHD06-1-4S
PLG, 1P, BLK, N, SIZE 4

TE Part #0462-203-12141
DEUTSCH Solid Contacts

TE Part #114017-ZZ
SEALING PLUG, SIZE 12/16, WHT

TE Part #2305470-1
HV MODULAR DIE HOLDER WITH
FINE ADJUST

TE Part #K5000061
Batt. Disconnecter 35-314-131-R-901

Documents

Product Drawings

PIN, SOLID, SIZE 4, 6AWG, NI

English

CAD Files

3D PDF

3D



Customer View Model

[ENG_CVM_CVM_0460-204-0490_K.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_0460-204-0490_K.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_0460-204-0490_K.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Engineering Report](#)

English

Product Environmental Compliance

[Product Compliance](#)

English

[Product Compliance](#)

English