

#### MQS

TE Internal #: 1-1355132-2 Automotive Connector Caps & Covers, Cover - Cable Exit, Black, PA GF, -40 – 248 °F [-40 – 120 °C], MQS

#### View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: Cover - Cable Exit

Strain Relief: Without

Primary Product Color: Black

Primary Product Material: PA GF

Operating Temperature (Max): 120 °C [ 248 °F ]

### Features

#### Product Type Features

Protection & Strain Relief Accessory Type	Cover - Cable Exit
Body Features	
Primary Product Color	Black
Primary Product Material	PAGF
Mechanical Attachment	
Strain Relief	Without
Usage Conditions	
Operating Temperature (Max)	120 °C[248 °F]
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
Industry Standards	
UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Method	Box
Other	

**C** For support call+1 800 522 6752

### 1-1355132-2

Automotive Connector Caps & Covers, Cover - Cable Exit, Black, PA GF, -40 – 248 °F [-40 – 120 °C], MQS



Serviceable	Yes
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capabilit

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**




## Also in the Series | MQS

**C** For support call+1 800 522 6752

### 1-1355132-2

Automotive Connector Caps & Covers, Cover - Cable Exit, Black, PA GF, -40 – 248 °F [-40 – 120 °C], MQS







PCB Headers & Receptacles(213)

# Customers Also Bought



### Documents

**C** For support call+1 800 522 6752

### 1-1355132-2

Automotive Connector Caps & Covers, Cover - Cable Exit, Black, PA GF, -40 – 248 °F [-40 – 120 °C], MQS



Product Drawings SHIELD, 94POSN., RECEPTACLE HO

English

**CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1-1355132-2\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1-1355132-2\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1-1355132-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.