


## EUROCARD | Eurocard Type B

TE Internal #: 1-1393641-1 Eurocard Connectors, Receptacle, Board-to-Board, 32 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 2 Row, Vertical, Eurocard Type B

### View on TE.com >

#### Connectors > PCB Connectors > Backplane Connectors > Eurocard Connectors



Connector & Housing Type: Receptacle Connector System: Board-to-Board Termination Post & Tail Length: 4.5 mm [.177 in] Number of Positions: 32 Centerline (Pitch): 2.54 mm [.1 in]

## Features



## Product Type Features

Connector & Housing Type	Receptacle					
Connector System	Board-to-Board					
Connector & Contact Terminates To	Printed Circuit Board					
DIN Size	Standard					
DIN Level	II					
Configuration Features						
Number of Positions	32					
Number of Rows	2					
PCB Mount Orientation	Vertical					
Number of Columns	16					
Number of Signal Positions	32					
Rows Loaded	A, C					
Contact Features						
PCB Contact Termination Area Plating Material Thickness	2.54 μm[100 μin]					

Eurocard Connectors, Receptacle, Board-to-Board, 32 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 2 Row, Vertical, Eurocard Type B



Contact Layout	Inline				
Contact Type	Socket				
Contact Underplating Material Thickness	1.27 μm[50 μin]				
Contact Mating Area Plating Material Thickness	.76 μm[29.92 μin]				
Contact Mating Area Plating Material	Gold Flash over Palladium Nickel				
Contact Underplating Material	Nickel				
PCB Contact Termination Area Plating Material	Tin-Lead				
Contact Base Material	Phosphor Bronze				
Termination Features					
Termination Method to Printed Circuit Board	Through Hole - Solder				
Termination Post & Tail Length	4.5 mm[.177 in]				
Mechanical Attachment					
Mating Alignment Type	Polarization				
Mating Retention	Without				
Mating Alignment	With				
PCB Mount Alignment	Without				
Panel Mount Feature	Without				
Connector Mounting Type	Board Mount				

## Housing Features

Housing Material	Polyester - GF					
Centerline (Pitch)	2.54 mm[.1 in]					
Dimensions						
Connector Length	53.34 mm[2.1 in]					
Connector Height	11.51 mm[.453 in]					
Connector Width	8.05 mm[.317 in]					
PCB Thickness (Recommended)	1.57 – 2.36 mm[.062 – .093 in]					
Row-to-Row Spacing	2.54 mm[.1 in]					
Usage Conditions						
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]					
Operation/Application						
Shielded	No					
Circuit Application	Signal					

Eurocard Connectors, Receptacle, Board-to-Board, 32 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 2 Row, Vertical, Eurocard Type B



### **Industry Standards**

Approved Standards	CSA LR7189, UL E28476				
UL Flammability Rating	UL 94V-0				
Packaging Features					
Packaging Features					

## **Product Compliance**

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 240°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

Eurocard Connectors, Receptacle, Board-to-Board, 32 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 2 Row, Vertical, Eurocard Type B





# Also in the Series | Eurocard Type B



# Customers Also Bought



TE Part #8-1415053-1 SR4M4012	TE Part #1-480438-0 16P CMNL PLUG HSG M/M NATL	TE Part #7-1676481-1 CPF 0603 5K6 0.1% 25PPM 1K RL		TE Part #1879336-4 CPF 0603 249R 1% 50PPM 1K RL
			1	



## Documents

### **CAD** Files

Customer View Model

ENG\_CVM\_CVM\_1-1393641-1\_A.2d\_dxf.zip

English

3D PDF

3D

Eurocard Connectors, Receptacle, Board-to-Board, 32 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 2 Row, Vertical, Eurocard Type B



Customer View Model

ENG\_CVM\_CVM\_1-1393641-1\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1-1393641-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance

Product Compliance

English

**Product Compliance** 

English