

### Agastat

TE Internal #: 1-1423162-0 Time Delay Relays, Knob, 120 – 110 VAC Input, Timing Range (Off-Time) 60 – 600 seconds, 10A@240VAC A, Off-Delay, Mounting Bracket

View on TE.com >

Relays, Contactors & Switches > Relays > Time Delay Relays



Type of Control: **Knob** Time Delay Relay Input Voltage: **120 – 110 VAC** Timing Range (Off-Time): **60 – 600 seconds** Time Delay Relay Contact Current Rating: **10A@240VAC A** Mode of Operation: **Off-Delay** 

### Features

### Product Type Features

 Product Type
 Relay

 Relay Type
 Time Delay



Product Category	Electromechanical Relays	
Magnetic Blow-Out Device	Without	
Configuration Features		
Multiple Timing Ranges	Without	
Electrical Characteristics		
Actuating System	AC	
Time Delay Relay Input Voltage	120 – 110 VAC	
Timing Range (Off-Time)	60 – 600 seconds	
Contact Features		
Contact Arrangement	2 Form C, DPDT, 2 C/O	
Type of Control	Knob	
Time Delay Relay Contact Current Rating	10A@240VAC A	
Termination Features		
Termination Type	Screw Terminals	
Mechanical Attachment		

### 7022AF

Time Delay Relays, Knob, 120 – 110 VAC Input, Timing Range (Off-Time) 60 – 600 seconds, 10A@240VAC A, Off-Delay, Mounting Bracket



Time Delay Relay Mounting Type	Mounting Bracket
Dimensions	
Dimensions (L x W x H) (Approximate)	114.8 x 65.3 x 71.9 mm[4.523 x 2.572 x 2.832 in]
Usage Conditions	
Operating Temperature Range	-30 – 75 °C
Operation/Application	
Mode of Operation	Off-Delay
Other	
Repeatability (Max)	±10%
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)

Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Halogen Content

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts

**C** For support call+1 800 522 6752

### 7022AF

Time Delay Relays, Knob, 120 – 110 VAC Input, Timing Range (Off-Time) 60 – 600 seconds, 10A@240VAC A, Off-Delay, Mounting Bracket





# Customers Also Bought



TE Part #1SNA125116R0100

KRPA-11AG-240=KRPA	M4/6	M4/6	M4/6.N
TE Part #1SNA176667R0400 BJMI6-10	TE Part #1SNA356103R0400 DBTI12-GN		

TE Part #1SNA105031R1400

TE Part #1SNA105002R2000

## Documents

TE Part #2-1393104-7

Datasheets & Catalog Pages 5-1773450-5\_sec12\_7000

English