




Corcom KES

TE Internal #: 1-1609966-9

3-Phase Filters, 50A Current Rating, Threaded Bolt Input, Threaded Bolt Output, WYE (4 wire + ground), Operating Voltage 440 VAC, Chassis, Corcom KES

[View on TE.com >](#)

EMI & EMC Solutions > EMI Filters > Power Line Filters > 3-Phase Filters



Current Rating: **50 A**

Input Termination Type: **Threaded Bolt**

Output Termination Type: **Threaded Bolt**

Wiring Configuration: **WYE (4 wire + ground)**

Operating Voltage: **440 VAC**

**Features**

**Product Type Features**

Filtering Requirements	Filtered
Input Termination Type	Threaded Bolt
Output Termination Type	Threaded Bolt

**Configuration Features**

Wiring Configuration	WYE (4 wire + ground)
----------------------	-----------------------

**Electrical Characteristics**

Leakage Current (Max) (230VAC, 50Hz)	5
Current Rating	50 A
Operating Voltage	440 VAC

**Mechanical Attachment**

Product Mount Type	Chassis
--------------------	---------

**Usage Conditions**

Operating Temperature Range	-25 – 85 °C
-----------------------------	-------------

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



Also in the Series | [Corcom KES](#)



3-Phase Filters(38)

## Customers Also Bought

TE Part #2-644488-6  
06P MTA100 SHRD HDR F/L R/A SNTE Part #535090-4  
096 EURO TYPE C RECEPT ST ASSYTE Part #6-1393252-1  
W67-X2Q12-30=M6/M7/M9/W6/W7TE Part #1-1393767-5  
R10-E2X2-V700=R10TE Part #7-1625890-0  
2W SM M/OX 5% 82KTE Part #1-1393766-9  
R10-E1X4-24V=R10

## Documents

### Product Drawings

KES 50A 1S NUT WYE 440VAC

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_1-1609966-9\\_B.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1-1609966-9\\_B.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1-1609966-9\\_B.2d\\_dxf.zip](#)

English

### 3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

50KESS6AFPW

3-Phase Filters, 50A Current Rating, Threaded Bolt Input, Threaded Bolt Output, WYE  
(4 wire + ground), Operating Voltage 440 VAC, Chassis, Corcom KES



---

[Datasheets & Catalog Pages](#)

[KES SERIES](#)

English