EV200HAANA 🗸 ACTIVE

Kilovac | Kilovac EV200 TE Internal #: 1-1618002-8 High Voltage Relays, 12 – 900VDC Contact Voltage Rating, 1 Form X, SPST-NO, Flying Leads, Stud Terminals, External Economizer, Kilovac EV200

View on TE.com >

Relays, Contactors & Switches > Relays > High Voltage Relays



Contact Voltage Rating: 12–900 VDC High Voltage Relay Contact Arrangement: 1 Form X, SPST-NO High Voltage Connection (Coil): Flying Leads High Voltage Connection (Power): Stud Terminals Economizer: External

Features

Product Type Features

RF Rated	No				
Product Type	Relay				
Relay Type	High Voltage				
Configuration Features					
Economizer	External				
Power Switching	Yes				
Electrical Characteristics					
Contact Voltage Rating	12 – 900 VDC				
High Voltage Relay Voltage (Max)	900 VDC				
High Voltage Relay Coil Voltage Rating	9 – 36 VDC				
High Voltage Relay Coil Resistance	3.14 Ω				
High Voltage Relay Contact Switching Voltage (Max)	900				
Contact Features					
High Voltage Relay Contact Arrangement	1 Form X, SPST-NO				
Auxiliary Contacts	With				
High Voltage Relay Contact Current Rating	500 A				
Contact Base Material	Copper				



EV200HAANA

High Voltage Relays, 12 – 900VDC Contact Voltage Rating, 1 Form X, SPST-NO, Flying Leads, Stud Terminals, External Economizer, Kilovac EV200



Termination Features

High Voltage Connection (Coil)	Flying Leads			
High Voltage Connection (Power)	Stud Terminals			
Termination Style	Stud Terminals			
Mechanical Attachment				
High Voltage Relay Mounting Type	Bottom			

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


EV200HAANA

High Voltage Relays, 12 – 900VDC Contact Voltage Rating, 1 Form X, SPST-NO, Flying Leads, Stud Terminals, External Economizer, Kilovac EV200





Also in the Series | Kilovac EV200



Customers Also Bought



	=TE		= TE
TE Part #2-1618396-7 EV200GAANA=RELAY, EV200 SPST- NO	TE Part #1-2176316-5 MELF SMA_A 1K5 0.1% 15PPM 0207 1W	TE Part #1718165-1 MINI MAG MATE CONTACT (LEAF SPRING)	TE Part #1-2176250-6 TJT 500W 330R 5%
TE Part #170152-4	TE Part #M5231-000005-100PG	TE Part #5903-0110-030	

POTENTIOMETER, LINEAR, LEADS

PRESS XDCR M5231-000005-100PG

Documents

CAD Files

AMP SPLICE

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1618002-8_E.2d_dxf.zip

English

EV200HAANA

High Voltage Relays, 12 – 900VDC Contact Voltage Rating, 1 Form X, SPST-NO, Flying Leads, Stud Terminals, External Economizer, Kilovac EV200



Customer View Model

ENG_CVM_CVM_1-1618002-8_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1618002-8_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 5-1773450-5_sec7_EV200A

English