

3613C330K ✓ ACTIVE

Sigma | Sigma 3613

TE Internal #: 1-1624094-3

33  $\mu$ H Molded SMD Inductor, 160 mA, 4  $\Omega$  DC Resistance, 50, 1812,

4.5 x 3.2 x 3.2 mm, 10 %, Sigma 3613

[View on TE.com >](#)



Passive Components > Inductors > Molded SMD Inductors



Inductance: 33  $\mu$ H

Current Rating (Max): 160 mA

DC Resistance: 4  $\Omega$

Inductor Quality Factor: 50

Package Size Code: 1812

## Features

### Product Type Features

Shielded	No
Element Type	Wire Wound
Package Size Code	1812

### Electrical Characteristics

Self Resonant Frequency	11 MHz
Inductance	33 $\mu$ H
Current Rating (Max)	160 mA
DC Resistance	4 $\Omega$
Passive Component Tolerance	10 %

### Dimensions

Passive Component Dimensions	4.5 x 3.2 x 3.2 mm
------------------------------	--------------------

### Usage Conditions

Operating Temperature Range	-30 – 100 $^{\circ}$ C
-----------------------------	------------------------

### Packaging Features

Packaging Method	Taped & Reeled
------------------	----------------

### Other

Inductor Quality Factor	50
-------------------------	----



## Product Compliance






[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Reflow solder capable to 245°C

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts


 <p>TE Part # 1624094-2 3613C 100UH 10%</p>	 <p>TE Part # 1624094-1 3613C 10UH 10%</p>	 <p>TE Part # 1624094-6 3613C 1.0UH 10%</p>	 <p>TE Part # 1624094-8 3613C 22UH 10%</p>
 <p>TE Part # 1-1624094-6 3613C 47UH 10%</p>			

## Also in the Series | Sigma 3613



Molded SMD Inductors(19)

## Customers Also Bought



TE Part #640456-5  
PCB Header: Polyester, Vertical,  
Unshrouded, No Mating Alignment



TE Part #7-188275-6  
MICRO-MATCH SMD FTE



TE Part #8-2176070-2  
3521 24K 1% 2W




TE Part #1625862-1  
RH73 2A 10G 30% 1000PPM 1K RL



TE Part #1-1734775-1  
Std USB Type A, Flag, T/H, 1.8A



TE Part #1-770182-0  
09P MINI-UMNL ASSY V0 SNNI



TE Part #1586038-6  
6P VRT HDR VAL-U-LOK V0



TE Part #1775862-2  
mSATA/mini PCI-E 5.2H Type I G/F

## Documents

### Product Drawings

[3613C 33UH 10%](#)

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_1-1624094-3\\_BB.2d\\_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_1-1624094-3\\_BB.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1-1624094-3\\_BB.3d\\_stp.zip](#)

3613C330K

33  $\mu$ H Molded SMD Inductor, 160 mA, 4  $\Omega$  DC Resistance, 50, 1812, 4.5 x 3.2 x 3.2 mm, 10 %, Sigma 3613



English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

## Datasheets & Catalog Pages

[1309350\\_PASSIVE\\_COMPONENT](#)

English

[Moulded Chip Inductor 18:12 - Type 3613C Series - Tyco Electronics Passives](#)

English