

1-1658527-0 ✓ ACTIVE




## AMP-LATCH

TE Internal #: 1-1658527-0

Ribbon Cable Connectors, Wire-to-Board, 26 Position, 2.54 mm [.1 in] Centerline, 2 Row, Receptacle, Polarization Mating Alignment Type, Wire & Cable

[View on TE.com >](#)

Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > Ribbon Cable Connectors



Connector System: **Wire-to-Board**

Number of Positions: **26**

Centerline (Pitch): **2.54 mm [.1 in]**

Row-to-Row Spacing: **2.54 mm [.1 in]**

Number of Rows: **2**

### Features

#### Product Type Features

Connector Product Type	Connector Assembly
Connector System	Wire-to-Board
Connector & Housing Type	Receptacle
Connector & Contact Terminates To	Wire & Cable

#### Configuration Features

Number of Positions	26
Number of Rows	2

#### Body Features

Primary Product Color	Blue
-----------------------	------

#### Contact Features

Mating Square Post Dimension	.64 mm[.025 in]
Wire Contact Termination Area Plating Thickness	.127 μm[5 μin]
Wire Contact Termination Area Plating Material	Gold Flash
	30 μin



Contact Mating Area Plating Material	Gold
--------------------------------------	------

Contact Current Rating (Max)	1 A
------------------------------	-----

### Termination Features

Termination Method to Wire & Cable	Insulation Displacement (IDC)
------------------------------------	-------------------------------

### Mechanical Attachment

Mating Alignment Type	Polarization
-----------------------	--------------

Mating Retention	Without
------------------	---------

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

### Housing Features

Centerline (Pitch)	2.54 mm [.1 in]
--------------------	-----------------

### Dimensions

Row-to-Row Spacing	2.54 mm [.1 in]
--------------------	-----------------

### Usage Conditions

Operating Temperature Range	-55 – 125 °C [-67 – 257 °F]
-----------------------------	-----------------------------

### Operation/Application

Circuit Application	Signal
---------------------	--------

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
--	---

Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
-----------------	--

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these


limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts

 <p>TE Part # CAT-AM74-UN384H AMP-LATCH UNIVERSAL HEADERS</p>	 <p>TE Part # 2-111506-1 026 UNIV I/O 30DP SLOT LTCH</p>	 <p>TE Part # 2-1761607-9 IDC LOW PRO HDR 26P RA LG LAT</p>	 <p>TE Part # 5103310-6 A/L LOW PRO HDR 26P RA BLACK</p>
 <p>TE Part # 2-1761603-9 IDC LOW PRO HDR 26P VERT BLUE</p>	 <p>TE Part # 2-1761606-9 IDC LOW PRO HDR 26P VERT LG LA</p>	 <p>TE Part # 5103311-6 A/L LOW PRO HDR 26P RA BLACK</p>	 <p>TE Part # 5103309-6 A/L LOW PRO HDR 26P VERT BLACK</p>
 <p>TE Part # 5103308-6 A/L LOW PRO HDR 26P VERT BLACK</p>	 <p>TE Part # 1761606-9 IDC LOW PRO HDR 26P VERT LG LA</p>	 <p>TE Part # 1761607-9 IDC LOW PRO HDR 26P RA LG LAT BLK</p>	 <p>TE Part # 2-111446-0 026 UNIV I/O 30DP NO EARS</p>
 <p>TE Part # 104128-5 026 LOPRO HDR SP 30DP LATCH</p>	 <p>TE Part # 1761681-9 IDC LOW PRO HDR 26P VERT HT BLACK</p>	 <p>TE Part # 1761686-9 IDC LOW PRO HDR 26P VERT LG LAT</p>	 <p>TE Part # 2-1761605-9 IDC LOW PRO HDR 26P RA BLUE</p>



## Customers Also Bought



## Documents

### Product Drawings

622-2641LF FEM SOCKET, LEAD FREE

English

### CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1-1658527-0\_C.2d\_dxf.zip



English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1-1658527-0\\_C.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1-1658527-0\\_C.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

**Datasheets & Catalog Pages**

[Ribbon Cable Interconnect Solutions](#)

English

---

**Product Environmental Compliance**

[MD\\_1-1658527-0\\_04032018540\\_dmtec](#)

English

[MD\\_1-1658527-0\\_04032018540\\_dmtec](#)

English

---

**Instruction Sheets**

[Instruction Sheet \(U.S.\)](#)

English