

Neohm | Neohm R

TE Internal #: 1-1676914-8

 $3.4K \Omega$, Thin Film, Precision Resistor, .1 %, 6.3×2.3 mm, 2

Termination, Ammo Packed, .25 W, ±15 ppm/°C, Tinned Copper

Leads Termination, Neohm R

View on TE.com >



Passive Components > Resistors > Through-Hole Resistors



Resistor Type: Precision Resistor

Passive Component Dimensions: 6.3 x 2.3 mm

Number of Terminations: 2

Packaging Method: Ammo Packed
Passive Component Tolerance: .1 %

Features

Product Type Features

| Product Type Features | |
|-----------------------------|---------------------------------|
| Product Type | Fixed Resistor |
| Resistor Type | Precision Resistor |
| Element Type | Thin Film |
| Configuration Features | |
| Number of Resistors | 1 |
| Electrical Characteristics | |
| Voltage Rating | 250 V |
| Passive Component Tolerance | .1 % |
| Resistance Class | 1 k Ω – 1 Μ Ω |
| Resistance Value | 3.4K Ω |
| Power Rating | .25 W |
| Body Features | |
| Passive Component Lead Type | Axial-Leaded |

Termination Features

Number of Terminations

Passive Component Termination Material Type

| rassive Component Dimensions 6.5 x 2.5 mm | Passive Component Dimensions | 6.3 x 2.3 mm |
|---|------------------------------|--------------|
|---|------------------------------|--------------|

2

Tinned Copper Leads



| Usage Conditions | |
|-----------------------------|--------------|
| Operating Temperature Range | -65 – 165 °C |
| Temperature Coefficient | ±15 ppm/°C |
| Packaging Features | |
| Packaging Method | Ammo Packed |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Reflow solder capable to 260°C |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts














Also in the Series | Neohm R





Customers Also Bought









Documents

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_1-1676914-8_BA.2d_dxf.zip

English

3.4K Ω , Thin Film, Precision Resistor, .1 %, 6.3 x 2.3 mm, 2 Termination, Ammo Packed, .25 W, ± 15 ppm/°C, Tinned Copper Leads Termination, Neohm R



Customer View Model

ENG_CVM_CVM_1-1676914-8_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1676914-8_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages
1309350_PASSIVE_COMPONENT

English