1-1747821-3 - ACTIVE

Dynamic Series | Dynamic 5000 Series

TE Internal #: 1-1747821-3 Housing, Receptacle, Wire-to-Board, 3 Position, .399 in [10.16 mm] Centerline, Crimp, 1 Row, Black, Mating Retention, Dynamic 5000 Series

View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings >

Receptacle and Tab Housing: 5.08 or 10.16 mm pitch, 250-600V



Connector Product Type: Housing Connector & Housing Type: Receptacle Connector System: Wire-to-Board Number of Positions: 3 Centerline (Pitch): 10.16 mm [.399 in]

All Receptacle and Tab Housing: 5.08 or 10.16 mm pitch, 250-600V (56)

Features

Product Type Features



Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	3
Number of Rows	1
Body Features	
Primary Product Color	Black
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Mating Retention	With
Connector Mounting Type	Panel Mount

1-1747821-3

Housing, Receptacle, Wire-to-Board, 3 Position, .399 in [10.16 mm] Centerline, Crimp, 1 Row, Black, Mating Retention, Dynamic 5000 Series



Housing Features

Centerline (Pitch)

Usage Conditions

Operating Temperature Range

Operation/Application

Circuit Application

10.16 mm[.399 in]

-55 – 105 °C[-67 – 221 °F]

Power

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


1-1747821-3

Housing, Receptacle, Wire-to-Board, 3 Position, .399 in [10.16 mm] Centerline, Crimp, 1 Row, Black, Mating Retention, Dynamic 5000 Series





Also in the Series | Dynamic 5000 Series



PCB Terminal Blocks(6)

Wire-to-Board Connector Assemblies & Housings(71)

Wire-to-Board Connector Contacts(43)

Customers Also Bought



1-1747821-3

Housing, Receptacle, Wire-to-Board, 3 Position, .399 in [10.16 mm] Centerline, Crimp, 1 Row, Black, Mating Retention, Dynamic 5000 Series



Documents

Product Drawings DYNAMIC D5300 REC HSG 3P/X PM

English

CAD Files

Customer View Model ENG_CVM_CVM_1-1747821-3_G.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1747821-3_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1747821-3_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

1-1773732-4_DYNAMIC_SERIES_CATALOG_ENGLISH

Japanese

1-1773732-4_DYNAMIC_SERIES_CATALOG_ENGLISH

English

Product Specifications Application Specification

English

Instruction Sheets Instruction Sheet (U.S.)

English

Agency Approvals TUV Certificate

English