
# 1-2118651-0 - ACTIVE

TE Internal #: 1-2118651-0 UMCC Cable Assembly, .196 ft [.06 m], Black Cable, 0 – 9 GHz Operating Frequency, 50 Ω, FEP, 30 AWG, .044 in [1.37 mm] Diameter, UMCC Plug, UMCC Plug

#### View on TE.com >

Cable Assemblies > RF Cable Assemblies



Connector Type (End A): UMCC Plug

Jacket Material: FEP

Cable Assembly Length: .06 m [.196 ft]

Cable Color: Black

Operating Temperature Range: -45 – 85 °C [-49 – 185 °F]

#### Features

## Product Type Features



Coax Cable Type	1.13mm Coax
Connector Type (End A)	UMCC Plug
Connector Type (End B)	UMCC Plug
Cable Assembly Type	UMCC
Configuration Features	
Number of Connectorized Ends	2
Electrical Characteristics	
Insulation Resistance	50 MΩ
Operating Voltage	200 V
Impedance	50 Ω
Signal Characteristics	
Velocity of Propagation	70%
Body Features	
Conductor Plating Material	Gold

## 1-2118651-0

UMCC Cable Assembly, .196 ft [.06 m], Black Cable, 0 – 9 GHz Operating Frequency, 50 Ω, FEP, 30 AWG, .044 in [1.37 mm] Diameter, UMCC Plug, UMCC Plug



Strain Relief Type	HST
Body Plating Material	Nickel
Conductor Material	Copper
Jacket Material	FEP
Cable Color	Black
Contact Features	
Ferrule Material	Brass
Dimensions	
Wire Size	30 AWG
Outside Cable Diameter	1.37 mm[.044 in]
Usage Conditions	
Operating Temperature Range	-45 – 85 °C[-49 – 185 °F]
Operating Temperature Range Operation/Application	-45 – 85 °C[-49 – 185 °F]
	-45 – 85 °C[-49 – 185 °F] 0 – 9 GHz
Operation/Application	

## Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability
Product Compliance Disclaimer This information is provided based on reasonable inquiry of our suppliers and based on the information they provided. This information is subject to change	

EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these

### 1-2118651-0

UMCC Cable Assembly, .196 ft [.06 m], Black Cable, 0 – 9 GHz Operating Frequency, 50 Ω, FEP, 30 AWG, .044 in [1.37 mm] Diameter, UMCC Plug, UMCC Plug




limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



# **Customers Also Bought**





#### Documents

#### 1-2118651-0

UMCC Cable Assembly, .196 ft [.06 m], Black Cable, 0 – 9 GHz Operating Frequency, 50 Ω, FEP, 30 AWG, .044 in [1.37 mm] Diameter, UMCC Plug, UMCC Plug



Product Drawings

RF CA,UMCC GEN1-GEN1,1.13MM CABLE,L60MM

English

**CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1-2118651-0\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1-2118651-0\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1-2118651-0\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Product Specification

English

Product Environmental Compliance Product Compliance

English

#### Product Compliance

English