

1-2141227-1 ✓ ACTIVE

AMP+ HVP800

TE Internal #: 1-2141227-1

PCB Mount Header, Wire-to-Device, 2 Position, 11.5 mm [.452 in]

Centerline, Fully Shrouded, Sealable, AMP+ HVP800

[View on TE.com >](#)



Connectors > PCB Connectors > PCB Headers & Receptacles > Low & Medium Power Header



Connector System: **Wire-to-Device**

Number of Positions: 2

Centerline (Pitch): 11.5 mm [.452 in]

Sealable: **Yes**

Number of Rows: 1

[All Low & Medium Power Header \(168\)](#)

Features

Product Type Features

Mixed & Hybrid Header	No
Connector Shape	Rectangular
PCB Connector Assembly Type	PCB Mount Header
Header Type	Fully Shrouded
Connector System	Wire-to-Device
Sealable	Yes

Configuration Features

Number of Positions	2
Number of Rows	1

Body Features

Connector & Keying Code	A
-------------------------	---

Contact Features

Contact Size	8mm
--------------	-----



Contact Type	Pin
--------------	-----

Mating Pin Diameter	8 mm [.314 in]
---------------------	----------------

Mechanical Attachment

Mating Alignment	With
------------------	------

Housing Features

Centerline (Pitch)	11.5 mm [.452 in]
--------------------	-------------------

Usage Conditions

Operating Temperature (Max)	70 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °C [158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F][284 °F]
-----------------------------	---

Operating Temperature Range	-40 – 140 °C [-40 – 284 °F]
-----------------------------	-----------------------------

Operation/Application

Shielded	Yes
----------	-----

Industry Standards

Degree of Protection	IP6K9K
----------------------	--------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
--	--

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not reviewed for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products

will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-2141154-1
2POS, 8MM HV, REC HSG, 90DEG, ASSY, SEALED



TE Part # 1-2286937-6
2POS, HVP800, 180 DEG, 50 SQMM, COD A, CS



TE Part # 2-2286713-1
2POS, 8MM HV, REC HSG, 90DEG, ASSY, SEALED



TE Part # 9-2208101-1
PROTEC. COVER 8MM HV, 3POS PINHEADER


Also in the Series | AMP+ HVP800



Automotive Connector Caps & Covers (11)



Automotive Connector EMC Shielding (10)



Automotive Connector Locks & Position Assurance (1)



Automotive Housings (56)



Automotive Terminals (6)




Connector Seals & Cavity Plugs (5)




Electric, Hybrid & Fuel Cell Cable Assemblies (10)



High Voltage Wire Processing Equipment (25)



Other Automotive Connector Accessories (1)



PCB Headers & Receptacles (44)

Customers Also Bought



TE Part #5100141-1
2MM H.M. TYPE "B" PIN ASSY.



TE Part #1-1827876-6
DYNAMIC 1200D HDR ASSY H 12PX
BLACK GOLD




TE Part #2-1462039-9
IM23GR=IM RELAY 50mW 5V



TE Part #2-1445057-4
MICRO MNL HDR ASSY SINGLE ROW



TE Part #2103346-2
HVA280 2 Bay Header Sub-Assy, KEY
D, F



TE Part #1-776087-1
23POS,PIN DIA 1.3,HDR ASSY,90DEG,
COD 1



TE Part #3-1618389-7
LEV100A4ANG=RELAY, 12Vdc SPST-
NO



TE Part #2-530745-0
MINI BX RCPT ASSY 100P SEALED



TE Part #7-2106003-2
Connector, SMT-IDC,2 pos, 24AWG,
black

Documents

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1-2141227-1_D.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-2141227-1_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-2141227-1_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English