

CGS | CGS RLP73

TE Internal #: 1-2176050-2

.15 Ω , Thick Film, Low Ohmic Resistor, 5 %, 2 Termination, 0402,

Taped & Reeled, .125 W, ±300 ppm/°C, Solder, 1 x .5 x .2 mm, CGS

RLP73

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors



Resistor Type: Low Ohmic Resistor

Number of Terminations: 2
Package Size Code: 0402

Packaging Method: Taped & Reeled
Passive Component Tolerance: 5%

Features

Product Type Features

| Product Type | Fixed Resistor |
|-----------------------------|--------------------|
| Resistor Type | Low Ohmic Resistor |
| Package Size Code | 0402 |
| Element Type | Thick Film |
| Configuration Features | |
| Number of Resistors | 1 |
| Electrical Characteristics | |
| Passive Component Tolerance | 5 % |
| Resistance Class | Up to $1k\Omega$ |
| Resistance Value | .15 Ω |

Termination Features

Power Rating

| Number of Terminations | 2 |
|---|--------|
| Surface Mount Resistor Termination Type | Solder |

.125 W

Dimensions

| Passive Component Dimensions 1 x .5 x .2 mm |
|---|
|---|

Usage Conditions

| Temperature Coefficient | ±300 ppm/°C |
|-------------------------|-------------|
|-------------------------|-------------|



Packaging Features

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant with Exemptions |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Reflow solder capable to 260°C |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts





Also in the Series | CGS RLP73





Customers Also Bought

















TE Part #NPNESE001350 SE115-03-350-TD

Documents

Product Drawings
RLP73N 1E R15 5% 5K RL

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2176050-2_BA.2d_dxf.zip

.15 Ω , Thick Film, Low Ohmic Resistor, 5 %, 2 Termination, 0402, Taped & Reeled, . 125 W, ±300 ppm/°C, Solder, 1 x .5 x .2 mm, CGS RLP73



English

Customer View Model

ENG_CVM_CVM_1-2176050-2_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2176050-2_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

SMD Low Ohmic Current Sense Resistors - Type RL73 Series

English