# TLR2H15DR010FTDG <

#### CGS | CGS TLR

TE Internal #: 1-2176168-0 .01 Ω, Metal Strip, Current Sensing Resistor, 1 %, 2 Termination, 2010, Taped & Reeled, 1.5 W, ±50 ppm/°C, Solder, 5.1 x 2.5 x .6 mm, CGS TLR

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors > Metal Chip Resistor: Current Sense



Resistor Type: Current Sensing Resistor

Number of Terminations: 2

Package Size Code: 2010

Packaging Method: Taped & Reeled

Passive Component Tolerance: 1%

All Metal Chip Resistor: Current Sense (49)

#### Features

#### Product Type Features

Product Type

Resistor Type

Fixed Resistor

Current Sensing Resistor

Package Size Code	2010
Element Type	Metal Strip
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Passive Component Tolerance	1 %
Resistance Class	Up to 1kΩ
Resistance Value	.01 Ω
Power Rating	1.5 W
Termination Features	
Number of Terminations	2
Surface Mount Resistor Termination Type	Solder
Dimensions	
Passive Component Dimensions	5.1 x 2.5 x .6 mm

#### TLR2H15DR010FTDG

.01 Ω, Metal Strip, Current Sensing Resistor, 1 %, 2 Termination, 2010, Taped & Reeled, 1.5 W, ±50 ppm/°C, Solder, 5.1 x 2.5 x .6 mm, CGS TLR



#### **Usage Conditions**

**Temperature Coefficient** 

#### Packaging Features

Packaging Method

# Product Compliance

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU Compliant Compliant EU ELV Directive 2000/53/EC No Restricted Materials Above Threshold China RoHS 2 Directive MIIT Order No 32, 2016 EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC Halogen Content Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free Reflow solder capable to 260°C Solder Process Capability

Taped & Reeled

±50 ppm/°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### **Compatible Parts**




#### TLR2H15DR010FTDG

.01 Ω, Metal Strip, Current Sensing Resistor, 1 %, 2 Termination, 2010, Taped & Reeled, 1.5 W, ±50 ppm/°C, Solder, 5.1 x 2.5 x .6 mm, CGS TLR



# Also in the Series | CGS TLR



## Customers Also Bought



TE Part #5353928-1 Std USB Type A, R/A, SMT, Offset, Panel	TE Part #2176329-9 CRGP 1210 47R 1%	TE Part #AS214-35PN RECEPT.BOX MNTG. TYPE 2	TE Part #ATM396-18 AS-18 NUT PLATE

### Documents

Product Drawings

TLR 2010 1.5W R010 1% 50PPM 2K RL

English

**CAD** Files

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_1-2176168-0\_BA.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1-2176168-0\_BA.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1-2176168-0\_BA.3d\_stp.zip

#### TLR2H15DR010FTDG

.01 Ω, Metal Strip, Current Sensing Resistor, 1 %, 2 Termination, 2010, Taped & Reeled, 1.5 W, ±50 ppm/°C, Solder, 5.1 x 2.5 x .6 mm, CGS TLR



English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages SMD Low Ohmic Current Sense Resistors - Type TLR Series

English