
TJT300150RJ <

CGS | CGS TJT TE Internal #: 1-2176249-4 150 Ω, Wire Wound, Power Resistor, 210 x 80 x 10 mm, 2 Termination, Loose Piece - Box, 5 %, 300 W, ±260 ppm/°C, Flying Leads Termination, CGS TJT

View on TE.com >

Passive Components > Resistors > Chassis Mount Resistors



Resistor Type: Power Resistor

Passive Component Dimensions: 210 x 80 x 10 mm

Number of Terminations: 2

Packaging Method: Loose Piece - Box

Passive Component Tolerance: 5%

Features



Product Type Features

Resistor Type	Power Resistor
Element Type	Wire Wound
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Passive Component Tolerance	5 %
Resistance Class	Up to 1kΩ
Resistance Value	150 Ω
Power Rating	300 W
Termination Features	
Number of Terminations	2
Chassis Mount Resistor Termination Type	Flying Leads
Mechanical Attachment	

C For support call+1 800 522 6752

TJT300150RJ

150 $\Omega,$ Wire Wound, Power Resistor, 210 x 80 x 10 mm, 2 Termination, Loose Piece - Box, 5 %, 300 W, ±260 ppm/°C, Flying Leads Termination, CGS TJT



Chassis Mount Resistor Mount Style	Chassis Mount
Dimensions	
Passive Component Dimensions	210 x 80 x 10 mm
Usage Conditions	
Operating Temperature Range	-25 – 250 °C
Temperature Coefficient	±260 ppm/°C
Packaging Features	
Packaging Method Product Compliance	Loose Piece - Box
Product Compliance	
Product Compliance For compliance documentation, visit the product page on TE.com>	Loose Piece - Box Compliant Compliant
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Hand solderable with lead free solder

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TJT300150RJ

150 Ω, Wire Wound, Power Resistor, 210 x 80 x 10 mm, 2 Termination, Loose Piece -Box, 5 %, 300 W, ±260 ppm/°C, Flying Leads Termination, CGS TJT





Also in the Series | CGS TJT



Customers Also Bought





TJT300150RJ

150 Ω, Wire Wound, Power Resistor, 210 x 80 x 10 mm, 2 Termination, Loose Piece -Box, 5 %, 300 W, ±260 ppm/°C, Flying Leads Termination, CGS TJT



Documents

Product Drawings TJT 300W 150R 5%

English

Datasheets & Catalog Pages

ALUMINIUM ENCLOSED POWER RESISTORS - Type TJT Series

English

TJT-0715

English