

CGS | CGS TJT

TE Internal #: 1-2176250-5

220 Ω , Wire Wound, Power Resistor, 330 x 80 x 10 mm, 2


Termination, Loose Piece - Box, 5 %, 500 W, ±260 ppm/°C, Flying

Leads Termination, CGS TJT

View on TE.com >



Passive Components > Resistors > Chassis Mount Resistors



Resistor Type: Power Resistor

Passive Component Dimensions: 330 x 80 x 10 mm

Chassis Mount Resistor Termination Type

Mechanical Attachment

Number of Terminations: 2

Packaging Method: Loose Piece - Box
Passive Component Tolerance: 5 %

Features

Product Type Features

Resistor Type Power Resistor Element Type Wire Wound Configuration Features Number of Resistors 1 Electrical Characteristics Passive Component Tolerance 5 % Resistance Class Up to 1kΩ Resistance Value 220 Ω Power Rating 500 W Termination Features Number of Terminations 2	Product Type Features	
Configuration Features Number of Resistors 1 Electrical Characteristics Passive Component Tolerance Resistance Class Up to $1k\Omega$ Resistance Value Power Rating 500 W Termination Features	Resistor Type	Power Resistor
Number of Resistors 1 Electrical Characteristics Passive Component Tolerance 5 % Resistance Class Up to $1k\Omega$ Resistance Value 220 Ω Power Rating 500 W Termination Features	Element Type	Wire Wound
Electrical Characteristics Passive Component Tolerance 5% Resistance Class Up to $1k\Omega$ Resistance Value $220\ \Omega$ Power Rating $500\ W$ Termination Features	Configuration Features	
Passive Component Tolerance5 %Resistance ClassUp to $1kΩ$ Resistance Value $220 Ω$ Power Rating $500 W$ Termination Features	Number of Resistors	1
Resistance Class Up to $1k\Omega$ Resistance Value 220 Ω Power Rating 500 W Termination Features	Electrical Characteristics	
Resistance Value 220 Ω Power Rating 500 W Termination Features	Passive Component Tolerance	5 %
Power Rating 500 W Termination Features	Resistance Class	Up to $1k\Omega$
Termination Features	Resistance Value	220 Ω
	Power Rating	500 W
Number of Terminations 2	Termination Features	
	Number of Terminations	2

Flying Leads



Chassis Mount Resistor Mount Style	Chassis Mount
Dimensions	
Passive Component Dimensions	330 x 80 x 10 mm
Usage Conditions	
Operating Temperature Range	-25 – 250 °C
Temperature Coefficient	±260 ppm/°C
Packaging Features	
Packaging Method	Loose Piece - Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts











Also in the Series | CGS TJT




Customers Also Bought






TE Part #182734-2 CONTACT REC HE14 COSI LOOSE P













TE Part #1SNA115146R1500 M120/35.FF 220 Ω , Wire Wound, Power Resistor, 330 x 80 x 10 mm, 2 Termination, Loose Piece - Box, 5 %, 500 W, ± 260 ppm/°C, Flying Leads Termination, CGS TJT



Documents

Product Drawings

TJT 500W 220R 5%

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2176250-5_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2176250-5_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2176250-5_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

ALUMINIUM ENCLOSED POWER RESISTORS - Type TJT Series

English

TJT-0715

English