RN73C1E30K9BTD <- ACTIVE

Holsworthy | Holsworthy RN73

TE Internal #: 1-2176263-1 30.9K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0402, Taped & Reeled, .063 W, ±10 ppm/°C, Solder, 1 x .5 x .3 mm, Holsworthy RN73

View on TE.com >

Passive Components > Resistors > Surface Mount Resistors



Resistor Type: Precision Resistor

Number of Terminations: 2

Package Size Code: 0402

Packaging Method: Taped & Reeled

Passive Component Tolerance: .1 %

Features



Product Type Features

Product Type	Fixed Resistor
Resistor Type	Precision Resistor
Package Size Code	0402
Element Type	Thin Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Voltage Rating	25 V
Passive Component Tolerance	.1 %
Resistance Class	$1k\Omega - 1M\Omega$
Resistance Value	30.9K Ω
Power Rating	.063 W
Termination Features	
Number of Terminations	2

C For support call+1 800 522 6752

RN73C1E30K9BTD

30.9K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0402, Taped & Reeled, . 063 W, ±10 ppm/°C, Solder, 1 x .5 x .3 mm, Holsworthy RN73



Surface Mount Resistor Termination Type	Solder	
Dimensions		
Passive Component Dimensions	1 x .5 x .3 mm	
Usage Conditions		
Temperature Coefficient	±10 ppm/°C	
Packaging Features		
Packaging Method	Taped & Reeled	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	

EU ELV Directive 2000/53/EC Con	mpliant
China RoHS 2 Directive MIIT Order No 32, 2016 No I	Restricted Materials Above Threshold
(235 Can 2023	rrent ECHA Candidate List: JUNE 2023 5) ndidate List Declared Against: JUNE 23 (235) es not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts


RN73C1E30K9BTD

30.9K Ω , Thin Film, Precision Resistor, .1 %, 2 Termination, 0402, Taped & Reeled, . 063 W, ±10 ppm/°C, Solder, 1 x .5 x .3 mm, Holsworthy RN73





Also in the Series | Holsworthy RN73




Customers Also Bought



TE Part #5-794630-4	TE Part #178482-1	TE Part #7-1879213-7	TE Part #1879208-9
24P MICRO MNL ASSY,VRT,HDR,LF	UP 3.96 5P PLUG HSG NATRL	CPF 0402 182R 0.1% 25PPM 1K RL	CPF 0402 22R 0.1% 25PPM 1K RL

TE Part #5-1879208-6 CPF 0402 2K0 0.1% 25PPM 1K RL



TE Part #1-1879061-5 PPM 1K RL CPF 0402 33R 0.1% 25PPM 5K RL



TE Part #2-2176338-9 CRGCQ 0402 47K 5%



RN73C1E30K9BTD

30.9K $\Omega,$ Thin Film, Precision Resistor, .1 %, 2 Termination, 0402, Taped & Reeled, . 063 W, ±10 ppm/°C, Solder, 1 x .5 x .3 mm, Holsworthy RN73



Documents

Product Drawings RN 0402 30K9 0.1% 10PPM 5K RL

English

Datasheets & Catalog Pages High Precision Resistors (SMD) - Type RN73 Series - Tyco Electronics Passives

English