1-2303816-2 ACTIVE

DEUTSCH | DEUTSCH DT

TE Internal #: 1-2303816-2

Housing for Female Terminals, Wire-to-Wire, 3 Position, .394 in [10.01 mm] Centerline, Sealable, Gray, Wire & Cable, Power &


Signal, DEUTSCH DT

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings











Connector System: Wire-to-Wire

Number of Positions: 3

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 10.01 mm [.394 in]

Sealable: Yes

Features

Product Type Features

Connector System Wire	angular re-to-Wire
Connector System Connector & Housing Type Hou	
Connector & Housing Type Hou	re-to-Wire
Sealable Yes	ousing for Female Terminals
	5
Connector & Contact Terminates To Wire	re & Cable
Primary Locking Feature Inte	egrated in Housing
Configuration Features	
Blank Cavity Position 0	
Number of Positions 3	
Electrical Characteristics	
Operating Voltage 250	
Electrical Characteristics	

12 V, 24 V, 48 V

Nominal Voltage Architecture



Cable Exit Angle	180°
Primary Product Color	Gray
Contact Features	
Contact Size	Size 16
Contact Type	Socket
Mating Pin Diameter	1.59 mm[.063 in]
Contact Current Rating (Max)	13 A
Mechanical Attachment	
Terminal Position Assurance	Yes
Strain Relief	Add By Accessory
Mating Alignment Type	Polarized
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA GF
Centerline (Pitch)	10.01 mm[.394 in]
Dimensions	
Connector Height	23.89 mm[.94 in]
Product Width	20.17 mm[.794 in]
Product Length	31.2 mm[1.228 in]
Compatible Insulation Diameter Range	2.23 – 3.68 mm[.088 – .145 in]
Usage Conditions	
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
Degree of Protection	IP68, IP6K9K
Agency/Standard	SAE J2030
UL Flammability Rating	12mm Flame Test per Standard UL-94
Packaging Features	



Packaging Quantity	1200
Packaging Method	Box
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (.5% in Component Part) Dodecamethylcyclohexasiloxane (D6) (.5% in Component Part) Decamethylcyclopentasiloxane (D5) (.5% in Component Part) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # CAT-J41-DDRC DEUTSCH DT Receptacle Connectors



TE Part # CAT-J67-DSCC16 **DEUTSCH Size 16 Crimp Contacts**



TE Part # CAT-D48-SP729 **DEUTSCH Sealing Plugs**



TE Part # 1011-345-0305 DUST CAP, 3P, PLG, BLK, DT



TE Part # CAT-D487-W416 Wedgelocks: DEUTSCH DT



TE Part # CAT-D48-ST273 **DEUTSCH Solid Contacts**



TE Part # 776363-1 SEALING PLUG, SZ 16 CAVITY



TE Part # CAT-D487-H342 **DEUTSCH DT Headers**



TE Part # 1-2303813-5 DT04-3P-TB31, REC, 3POS, GRY, BLKED, CAP



Also in the Series | DEUTSCH DT





Automotive Connector Caps & Covers



Automotive Connector Locks & Position Assurance(74)



Automotive Housings(620)



Connector Backshells(58)



Connector Seals & Cavity Plugs(6)



Connector Strain Relief(28)



Insertion & Extraction Tools(3)



Other Automotive Connector Accessories(27)






Customers Also Bought



















Documents

Product Drawings

DT06-3S-TN31, PLG, 3P, GRY, N, SNAPCAP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2303816-2_A.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_1-2303816-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2303816-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English