1-2308265-6 ACTIVE

Rail D-Sub Backshells

TE Internal #: 1-2308265-6

Rectangular Connector Hardware, Quick Lock Pins, -40 – 90 °C [-40

– 194 °F], Rail D-Sub Backshells

View on TE.com >



Connectors > Rectangular Connectors > Rectangular Connector Accessories > Rectangular Connector Hardware > Quick Lock Pins for D-Sub with Threaded Inserts











Connector Hardware Type: Quick Lock Pins

Operating Temperature Range: -40 - 90 °C [-40 - 194 °F]

All Quick Lock Pins for D-Sub with Threaded Inserts (10)

Features

Mechanical Attachment

| Thread Size | None |
|-----------------------------|---------------------------|
| Connector Hardware Type | Quick Lock Pins |
| Usage Conditions | |
| Operating Temperature Range | -40 – 90 °C[-40 – 194 °F] |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
|---|---|
| EU ELV Directive 2000/53/EC | Not Yet Reviewed |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: |
| | Pb (3.5% in Component Part) Article Safe Usage Statements: |



Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per |
|-----------------|--|
| | homogenous material. Also BFR/CFR/PVC |
| | Free |

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts











Also in the Series | Rail D-Sub Backshells








Connector Strain Relief(53)



Crimp D-Sub Connectors(10)





Insertion & Extraction Tools(2)



Rectangular Connector Hardware(19)

Customers Also Bought



TE Part #3-640441-7 MTA Receptacle: Nylon, Tin Plated, 2.54 mm



TE Part #1-215083-6 MICRO-MATCH MOW.16P



TE Part #2-1676625-7 HSA25 240R 5%







CABLE ASSY



Documents

Product Drawings

QL SET FOR VARIANT B 6

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_1-2308265-6_A.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_1-2308265-6_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2308265-6_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Rail D-Sub Backshells Flyer

English