

Rail D-Sub Backshells TE Internal #: 1-2308272-1 Shielded, Single or Dual Cable Entry, Zinc, Straight, Shell Size 1, Rail D-Sub Backshells

View on TE.com >



Connectors > Connector Accessories > Connector Backshells > Cable Clamp for Size 1-3 STD/1-4 QL Shell



Connector Backshell Product Style: Shielded

Connector Backshell Product Type: Single or Dual Cable Entry

Primary Product Material: Zinc

Body Orientation: Straight

Compatible With Connector Shell Size: 1

All Cable Clamp for Size 1-3 STD/1-4 QL Shell (8)

Features

Product Type Features

Connector Backshell Product Style	Shielded
Connector Backshell Product Type	Single or Dual Cable Entry
Body Features	
Primary Product Material	Zinc
Cable Exit Angle	180°
Mechanical Attachment	
Thread Size	None
Housing Features	
Body Orientation	Straight
Compatible With Connector Shape	D-Shaped
Usage Conditions	
Operating Temperature Range	-40 – 90 °C[-40 – 194 °F]

1-2308272-1

Shielded, Single or Dual Cable Entry, Zinc, Straight, Shell Size 1, Rail D-Sub Backshells



Operation/Application Compatible With Connector Shell Size 1 **Product Compliance** For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU Compliant with Exemptions EU ELV Directive 2000/53/EC Not Yet Reviewed China RoHS 2 Directive MIIT Order No 32, 2016 Restricted Materials Above Threshold EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (3.5% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. Low Halogen - Br, Cl, F, I < 900 ppm per Halogen Content homogenous material. Also BFR/CFR/PVC Free Solder Process Capability Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



1-2308272-1

Shielded, Single or Dual Cable Entry, Zinc, Straight, Shell Size 1, Rail D-Sub Backshells



Also in the Series | Rail D-Sub Backshells




Connector Backshells(69)



Connector Strain Relief(53)







Customers Also Bought





1-2308272-1

Shielded, Single or Dual Cable Entry, Zinc, Straight, Shell Size 1, Rail D-Sub Backshells



Documents

Product Drawings CABLE CLAMPS (CASE RAW)

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_1-2308272-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2308272-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2308272-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Rail D-Sub Backshells Flyer

English