Rail D-Sub Backshells

TE Internal #: 1-2308338-1

Shielded, Single or Dual Cable Entry, Zinc, Straight, Shell Size 5, 50

/ 78 Position, Rail D-Sub Backshells

View on TE.com >



Connectors > Connector Accessories > Connector Backshells











Connector Backshell Product Style: Shielded

Connector Backshell Product Type: Single or Dual Cable Entry

Primary Product Material: **Zinc**Body Orientation: **Straight**

Compatible With Connector Shell Size: 5

Compatible With Connector Shape

Features

Product Type Features

Connector Backshell Product Style	Shielded
Connector Backshell Product Type	Single or Dual Cable Entry
Configuration Features	
Number of Positions	50, 78
Body Features	
Primary Product Material	Zinc
Cable Exit Angle	180°, 45°
Mechanical Attachment	
Mating Retention Type	Jackscrew
Thread Size	None
Housing Features	
Body Orientation	Straight

D-Shaped

Usage Conditions



Operating Temperature Range	-40 - 90 °C[-40 - 194 °F]
Operation/Application	
Compatible With Connector Shell Size	5
Industry Standards	
UL Flammability Rating	UL 94V-0

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (3.5% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # CAT-R131-Q15A

Quick Lock Pins for D-Sub with
Threaded Inserts



TE Part # CAT-R131-Q15
Quick Lock Pins for D-Sub Backshells



TE Part # 1-2308298-6

QL-SET FOR VAR. E LATCH PIN WITH
GUIDE 6



WALL MOUNTG



Also in the Series | Rail D-Sub Backshells



Connector Backshells(69)



Connector Strain Relief(53



Crimp D-Sub Connectors(10)



D-Sub Connector Contacts(5)



Insertion & Extraction Tools(2)




Customers Also Bought



















Documents

Product Drawings

QL-FULL METAL HOODS SIZE 5 (1 CABLE CLP)

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2308338-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2308338-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2308338-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Rail D-Sub Backshells Flyer

English