


Rail D-Sub Backshells TE Internal #: 1-2308348-7 Crimp Flange, Shielded, Rail D-Sub Backshells View on TE.com >



Connectors > Connector Accessories > Connector Strain Relief > Crimp Flange for Size 4-5 STD/5QL Shell



Strain Relief Accessory Type: Crimp Flange

Shielded: Yes

Thread Size: None

Operating Temperature Range: -40 – 90 °C [-40 – 194 °F]

All Crimp Flange for Size 4-5 STD/5QL Shell (17)

## Features

Product Type Features

Strain Relief Accessory Type	Crimp Flange
Mechanical Attachment	
Thread Size	None
Usage Conditions	
Operating Temperature Range	-40 - 90 °C[-40 - 194 °F]
Operation/Application	
Shielded	Yes
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	

Crimp Flange, Shielded, Rail D-Sub Backshells



Current ECHA Candidate List: JUNE 2023
(235)
Candidate List Declared Against: JUNE
2023 (235)
SVHC > Threshold:
Pb (3.5% in Component Part)
Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

#### Halogen Content


Solder Process Capability

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

## Compatible Parts




# Also in the Series | Rail D-Sub Backshells



1-2308348-7

Crimp Flange, Shielded, Rail D-Sub Backshells





# Customers Also Bought



HD 20 PIN CONTACT, NON-MAG	ì
----------------------------	---

AMPLIMITE SZ 1 PLUG. 9 POS, ST STL SHELL



## Documents

Product Drawings CRIMP FLANGE 7 LARGE

English

## **CAD** Files

## 3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1-2308348-7\_A.2d\_dxf.zip

1-2308348-7

Crimp Flange, Shielded, Rail D-Sub Backshells



English

Customer View Model ENG\_CVM\_CVM\_1-2308348-7\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-2308348-7\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Rail D-Sub Backshells Flyer

English