


Rail D-Sub Backshells TE Internal #: 1-2308350-5 Crimp Barrel, Shielded, Rail D-Sub Backshells View on TE.com >



Connectors > Connector Accessories > Connector Strain Relief > Crimp Barrel for D-Sub Connectors



Strain Relief Accessory Type: Crimp Barrel

Shielded: Yes

Thread Size: None

Operating Temperature Range: -40 – 90 °C [-40 – 194 °F]

All Crimp Barrel for D-Sub Connectors (22)

Features

Product Type Features

Strain Relief Accessory Type	Crimp Barrel							
Mechanical Attachment								
Thread Size	None							
Usage Conditions								
Operating Temperature Range	-40 - 90 °C[-40 - 194 °F]							
Operation/Application								
Shielded	Yes							
Product Compliance For compliance documentation, visit the product page on TE.com>								
EU RoHS Directive 2011/65/EU	Compliant with Exemptions							
EU ELV Directive 2000/53/EC	Not Yet Reviewed							
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold							
EU REACH Regulation (EC) No. 1907/2006								

Crimp Barrel, Shielded, Rail D-Sub Backshells



Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Pb (3.5% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Halogen Content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts




Also in the Series | Rail D-Sub Backshells




Crimp Barrel, Shielded, Rail D-Sub Backshells





Customers Also Bought



NETT WARRIOR PLUG ASSEMBLY	CONTACT, PIN, CRIMPED, SIZE 23	CONTACT, PIN, CRIMPED, SIZE 23,	CONTACT, SOCKET, HOODED,
		GND	CRIMP, SIZE23

Documents

Product Drawings

CRIMP BARREL5

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2308350-5_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2308350-5_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2308350-5_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

S For support call+1 800 522 6752

1-2308350-5

Crimp Barrel, Shielded, Rail D-Sub Backshells



Datasheets & Catalog Pages Rail D-Sub Backshells Flyer

English