HCP10DTE3L04 <

TE Internal #: 1-2439028-6 Snap Action Switches, Single Pole - Double Throw Configuration (Pole-Throw), Extended Lever Actuator Style, 10 A, 125 VAC, 250 VDC

View on TE.com >

Relays, Contactors & Switches > Switches > Snap Action Switches



Configuration (Pole-Throw): Single Pole - Double Throw

Actuator Style: Extended Lever

Snap Action Switch Contact Current Rating: 10 A

Snap Action Switch Voltage Rating: 250 VDC

Features

Product Type Features

ennectivity

Product Type	Switch
Switch Type	Snap Action
Actuator Style	Extended Lever
Switch Connection Type	Quick Connect Terminal
Switch Style	Miniature
Configuration Features	
Operating Position	15.3 mm[.602 in]
Configuration (Pole-Throw)	Single Pole - Double Throw
Electrical Characteristics	
Snap Action Switch Voltage Rating	250 VDC
Body Features	
Movement Differential	2.1 mm[.082 in]
Releasing Force	5 g[.176 oz]
Contact Features	
Snap Action Switch Contact Current Rating	10 A

HCP10DTE3L04

Snap Action Switches, Single Pole - Double Throw Configuration (Pole-Throw), Extended Lever Actuator Style, 10 A, 125 VAC, 250 VDC



Termination Type.25 x .2 Ouick Connect TerminalsMechanical AttachmentVerticalSnap Action Switch Mounting AngleVerticalHousing FeaturesPBTI housing MaterialPBTDimensions9.3 mm[.366 in]Operation/ApplicationVertical		
Snap Action Switch Mounting AngleVerticalHousing FeaturesPBTI Housing MaterialPBTDimensions9.3 mm[.366 in]	Termination Type	.25 x .2 Quick Connect Terminals
Housing Features Housing Material PBT Dimensions Pre Travel 9.3 mm[.366 in]	Mechanical Attachment	
Housing MaterialPBTDimensions9.3 mm[.366 in]	Snap Action Switch Mounting Angle	Vertical
Dimensions Pre Travel 9.3 mm[.366 in]	Housing Features	
Pre Travel 9.3 mm[.366 in]	Housing Material	PBT
	Dimensions	
Operation/Application	Pre Travel	9.3 mm[.366 in]
	Operation/Application	
Operating Force 50 g[1.763 oz]	Operating Force	50 g[1.763 oz]
Product Compliance For compliance documentation, visit the product page on TE.com>	·	
EU RoHS Directive 2011/65/EU Compliant	EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC Not Yet Reviewed	EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016 No Restricted Materials Above Threshold	China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023

(235)Candidate List Declared Against: JUNE2023 (235)Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Halogen Content

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

HCP10DTE3L04

Snap Action Switches, Single Pole - Double Throw Configuration (Pole-Throw), Extended Lever Actuator Style, 10 A, 125 VAC, 250 VDC



Compatible Parts



Documents

Product Drawings HCP 10A, Lgt Force, 0.250 Term. Ext LVR

English

CAD Files

Customer View Model ENG_CVM_CVM_1-2439028-6_A.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_1-2439028-6_A.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_1-2439028-6_A.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages ALCOSWITCH_HCP_SERIES

English