1-338084-6 - ACTIVE

TE Internal #: 1-338084-6 RJ22 Connectors, Standard Profile, RJ Type Jacks & Plugs, Standard Connector Contact Density, Jack, Vertical, Cat 3, Surface Mount, Top Entry

View on TE.com >

Connectors > Modular Jacks & Plugs > RJ22 Connectors



Connector Profile: Standard

Modular Jacks & Plugs Products: RJ Type Jacks & Plugs

Connector Contact Density: Standard

Modular Connector Style: Jack

PCB Mount Orientation: Vertical

### Features

Product Type Features



Modular Jacks & Plugs Products	RJ Type Jacks & Plugs
Modular Connector Style	Jack
Connector System	Cable-to-Board
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Port Matrix Configuration	1 x 1
Port Configuration	Single Port
Connector Contact Density	Standard
PCB Mount Orientation	Vertical
Number of Positions	4
Number of Loaded Positions	4
Body Features	
Modular Jack Latch Orientation	Standard - Latch Down

RJ22 Connectors, Standard Profile, RJ Type Jacks & Plugs, Standard Connector Contact Density, Jack, Vertical, Cat 3, Surface Mount, Top Entry



### **Contact Features**

Contact Underplating Material	Nickel
Contact Base Material	Phosphor Bronze
Contact Mating Area Plating Material	Gold or Gold Flash over Palladium Nickel
Contact Current Rating (Max)	1.5 A
PCB Contact Termination Area Plating Material	Tin
Termination Features	
Termination Method to Printed Circuit Board	Surface Mount
Mechanical Attachment	
Panel Mount Feature	Without
Connector Mounting Type	Board Mount
Housing Features	
Housing Color	Black
Mating Entry Location	Тор
Housing Material	PA 9T GF
Centerline (Pitch)	1.02 mm[.04 in]

### Dimensions

PCB Thickness (Recommended)	1.6 mm[.063 in]
Connector Height	12.7 mm[.5 in]
Usage Conditions	
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
Operation/Application	
Shielded	No
Circuit Application	Signal
Industry Standards	
Performance Category	Cat 3
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Reel
Packaging Quantity	300

**Product Compliance** 

**C** For support call+1 800 522 6752

RJ22 Connectors, Standard Profile, RJ Type Jacks & Plugs, Standard Connector Contact Density, Jack, Vertical, Cat 3, Surface Mount, Top Entry



#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach


# **Compatible Parts**



# **Customers Also Bought**

RJ22 Connectors, Standard Profile, RJ Type Jacks & Plugs, Standard Connector Contact Density, Jack, Vertical, Cat 3, Surface Mount, Top Entry





## Documents

Product Drawings 4/4 INV.MOD.JACK

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1-338084-6\_AB.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1-338084-6\_AB.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1-338084-6\_AB.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**C** For support call+1 800 522 6752

RJ22 Connectors, Standard Profile, RJ Type Jacks & Plugs, Standard Connector Contact Density, Jack, Vertical, Cat 3, Surface Mount, Top Entry



### AMP surface mount modular jack

English

Application Specification

English

Product Environmental Compliance

**TE Material Declaration** 

English

Agency Approvals

UL Report

English