1-487544-7 - ACTIVE

TE Internal #: 1-487544-7 FFC Connectors, Housing, Wire-to-Board, 20 Position, 1.27 mm [.05 in] Centerline, 1 Row, Socket, Package, Mating Retention, Normal, Straight, Black

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > FFC Connectors > FFC Receptacle Housing: 1.27mm



FFC Connector Product Type: Housing

Connector System: Wire-to-Board

Number of Positions: 20

Centerline (Pitch): 1.27 mm [.05 in]

Number of Rows: 1

All FFC Receptacle Housing: 1.27mm (52)

Features

Product Type Features

Connector & Housing Type	Receptacle						
FFC Connector Product Type	Housing						
Connector System	Wire-to-Board						
Connector & Contact Terminates To	Wire & Cable						
Insertion Force Type	Normal						
Configuration Features							
Number of Positions	20						
Number of Rows	1						
Electrical Characteristics							
Dielectric Withstanding Voltage (Max)	300 VAC						
Insulation Resistance	5000 MΩ						
Operating Voltage	100 VAC						
Body Features							

C For support call+1 800 522 6752

FFC Connectors, Housing, Wire-to-Board, 20 Position, 1.27 mm [.05 in] Centerline, 1 Row, Socket, Package, Mating Retention, Normal, Straight, Black



Primary Product Color	Black					
Contact Features						
Contact Type	Socket					
Mechanical Attachment						
Mating Retention Type	Detent Window					
Mating Retention	With					
Mating Alignment	Without					
Panel Mount Feature	Without					
Connector Mounting Type	Cable Mount (Free-Hanging)					
Housing Features						
Housing Material	Polyester					
Centerline (Pitch)	1.27 mm[.05 in]					
FFC Cable Entry	Straight					
Usage Conditions						
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]					
Operation/Application						
Circuit Application	Signal					

Industry Standards

UL Flammability Rating	UL 94V-0							
Packaging Features								
Packaging Quantity	1							
Packaging Method	Package							
Other								
Wire-to-Board Connector Comment	Note 1: Plain housings are side-to-side stackable on either straight or right-angle post, unshrouded AMPMODU System 50 headers, Note 2: For end-to-end stacking, the posts located between the adjoining housings must be removed to provide housing end clearance							

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant

FFC Connectors, Housing, Wire-to-Board, 20 Position, 1.27 mm [.05 in] Centerline, 1 Row, Socket, Package, Mating Retention, Normal, Straight, Black



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts




FFC Connectors, Housing, Wire-to-Board, 20 Position, 1.27 mm [.05 in] Centerline, 1 Row, Socket, Package, Mating Retention, Normal, Straight, Black





Customers Also Bought



RL73H 2E R18 1% 5K RL	20 SYS 50 HDR SRST UNSHRD SN	10P,2MM,BRK HDR,SRRT,2.8,0.1AU,	3550 3R9 1%
		BOX	

Documents

Product Drawings 020 HOUSING FFC RCPT 050CL SR

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_1-487544-7_Z.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-487544-7_Z.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-487544-7_Z.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

C For support call+1 800 522 6752

FFC Connectors, Housing, Wire-to-Board, 20 Position, 1.27 mm [.05 in] Centerline, 1 Row, Socket, Package, Mating Retention, Normal, Straight, Black



Datasheets & Catalog Pages AMPMODU_INTERCONNECTION_SYSTEM_SECTION3AND4

English

Product SpecificationsApplication SpecificationEnglishApplication SpecificationEnglish