

1-640415-0 ✓ ACTIVE

MATE-N-LOK | Universal MATE-N-LOK


TE Internal #: 1-640415-0

Rectangular Connector Keying Plugs, Keying Plug, -55 – 105 °C [-67 – 221 °F], Universal MATE-N-LOK

[View on TE.com >](#)



Connectors > Rectangular Connectors > Rectangular Connector Accessories > Rectangular Connector Keying Plugs



Connector Keying Accessory Type: **Keying Plug**

Operating Temperature Range: -55 – 105 °C [-67 – 221 °F]

Features

Product Type Features

Connector Keying Accessory Type	Keying Plug
---------------------------------	-------------

Body Features

Primary Product Color	White
-----------------------	-------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	10000
Packaging Method	Package

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023 (235)

Candidate List Declared Against: JUNE 2023 (235)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-640415-1
UMNL KEYING PLUG V2 NATL



TE Part # 794993-1
06P UMNL BLACK INTERFACE SEAL



TE Part # 2029268-1
06P UMNL WIRE SEAL IN-LINE



TE Part # 641778-2
UMNL STR/REL ADAPTER *NO NIBS*



TE Part # 1586099-1
06P UMNL WIRE SEAL GRAY 12AWG



TE Part # 2029383-1
06P UMNL-II FRONT2RR FOAM SPCR



TE Part # 2029442-1
06P UMNL-II TPA FOAM SPACER

Also in the Series | [Universal MATE-N-LOK](#)



Circular Power Connectors(2)



Connector Contacts(2)




Connector Seals & Cavity Plugs(27)



Connector Strain Relief(34)



Insertion & Extraction Tools(4)



Power Contacts(207)



Rectangular Connector Adapters(7)



Rectangular Connector Hardware(1)



Rectangular Connector Housings(1)



Rectangular Connector Keying Plugs(3)



Rectangular Connector Locking(8)



Rectangular Power Connectors(672)

Customers Also Bought



TE Part #926298-7
UNIVERSAL MATE-N-LOK 4 WAY
PLUG



TE Part #4-1437646-2
3PCV-04-006=733004600



TE Part #66565-1
III+ SKT,24-20,30AU>10,LP



TE Part #737107-1
110 FASTON REC 20-17 AWG BR



TE Part #1534160-1
AMP MCP 1.5K, CONTACT, SWS



TE Part #C63309-000
B-155-3806



TE Part #2266592-1
OCEAN_2.0_Applicator-S-090F110F



TE Part #5-2151375-1
OCEAN_2.0_APPLICATION-S-035F059F



Documents

Product Drawings

UMNL KEYING PLUG V0

English

CAD Files

Customer View Model

[ENG_CVM_1-640415-0_C.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_1-640415-0_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_1-640415-0_C.3d_stp.zip](#)

English

3D PDF

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1-640415-0_M.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-640415-0_M.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-640415-0_M.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY

English

Product Specifications

Application Specification

English



Product Environmental Compliance

[Product Compliance Document](#)

English

[Product Compliance Document](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English