

1-643067-4 ✓ ACTIVE

MTA 156

TE Internal #: 1-643067-4

PCB Connector Covers, 14 Position, .156 in [3.96 mm] Centerline,
Nylon, Standard Product Profile, -55 – 105 °C [-67 – 221 °F], MTA
156

[View on TE.com >](#)



Connectors > PCB Connectors > PCB Connector Accessories > PCB Protection & Strain Relief > PCB Connector Covers



Number of Positions: **14**

Centerline (Pitch): **3.96 mm [.156 in]**

Primary Product Material: **Nylon**

Product Profile: **Standard**

Operating Temperature Range: **-55 – 105 °C [-67 – 221 °F]**

Features

Product Type Features

Product Profile	Standard
-----------------	----------

Configuration Features

Number of Positions	14
---------------------	----

Body Features

Primary Product Color	White
-----------------------	-------

Primary Product Material	Nylon
--------------------------	-------

Housing Features

Centerline (Pitch)	3.96 mm [.156 in]
--------------------	-------------------

Usage Conditions

Compatible With IDC Installation Type Connector	Closed End
---	------------

Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]
-----------------------------	-----------------------------

Industry Standards

UL Flammability Rating	UL 94V-2
------------------------	----------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # CAT-103156-WBHSM Receptacle Housing: Wire-to-Board, with Mating Alignment, SL156</p>	 <p>TE Part # CAT-103156-WBHSN Receptacle Housing: Wire-to-Board, no Mating Alignment, SL 156</p>	 <p>TE Part # 1-640445-4 14P MTA156 HDR ASSY FL/STR SN</p>	 <p>TE Part # 1-640387-4 14P MTA156 HDR ASSY SQ R/A</p>
---	---	---	--



Also in the Series | **MTA 156**





PCB Headers & Receptacles(314)



Power Contacts(2)



Rectangular Power Connectors(698)




Standard Rectangular Connectors(337)



Wire-to-Board Connector Contacts(2)


Customers Also Bought



TE Part #643067-6
06P MTA156 MOLDED COVER



TE Part #3-643817-6
06P MTA156 CONN ASSY 18AWG
ORA




TE Part #643067-2
02P MTA156 MOLDED COVER




TE Part #3-640426-3
03P MTA156 CONN ASSY 18AWG
ORA



TE Part #3-643817-3
03P MTA156 CONN ASSY 18AWG
ORA



TE Part #1-643067-2
12P MTA156 MOLDED COVER



TE Part #643067-4
04P MTA156 CMOLDED COVER



TE Part #3-640426-2
02P MTA156 CONN ASSY 18AWG
ORA



TE Part #4-643817-2
12P MTA156 CONN ASSY 18AWG LF



TE Part #3-643817-4
04P MTA156 CONN ASSY 18AWG
ORA

Documents



Product Drawings

14P MTA156 MOLDED COVER

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1-643067-4_P.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-643067-4_P.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-643067-4_P.3d_stp.zip](#)

English

3D PDF

English

Customer View Model

[ENG_CVM_1-643067-4_G.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_1-643067-4_G.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_1-643067-4_G.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

Japanese

Application Specification

English

MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)

English

MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)

Japanese

Product Environmental Compliance

TE Material Declaration

English

Instruction Sheets

Instruction Sheet (U.S.)

English

1-643067-4

PCB Connector Covers, 14 Position, .156 in [3.96 mm] Centerline, Nylon, Standard
Product Profile, -55 – 105 °C [-67 – 221 °F], MTA 156

