### AMP | Timer Connector System


TE Internal #: 1-962349-1

Housing for Male Terminals, Wire-to-Panel, 6 Position, .197 in [5 mm] Centerline, Black, Wire & Cable, Signal, Panel Mount, Timer

Connector System
View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > Timer Connector Housing



Connector System: Wire-to-Panel

Number of Positions: 6

Connector & Housing Type: Housing for Male Terminals

Centerline (Pitch): 5 mm [.197 in]

Sealable: No

All Timer Connector Housing (585)

### **Features**

### **Product Type Features**

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Panel
Connector & Housing Type	Housing for Male Terminals
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	On the Terminal
Configuration Features	
Number of Positions	6
Number of Rows	2
Electrical Characteristics	
Nominal Voltage Architecture	12 V
Body Features	
Primary Product Color	Black

A1

Connector & Keying Code



Contact Size	2.8mm
Contact Type  Mating Tab Width	7.9 mm[ 11 in]
Mating Tab Width  Contact Current Pating (May)	2.8 mm[.11 in] 10 A
Contact Current Rating (Max)	TO A
Mechanical Attachment	
Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Panel Mount
Housing Features	
Housing Material	PBT GF
Centerline (Pitch)	5 mm[.197 in]
Dimensions	
Connector Height	38 mm[1.496 in]
Product Width	26.6 mm[1.047 in]
Product Length	20.2 mm[.795 in]
Row-to-Row Spacing	6 mm[.236 in]
Usage Conditions	
Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Carton
Other	
Serviceable	No
Connector Position Assurance Capable	No

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**







# Also in the Series | Timer Connector System



Automotive Connector Caps & Covers (12)



Automotive Connector Locks & Position Assurance(17)



Automotive Housings(233)



Automotive Terminals(145)





Connector Seals & Cavity Plugs(32)




Crimp Terminal Housings(13)



Insertion & Extraction Tools(18)



Other Automotive Connector Accessories(1)



PCB Headers & Receptacles(82)



Quick Disconnects(4)

## Customers Also Bought



TE Part #1-794218-0 MINI UMNL2 PIN 26-22AWG AU LF




TE Part #925016 4P FF .110 HOUSING REC PA66 NATURAL



TE Part #1-967239-1 JPT GEH KPL GEH 2P



TE Part #150572-2 MINI FASTON 110 REC 20-16 AWG TPBR



TE Part #185027-1 JPT F REC 2.8 Contact SWS Sn



TE Part #1924937-1 PLUG SUBASSEMBLY, RG174, FAKRA



TE Part #254154-E MRDEZT M08 GEHAEUSETEIL FL ABST. 9MM \* \*



TE Part #254737-E

MRDEZT M12 GEH.TEIL ML DM 8,35

A=9MM \* \*



TE Part #394863-E
MRDEZT M12 GEH.TEIL ML DM 9,55
A=13MM \*

TE Part #925014
2 P FF 110(2.8 MM) HOUSING
RECEPTACLE

### **Documents**



### **Product Drawings**

6P STIFT-GEH 3MM

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_1-962349-1\_E1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_1-962349-1\_E1.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_1-962349-1\_E1.2d\_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

Timer Interconnection System

English

### **Product Specifications**

**Application Specification** 

English