



Timer Connector System

TE Internal #: 1-963211-1

PCB Mount Header, Horizontal, Wire-to-Board, 6 Position, 5 mm [.197 in] Centerline, Fully Shrouded, Tin, Through Hole - Solder, Timer Connector System

[View on TE.com >](#)

Connectors > PCB Connectors > PCB Headers & Receptacles > Low & Medium Power Header



Connector System: **Wire-to-Board**
Number of Positions: **6**
Centerline (Pitch): **5 mm [.197 in]**
Sealable: **No**
PCB Mount Orientation: **Horizontal**

[All Low & Medium Power Header \(156\)](#)

Features

Product Type Features

Hybrid Header	No
Connector Shape	Rectangular
PCB Connector Assembly Type	PCB Mount Header
Header Type	Fully Shrouded
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Sections	1
Number of Positions	6
PCB Mount Orientation	Horizontal
Number of Rows	2



Body Features

Primary Product Color	Black
Connector & Keying Code	A1

Contact Features

Contact Size	3mm
Contact Type	Tab
Mating Tab Width	3 mm[.118 in]
Mating Tab Thickness	.8 mm[.031 in]
Contact Mating Area Plating Material	Tin

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
---	-----------------------

Mechanical Attachment

Mounting Holes	Without
Mating Retention	With
Mating Alignment	With
PCB Mount Alignment	Without
PCB Mount Retention	With
PCB Mount Retention Type	Mounting Hole
Mating Retention Type	Locking Interface

Housing Features

Centerline (Pitch)	5 mm[.197 in]
--------------------	---------------

Dimensions

Connector Length	34.6 mm[1.349 in]
------------------	-------------------

Operation/Application

Shielded	No
Circuit Application	Signal

Packaging Features

Packaging Type	Loose Piece
Packaging Quantity	400

Product Compliance

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 240°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-T4827-CH8172
Timer Connector Housing



TE Part # 963205-1
SEAL



TE Part # 2-1452319-1
JPT HOUSING SEAL 6P



TE Part # 1-963212-9
6P J-P-T GEH KOMPL

Also in the Series | Timer Connector System



Automotive Connector Caps & Covers (12)



Automotive Connector Locks & Position Assurance(16)



Automotive Housings(234)



Automotive Seals & Cavity Plugs(32)



Automotive Terminals(145)



Crimp Terminal Housings(13)



Insertion & Extraction Tools(19)



Other Automotive Connector Accessories(1)



PCB Headers & Receptacles(77)



Quick Disconnects(4)


Customers Also Bought



TE Part #3-338169-2
15P HDP20 PLUG ASSY



TE Part #5380635-2
RCR AU-SPR SN-CUP OE 018-040



TE Part #5084616-3
0.8FH,R13H.5,080,08/Sn,TR,SC



TE Part #2-1622825-5
RL73K 3A R68 5% 1K REEL



TE Part #1-1879021-3
SMW3 R33 5%



TE Part #1717468-4
SEMI-HARD TRAY DDR2 SODIMM
SOCKET 200P 6



TE Part #1SNA162315R2500
HD6/14.SF.2G.2G



TE Part #123730-E
STVH11 11 M B V 3-00 LA * B017 199 E
016

Documents



Product Drawings

6P STIFTWANNE 3MM

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1-963211-1_E.3d_igs.zip

English

Customer View Model

ENG_CVM_1-963211-1_E.3d_stp.zip

English

Customer View Model

ENG_CVM_1-963211-1_E.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

JPT/Tab ab 2.8mm Geh.-Serie 2 bis 24 pol.

English