M5600-00000E-350BG ACTIVE

MEAS | MEAS M5600

TE Internal #: 10202005-00

TE Internal Description: PRESS XDCR M5600-00000E-350BG

Wireless Pressure Transducer

View on TE.com >



Sensors > Pressure Sensors > Pressure Transducers > Wireless Pressure Transducer



Pressure Transducer Sensor Type: Wireless Pressure Transducer

Pressure Range: 0 – 350 bar
Pressure Type: Gauge

Pressure Transducer Supply Voltage: 2.7 V

Output/Span: Bluetooth

All Wireless Pressure Transducer (16)

Features

| Product Type Features | |
|------------------------------------|--------------------------------------|
| Pressure Transducer Sensor Type | Wireless Pressure Transducer |
| Pressure Type | Gauge |
| Configuration Features | |
| Electrical Connection | No Connector |
| Pressure Port/Fitting | 1/4 MBSPP |
| Electrical Characteristics | |
| Pressure Transducer Supply Voltage | 2.7 V |
| Dimensions | |
| Dimensions | 24 x 24 x 69 mm[.94 x .94 x 2.71 in] |
| Usage Conditions | |
| Pressure | 350 bar[5000 psi] |
| Operating Temperature Range | -20 - 85 °C[-4 - 185 °F] |
| Operation/Application | |

2X Rated

 $0 - 350 \, bar$

Bluetooth

Proof Pressure Range

Pressure Range

Output/Span



Pressure Accuracy ±0.25% FSO

Other

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
|---|--|
| EU ELV Directive 2000/53/EC | Compliant with Exemptions |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Dodecamethylcyclohexasiloxane (D6) (.85% in 736 RED GLUE) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Not Yet Reviewed for halogen content |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



09/26/2023 11:15AM | Page 2



Also in the Series | MEAS M5600



Customers Also Bought



















Documents

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_10202005-00_C.2d_dxf.zip

English



Customer View Model

ENG_CVM_CVM_10202005-00_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_10202005-00_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

M5600

English

Product Specifications

Purchase Specification

English