

MEAS | MEAS PTF

TE Internal #: 10213359-00

TE Internal Description: Pt100, 2.0x2.3, Class B, PTFC101BC1G0

Pt100 RTD Thin Film Element

View on TE.com >



Sensors > Temperature Sensors > RTD Sensors > RTD Sensor Elements > Pt100 RTD Thin Film Element



RTD Element Type: Platinum Thin Film Temperature Element

Tolerance Class: Class B / F0.3

Element Package: Ceramic

Element Material: Platinum

Lead Wire Style: Ni/Au

All Pt100 RTD Thin Film Element (27)

Features

Product Type Features

Wire/Cladding Type	Ni/Au
Model Number	PTFC101BC1G0
RTD Element Type	Platinum Thin Film Temperature Element
Element Material	Platinum
Lead Wire Style	Ni/Au

Configuration Features

Connector Type	Open Ends
21	1

Dimensions

Height (Body)	1.1 mm[.043 in]
Wire Length	10 mm[.393 in]
Wire Diameter	.25 mm[.009 in]
Length (Body)	2.3 mm[.09 in]
Width (Body)	2 mm[.078 in]

Usage Conditions

Resistance (at T_ref)	100 (0 °C) Ω
T_ref for Accuracy	0 °C



Ambient Temperature Range	-200 - 200 °C[-328 - 392 °F]
T1 and T2 for TCR	0 and +100 °C
TCR at (T1 and T2)	3850 ppm/°C
Accuracy (at T_ref)	± .3 °C
T_ref for Resistance	0 °C
Maximum Temperature	200 °C[392 °F]

Packaging Features

Element Package	Ceramic
_remember a energy	3 3 3 3 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7

Other

Tolerance Class	Class B / F0.3
Wire Count	2

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts










Also in the Series | MEAS PTF



Customers Also Bought




TE Part #3-1609115-3 10EGG1-2=F8226



TE Part #11027566-00 55031 GEM THERM




TE Part #3-1478762-7 METAL BACKSHELL 37 WAY TOP E



SLIDING LOCK POST KIT



TE Part #1-102387-3 44 MOD IV HSG COMP DR .100 POL



TE Part #5205818-3 FEMALE SCREWLOCK,PLTD



TE Part #170214-2 187 FASTON, REC., 24-20 AWG, TPBR



TE Part #1-1757824-0 AMPLIMITE, ASY, RCPT, STD, 90, ZN, 4, CT



TE Part #NB14912001 DWP-125-3/4-0-STK



TE Part #2238143-1 250 FASTON,REC.,22-18 AWG,NPST



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_10213359-00_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_10213359-00_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_10213359-00_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

PTFC101BC1G0

English

Pt100, 2.0x2.3, Class B, PTFC101BC1G0

English