

1060-16-0644 ✓ ACTIVE

DEUTSCH | DEUTSCH Common Contact

TE Internal #: 1060-16-0644

Automotive Terminals, Pin, Pin Diameter 1.59 mm [.063 in], 20 – 16

AWG Wire Size, .52 – 1.31 mm<sup>2</sup> Wire Size, DEUTSCH Common

Contact

[View on TE.com >](#)



Terminals & Splices > Automotive Terminals > DEUTSCH Size 16 Crimp Contacts



Terminal Type: **Pin**

Mating Pin Diameter: **1.59 mm [ .063 in ]**

Terminal Transmits: **0 – 24 A (Low Power)**

Wire Size: **.52 – 1.31 mm<sup>2</sup>**

[All DEUTSCH Size 16 Crimp Contacts \(28\)](#)

## Features

### Product Type Features

Sealable	No
Primary Locking Feature	On the Terminal

### Contact Features

Contact Size	Size 16
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Typical Current Rating	13 A
Crimp Type	F-Crimp
Terminal Type	Pin
Mating Pin Diameter	1.59 mm [.063 in]
Interface Plating	Gold (Au)

### Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

### Dimensions

Compatible Insulation Diameter Range	1.4 – 2.54 mm [.055 – .1 in]
Wire Size	.52 – 1.31 mm <sup>2</sup>



Wire Size Search	16 AWG, 17 AWG, 18 AWG, 19 AWG, 20 AWG
------------------	--

### Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °C, 145 °C, 150 °C [176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F][284 °F][293 °F][302 °F]
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]

### Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

### Packaging Features

Packaging Quantity	4000
Packaging Method	Reel

### Other

Customer Preferred Contact	Yes
Terminal Transmits	0 – 24 A (Low Power)

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these


limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts






TE Part # CAT-D487-CH8172  
DEUTSCH DT Series Housings & Connectors



TE Part # CAT-ST858-CH8172  
DEUTSCH Strike Housings




TE Part # 2266111-1  
OCEAN\_2.0\_APPLICATOR-S-074F0520




TE Part # 7-2266111-7  
OCEAN\_2.0\_SPARE\_PART\_KIT-074F0520  
KIT  
REPRESENTATION ONLY

## Also in the Series | DEUTSCH Common Contact



Automotive Terminals(91)



Insertion & Extraction Tools(8)

## Customers Also Bought



TE Part #647878-1  
SERIES 50 & 75 CONTACT,8 AWG



TE Part #2355184-5  
5P,2MM,BRK HDR,SRVT,2.8,0.76AU,TB W/CAP



TE Part #CAT-LLS0027  
Horizontal Compact Liquid Level Switches




TE Part #1011-086-0605  
DEUTSCH DT Retention Sleeves



TE Part #1060-16-0622  
PIN, SF, SIZE 16, 16-20, NI/SN



TE Part #1670365-2  
COVER MIXED, 180, 2-3POS, NW4.5



TE Part #2371244-3  
SWS,DIA 4MM,ICT CVE



TE Part #EK5493-000  
ES2000-NO.8-A1-0-2IN

## Documents

### Product Drawings

PIN, SF, SIZE 16, 16-20, AU/SN

English

### CAD Files

3D PDF

3D



**Customer View Model**

[ENG\\_CVM\\_CVM\\_1060-16-0644\\_J.2d\\_dxf.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1060-16-0644\\_J.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1060-16-0644\\_J.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

**Datasheets & Catalog Pages**

[CONNECTOR SELECTOR](#)

English

---

**Product Specifications**

[Application Specification](#)

English