1217142-1 <

SHUR-PLUG 180

TE Internal #: 1217142-1 Crimp Wire Pins, Tabs & Ferrules, Shur-Plug, Mating Pin Diameter 4.57 mm [.18 in], 12 – 8 AWG Wire Size, 2.64 – 3.32 mm² Wire Size, SHUR-PLUG 180

View on TE.com >

Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: Shur-Plug Mating Pin Diameter: 4.57 mm [.18 in]

Wire Size: 6529 – 16507 CMA

Features

Product Type Features

Compatible With Discrete Wire Type	Stranded
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Contact Features	
Crimp Wire Terminal Type	Shur-Plug
Mating Pin Diameter	4.57 mm[.18 in]
Barrel Type	Open
Terminal Plating Material	Tin
Terminal Orientation	Straight
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	
Wire Size	6529 – 16507 CMA
Barrel Inside Diameter	3.3 mm[.13 in]
Terminal Material Thickness	.76 mm[.03 in]



C For support call+1 800 522 6752

1217142-1

Crimp Wire Pins, Tabs & Ferrules, Shur-Plug, Mating Pin Diameter 4.57 mm [.18 in], 12 – 8 AWG Wire Size, 2.64 – 3.32 mm² Wire Size, SHUR-PLUG 180



Overall Product Length	39.5 mm[1.56 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Packaging Features	
Packaging Quantity	2000
Packaging Method	Reel
Other	
Terminals & Splices Comment	Can be molded.
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE

2023 (235) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

1217142-1

Crimp Wire Pins, Tabs & Ferrules, Shur-Plug, Mating Pin Diameter 4.57 mm [.18 in], 12 – 8 AWG Wire Size, 2.64 – 3.32 mm² Wire Size, SHUR-PLUG 180





Also in the Series | SHUR-PLUG 180




Customers Also Bought



1217142-1

Crimp Wire Pins, Tabs & Ferrules, Shur-Plug, Mating Pin Diameter 4.57 mm [.18 in], 12 – 8 AWG Wire Size, 2.64 – 3.32 mm² Wire Size, SHUR-PLUG 180







Documents

Product Drawings SHUR PLUG 180 12-8 AWG TPBR

English

CAD Files 3D PDF

3D

Customer View Model ENG_CVM_CVM_1217142-1_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1217142-1_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1217142-1_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Product Specification

English