


PIDG

TE Internal #: 130521 Spade Tongue Terminal, 22 – 16 AWG, M2.5 Stud Size, 3.1 mm [. 118 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG

View on TE.com >

Terminals & Splices > Spade Terminals



Spade Terminal Type: Spade Tongue Terminal

Wire Size: 509 – 3260 CMA

Stud Size: M2.5

Features

Product Type Features

Stud Size	M2.5					
Sealable	No					
Wire Insulation Support Retention Type	Insulation Support					
Electrical Characteristics						
Voltage Rating	300 V					
Body Features						
Insulation Sleeve Color	Red					
Stripe Color	Red					
Contact Features						
Spade Terminal Type	Spade Tongue Terminal					
Barrel Type	Closed					
Terminal Orientation	Straight					
Terminal Plating Material	Tin					
Mechanical Attachment						
Wire Insulation Support	With					



Spade Tongue Terminal, 22 – 16 AWG, M2.5 Stud Size, 3.1 mm [.118 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



Dimensions

Wire Size	509 – 3260 CMA					
Stud Diameter	3.1 mm[.118 in]					
Tongue Thickness	.79 mm[.031 in]					
Product Length	19.6 mm[.772 in]					
Compatible Insulation Diameter (Max)	3.18 mm[.125 in]					
Compatible Insulation Diameter Range	1.98 – 3.18 mm[.078 – .125 in]					
Usage Conditions						
Insulation Option	Partially Insulated					
Operating Temperature Range	105 °C[221 °F]					
Operation/Application						
Compatible With Wire Base Material	Copper					
Compatible With Wire Plating Material	Tin					
Industry Standards						
Government Qualified Terminal	No					
Packaging Features						
Packaging Quantity	1000					

Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC		
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free		
Solder Process Capability	Not applicable for solder process capability		


Product Compliance Disclaimer

Spade Tongue Terminal, 22 – 16 AWG, M2.5 Stud Size, 3.1 mm [.118 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




		_	
TE Part # 1SET191001R0000	TE Part # 1SET191002R0000	TE Part # 169404	
CRIMP-HT	TET CRIMP-HT	CERTI-LOK DIE	

Also in the Series | PIDG

Compression Connectors(17)	Crimp Terminal Housings(1)	Crimp Wire Pins, Tabs & Ferrules(41)	Hand Crimping Tools(2)

Spade Tongue Terminal, 22 – 16 AWG, M2.5 Stud Size, 3.1 mm [.118 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG





Customers Also Bought



02 MODII HDR SRST B/A .100CL

RN 0402 11K 0.1% 10PPM 1K RL

DUST COVER ASSEM

Documents

Product Drawings PIDG SPADE, 22-16 #4

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_130521_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_130521_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_130521_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Spade Tongue Terminal, 22 – 16 AWG, M2.5 Stud Size, 3.1 mm [.118 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



Product Specifications Application Specification

English

Product Environmental Compliance

MD_130521_12032018038_dmtec

English

MD_130521_12032018038_dmtec

English

Agency Approvals UL Report

English