

AMP | Junior Power Timer

TE Internal #: 1355204-2 Housing for Female Terminals, Wire-to-Board, 17 Position, .196 in [5 mm] Centerline, Red, Signal, Cable Mount (Free-Hanging), Junior Power Timer

View on TE.com >

Connectors > Automotive Connectors > Automotive Housings > Timer Connector Housing



Connector System: Wire-to-Board

Number of Positions: 17

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 5 mm [.196 in]

Sealable: No

All Timer Connector Housing (585)



Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Board
Connector & Housing Type	Housing for Female Terminals
Sealable	No
Primary Locking Feature	Integrated in Housing
Configuration Features	
Configuration Features Number of Positions	17
	17 3
Number of Positions	
Number of Positions Number of Rows	

Housing for Female Terminals, Wire-to-Board, 17 Position, .196 in [5 mm] Centerline, Red, Signal, Cable Mount (Free-Hanging), Junior Power Timer



Contact Features

Contact Size	2.8mm
Contact Type	Receptacle
Mating Tab Width	2.8 mm[.11 in]
Mechanical Attachment	
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Polarization Rib
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PBT GF
Centerline (Pitch)	5 mm[.196 in]
Dimensions	
Connector Height	26.1 mm[1.02 in]
Product Width	26.5 mm[1.04 in]
Product Length	31.2 mm[1.22 in]
Row-to-Row Spacing	5.5 mm[.216 in]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	1200
Packaging Method	Carton
Other	
Serviceable	No
Connector Position Assurance Capable	No
Connector Position Assurance Capable Product Compliance For compliance documentation, visit the product page on TE.com>	No
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

Housing for Female Terminals, Wire-to-Board, 17 Position, .196 in [5 mm] Centerline, Red, Signal, Cable Mount (Free-Hanging), Junior Power Timer



EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.

Halogen Content

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts






Also in the Series Junior Power Timer



Housing for Female Terminals, Wire-to-Board, 17 Position, .196 in [5 mm] Centerline, Red, Signal, Cable Mount (Free-Hanging), Junior Power Timer







PCB Headers & Receptacles(1)

Customers Also Bought



AMP MCP Unsealed Connector Housings	AMP MCP 2.8 SOCKET HSG.,15POS. ASSY	4CCT BLACK RECEP W/SMALL SEAL	FLA-STE-GEH2,8 17P
			TE TE
TE Part #1SNA115530R1200 MA2.5/5.D1.1	TE Part #1SNA118495R1700 SCF6D	TE Part #1SNA176278R1600 BJMI5-2	TE Part #1-963749-1 TAB TAB 1.0-2.5 MM2 PTPPHBZ

Documents

Product Drawings	
JUN-POW-TIM GEH 1	7P

English

CAD Files

Customer View Model

ENG_CVM_CVM_1355204-2_C.2d_dxf.zip

English

3D PDF

C For support call+1 800 522 6752

Housing for Female Terminals, Wire-to-Board, 17 Position, .196 in [5 mm] Centerline, Red, Signal, Cable Mount (Free-Hanging), Junior Power Timer



3D

Customer View Model ENG_CVM_CVM_1355204-2_C.3d_igs.zip English

Customer View Model

ENG_CVM_CVM_1355204-2_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the $\ensuremath{\mathsf{Terms}}\xspace$ and $\ensuremath{\mathsf{Conditions}}\xspace$ of use.

Datasheets & Catalog Pages Timer Interconnection System

English

Product Specifications Application Specification English